



Live life...Live leisure



Welcome to Crusader Products

A family run business, committed to providing our customers with the highest standard of service.

Crusader Products

We are delighted that you are taking the time to look at our latest and largest catalogue to date. Crusader Products is committed to supplying the highest quality Caravan, Motorhome and Outdoor Leisure products at the best possible price.

We believe in strong working relationships with our valued customers and have a highly regarded team of experienced and enthusiastic outdoor leisure specialists always on hand to answer any enquiries you may have.

We have over 3500 lines in our NEW catalogue. We have several new sections in the catalogue including Outdoor Leisure, which has a fantastic range of furniture and outdoor lifestyle products. We are committed to remaining at the forefront of design and innovation and are proud to have led design and colours in recent years.

Website

Along with the new catalogue we have updated our Website and online ordering. The increased accessibility of this system has proven extremely useful for an increasing number of customers, and means you can place orders online at your own convenience. We hope that you find this facility easy to use and a major step forward. www.crusaderproducts.co.uk

Thank you for your continued support and we look forward to a dynamic future together in the outdoor leisure industry.

Live life...Live leisure!

Yours sincerely

We're here to help...

Telephone Order Line

01159 736 939

Our experienced and friendly customer service team will be happy to take your order, or offer help and advice.

Fax Order Line

01159 731 562

Fax your order to us at any time, using the order form at the back of this catalogue. Please enter full details of the goods you require.

Email & Website:

sales@crusaderproducts.co.uk www.crusaderproducts.co.uk

Email your order to us at:

sales@crusaderproducts.co.uk including full dealer details, part numbers and quantities required.

Post:

Crusader Products Ltd, Gordon House, Acton Grove, Long Eaton, Nottingham, NG10 1FY

John Atkinson Sales Director

| OUTDOOR LEISURE | Deluxe Furniture Range 6 Deluxe Furniture Range 7 Compact Furniture Range 8 Luxury Tables 9 Lightweight Awning 10 | Lightweight Air Awning Leisure Matting Tent & Awning Pegs Tent & Awning Accessories Awning Accessories | 11 12 13 14-16 17 | Kitchen, Cooking & Steps 18 Barbeques 19 Yourlite 20 |
|------------------------------------|--|---|---|---|
| VENTILATION | MPK rooflights 22-23 Clear Rooflights & Netting 24 Window & Curtain Fittings 25 Vents 26 | | | |
| MAINTENANCE & WORKSHOP | Sealants and Adhesives 28 Sealants and Adhesives 29 Glues and Tapes 30 Seals and Mouldings 31 General Fixings 32 | Hinges and Fittings Catches Interior Fittings Clocks and Barometers | 33 34 35 36 | |
| TOWING & AUTO | Jockey Wheel Assemblies 38 Jockey Wheels 39 Chassis Accessories 40-41 Towball Fittings 42-43 7 Pin Towing Electrics 44 | 13 Pin Towing Electrics Cable Wiring and Use Clamps and Mirrors Fittings | 45 46 47 48 | |
| SECURITY | Exterior Locks 50 Lock Barrels & Keys 51 Interior Locks 52 Door Retainers 53 Locks and Alarms 54 | | | |
| WATER | Reich Mixer Taps 56-57 Reich Taps & Shower Heads 58 Reich Shower Mixer Taps 59 Reich Shower & Tap Spares 60-61 Comet & Cara Taps 62 Comet & Cara Spares 63 | Comet Spares 12v Water Pumps Exterior Water Fittings Pushfit Fittings Pipe & Hose Connectors Sink Wastes | 64 65 66 67-69 70-72 73 | Fixings & Purifiers 74 Fresh Water Carriers & Hoses 75 Water & Waste Carriers 76-77 TwinTub and Toilets 78 Hoses & Pipes 79 Cleaners & Toilet Fluids 80 |
| GAS | Regulators 82 Adaptors & Regulators 83 Pigtail Gas Hoses & Valves 84 Gasfuse 85 Gas Fittings 86 | Compression Fittings Safety Products Pipe, Hose & BBQs Barbeques | 87 88 89 90 | |
| ELECTRICAL ACCESSORIES | Mobile Mains & Mains Leads 92 Mains Leads and Adaptors 93 Mains Inlets and Outlets 94 Mains Kits & Consumer Units 95 Berker Socket Range 96 | Berker Socket Range TV & Aerial 12v Plugs & Sockets 12v Leads & Accessories Batteries | 97 98-99 100 101 102 | |
| ELECTRICAL - LIGHTING & BULBS | Rear Clusters 104-105 Number Plate Lamps 105 Circular & Oval Lamps 106 LED & Standard Marker Lamps 107 Marker Lamps 108 | Marker Lamps & Reflectors LED Lights Standard Lights General Lights Yourlite | 109 110-111 112-113 114 115 | Bulbs & Tubes 116-118 |
| ELECTRICAL - CONNECTORS & FUSES | Crimp Terminals 120 Crimp Terminals & Connectors 121 Battery Terminals 122 Covers, Clips & Jump Leads 123 Fuses 124 | Fuses & Holders Relays & Connectors Protective Sleeving Protective Sheathing Cable Ties | 125 126 127 128 129 | Cable Clips 130 |
| ELECTRICAL - CABLE | Popular Cables 132-134 7 & 13 Pin Socket Connections 135 Standard PVC Auto 137 Standard Flat Twin Core Cable 137 Standard Multi Core PVC Auto 138 | Flexible Battery Cable Speaker, Coaxial & Alarm Mains Cable Cable Tools | 139 140 141 142 | |
| INDEX / T&C / FAX ORDER FORM | A-D 143 F-P 144 P-Z 145 Terms & Conditions 146-148 Order Form 149 | | | |

A superb range of quality leisure products for all those who enjoy the Great Outdoors. Many of these products are brought exclusively to you by Crusader Products. From a full range of comfortable and luxurious furniture to BBQs, Awnings and awning accessories and spares.

eisure

- Outdoor Leisure Furniture
 - Awnings •
 - Leisure Matting •
- Tent & Awning Accessories
 - Tent & Awning Pegs •
 - **Awning Accessories**
 - Kitchen, Cooking & Steps
 - Barbeques
 - Yourlite •





V795/E

Padded Lounger in Black

Reclines and locks at any position. With sliding headrest, Lifts your body to the highest level of relaxation. Chaise bungee-cord suspension system. Attachable cup holder.



V780/X - Luxury Lollipop Chair with Black Mesh W102 - Footstool for Black Lollipop Chair

Luxury Lollipop Chair with Black Mesh with matching Footstool

A quality 6 position high back reclining chair, With padded seat and headrest In a heavy duty weatherproof textilene material.



V783/B - Luxury Padded Recliner W100 - Matching Footstool

Luxury Padded Recliner in Black with matching Footstool

Relaxing bungee suspension system. Lightweight aluminium frame. With Sliding headrest. Fully adjusts to 8 different positions.



Deluxe Directors Chair in Black with Side Table and Cup Holder

With foldable side table, and drinks holder. Padded armrests. Lightweight aluminium frame. Folds to compact size. Webbed backrest for added comfort.



V780/B - Lollipop Chair in Black W102 - Matching Black Footstool

Lollipop High Back Chair (Black Textilene)

High quality 6-position high back reclining chair, in heavy duty fully weatherproof textilene material. Strong and lightweight. Comes with removable padded headrest.



Big George Padded Chair in Grey with carry bag and insulated cup holder

Extremely comfortable. With padded backrest, seat, and headrest. 3-Position adjustable backrest. With insulated cup holder. Complete with Carry Bag.



V780/DB - Lollipop Chair in Dark Blue W114 - Matching Dark Blue Footstool

ollipop High Back Chair (Dark Blue Textilene)

High quality 6-position high back reclining chair, in heavy duty fully weatherproof textilene material. Strong and lightweight. Comes with removable padded headrest.



V786/L

Big George Padded Chair in Blue with carry bag and insulated cup holder

Extremely comfortable. With padded backrest, seat, and headrest. 3-Position adjustable backrest. With insulated cup holder. Complete with Carry Bag.



Globe Trotter Chair in Black

Compact Foldable Structure, Easily Transportable.

Comes with Carry Bag foldable to compact size. Sponge padded seat and backrest. Streamline strong armrest, adjusts to 3 positions.



Compact Camp Crusader Chair in grey

Sturdy EVA armrest, Foldable to compact size for storage and easy carrying, PVC with sponge padding.



W109

EZL Directors Chair in Black with Advanced Folding Mechanism

Foldable for compact storage and easy carrying. With a flip down side table. Sturdy 25mm frame.



TT Crusader Chair in grey

Folding Chair foldable to compact size for storage and easy carrying. PVC with sponge padding.



W112 - Compact CPL Table with extendable legs W104 - Large CPL Table with extendable legs

Luxury CPL Table with extendable legs

Foldable legs to compact size for easy carrying. Height adjustable, Great clean looking surface for any occasion. Small : $80 \times 60 \times 69 \text{cm}$ / Large : $120 \times 80 \times 69 \text{cm}$



Foldable Jill Table with slate wood effect table top

Folds up flat for compact storage. With side handle for easy carrying. Large : $122 \times 71 \times 62 \text{cm}$ / Small : $70 \times 60 \times 80 \text{cm}$



CPL Table and Stool Combo

Lightweight multi-use Stool/Table. Folds to compact carry size. With aluminium binding and legs. $42 \times 42 \times 48 \text{cm}$



Jack Table with slate wood effect table to:

Aluminium double-leaf folding table with slate wood effect table top. 120 x 60 x 70 cm

10

CLIMATE 300

Lightweight Awning



A Spacious 3 Metre wide Lightweight Awning in Stylish Two-tone Grey

- · Strong Adjustable 19mm Steel Poles
- · 3 Door Positions with Flynet
- · Waterproof and UV Resistant
- Rear Support Poles Included
- All Windows with Roll Up Blinds
- Complete with Awning Draught Strip
- Floorplan Dimensions 300cm x 250cm
- 12.5mm heavy Duty Fibreglass Roof Poles
- · Heavy Duty 210T Ripstop Polyester
- Full Set of Durable Pegs
- · Sewn in Rear Sealing Bumper Pads
- · High Visibility Guy Lines Included
- · Fully taped seams
- Box Size 88 x 30 x 32cm Net Weight: 14kg



READY TO GO All You Need is a Groundsheet See Page 12



V910 - Climate Zone 300

11

CLIMATE 300

Lightweight Awning



A Spacious 3 Metre wide Air Awning in Stylish Two-tone Grey - Erected in minutes with easily inflatable bladders

- · Quick and Easy Inflatable Tubes
- · 2 Side Doors with Extra Flynet Panels
- · Waterproof and UV Resistant
- Rear Support Poles Included
- · All Windows with Roll Up Blinds
- · Complete with Awning Draught Strip
- Floorplan Dimensions 300cm x 250cm
- · Quality Double Action Pump Included
- · Heavy Duty 210T Ripstop Polyester
- 2 Roll Up Front Panels
- Sewn in Rear Sealing Bumper Pads
- · High Visibility Guy Lines and Pegs Included
- · Fully taped seams
- Box Size 90 x 35 x 45cm Net Weight: 15.5kg



READY TO GO All You Need is a Groundsheet See Page 12



V911 - Climate Air Zone 300



Paradise - Universal Eco-Friendly Groundsheet

W300 - 2.5 x 2.5m Groundsheet with carry bag
W301 - 3.0 x 2.5m Groundsheet with carry bag
W302 - 3.5 x 2.5m Groundsheet with carry bag
W303 - 4.0 x 2.5m Groundsheet with carry bag
W304 - 4.5 x 2.5m Groundsheet with carry bag
W305 - 5.0 x 2.5m Groundsheet with carry bag
W306 - 5.5 x 2.5m Groundsheet with carry bag
W307 - 6.0 x 2.5m Groundsheet with carry bag
W308 - 6.5 x 2.5m Groundsheet with carry bag
W309 - 7.0 x 2.5m Groundsheet with carry bag
W310 - 7.5 x 2.5m Groundsheet with carry bag
W311 - 8.0 x 2.5m Groundsheet with carry bag

A luxurious reversible monochrome diamond-patterned ground covering for the floor of Caravan Awnings, Tents, Motorhome Annexes, Beaches, Tents, Marquees, Boats, Decking, Patios, Conservatories, or even in the Garden!

```
* Non-slip warm finish * Partly Recycled, Better for the environment * Attractive two tone weave * Soft to the touch * UV Stable * Hardwearing * Breathable for grass * Hemmed for extra strength * Sleek patterned design * Virgin PP Material (polypropylene)
```



Eden Matting - Luxury Breathable Carpet

V820 - 2.5 x 2.5m Groundsheet with carry bag V821 - 3.0 x 2.5m Groundsheet with carry bag V822 - 3.5 x 2.5m Groundsheet with carry bag V823 - 4.0 x 2.5m Groundsheet with carry bag V824 - 5.0 x 2.5m Groundsheet with carry bag V825 - 6.0 x 2.5m Groundsheet with carry bag V826 - 7.0 x 2.5m Groundsheet with carry bag

A luxury grey striped breathable carpet from Crusader, specially designed for outdoor leisure.

Ideal for use with Caravans, Tents, Motorhomes, Marquees, and Awnings.

UV stabilized, Rot Proof, Breathable and Easy To Clean.

```
* Breathable * Keeps warmth in * Easy to clean * Grass Friendly * Hard-Wearing * Free Carry Bag * Attractive two tone weave * Breathable for grass * Reversible stripe-patterned design
```



Deluxe Tread - complete with pegs and eyelets

V250 - 2.5 x 2.5m Carpet with pegs & carry bag V251 - 3.0 x 2.5m Carpet with pegs & carry bag V252 - 3.5 x 2.5m Carpet with pegs & carry bag V253 - 4.0 x 2.5m Carpet with pegs & carry bag V254 - 4.5 x 2.5m Carpet with pegs & carry bag V255 - 5.0 x 2.5m Carpet with pegs & carry bag V256 - 5.5 x 2.5m Carpet with pegs & carry bag V257 - 6.0 x 2.5m Carpet with pegs & carry bag V258 - 6.5 x 2.5m Carpet with pegs & carry bag V259 - 7.0 x 2.5m Carpet with pegs & carry bag V259 - 7.0 x 2.5m Carpet with pegs & carry bag V260 - 7.5 x 2.5m Carpet with pegs & carry bag

A luxury breathable carpet specially designed to allow grass to survive, and to withstand outdoor leisure use.

Comes complete with ground pegs, and a free reusable carry bag.



Steel Wire Tent Pegs



L135 - Aluminium Rippled 8" L136 - Heavy Duty Peg

Heavy Duty and Rippled Tent Pegs



L106 - Pack of 10 G711 - Bulk Pack of 1000

Grey Domed Pegs for Awning Groundsheet



L134 - 5 1/2" (Pack of 5) L130 - 8" (Pack of 10)

> Plastic Tent Pegs



(Carry Case of 20)



L144

Glow Rock Pegs 200mm x 7mm

(Carry Case of 20)



145

Hard Ground Pegs 200mm x 6mm

(Carry Case of 20)



L143

Rock Pegs with Screw Thread 200mm x 7mm


(Carry Case of 20)




W4 Peg Extractor



(Bulk Box of 25)



Dog Anchor


















(Pack of 5)





Pole Clamp (pair)
















Pole Spike 3/4" (19mm)

(Pack of 3)

(Pack of 3)



Inner Tent Hooks 3/4" (19mm)

(Pack of 3)

Plastic Canopy Hooks (Triangular) (Pack of 3)

(Pack of 3)



Inner Tent Hooks 1" (25mm) (Pack of 3)







(Pack of 3)







Inner Tent Suspension Bands



(Pack of 3)

Tent Bands Extra Large 150mm

(Pack of 3) (Pack

(Pack of 5)

5) (Pack of 5)

N200







Toggled Tent Bands

(Pack of 5)

Ball Loops 3" (76mm)

(Pack of 3)


































(3 Lengths of 1.2m)



























This top quality, stylish 3 in 1 Combo Portable Gas BBQ is the ideal outdoor cooker for caravans, motorhomes, camping, picnics and home use. With it's easy to assemble design, incorporating two fold-out side shelves and a sturdy trolley assembly which can be removed. It can also be used as a table top unit.

Running on either propane or butane, the Combo has piezo ignition, a variable heat control, a large single burner with flame tamer and a chrome grill.

Dimensions : Standing Size : 104cm x 45cm x 93cm Carton Size : 64cm x 41.5cm x 32cm Cooking Area : 44cm x 32cm



This handy folding Gordon Portable Gas Barbeque is the ideal portable solution for caravans, motorhomes, camping, picnics and home use. With its easy to assemble design, and its folding legs which double as

The Gordon BBQ runs on either propane or butane, and comes complete with lava rock for that delicious barbeque smoky flavour.

Dimensions:
Overall Size: 48cm x 29.5cm x 28.5cm
Cooking Area: 41cm x 26.5cm.



T417 - YOURLITE - Portable Bluetooth Speaker Light and Mobile Powerbank

ntilation

Ventilation is one of the keys to comfortable caravanning, an essential requirement for the safe and efficient use of gas appliances, and a valuable tool to combat damp. Crusader Products offer a range of rooflight and window fittings, including curtain accessories, and a wide selection of vents.

CRUSADER PRODUCTS Live leisure

Rooflights, Flynets & Blinds

Clear Rooflights & Netting

Curtain Fittings

Vents



MPK Rooflight - Including Flynets

F310 - 280x280 Including Flynet (Beige)

N310 - 280x280 Including Flynet (Ivory)

F320 - 360x320 Including Flynet (Beige)

N320 - 360x320 Including Flynet (Ivory)

A range of multi-directional telescopic rooflights, with strong, double-skin, spaced opaque domes which allow free air-flow, even with the dome closed. Comes complete with the beige or ivory surround and matching flynet.



Spare Domes for MPK Rooflights

F423 - Spare Dome for 280x280 (Beige)

N423 - Spare Dome for 280x280 (Ivory)

F425 - Spare Dome for 360x320 (Beige)

N425 - Spare Dome for 360x320 (Ivory)

Spare opaque, double-skin domes for the MPK beige and ivory range of rooflights.



Flyscreens for MPK Rooflights

F350 - Flyscreen for 280x280 (Beige)

N350 - Flyscreen for 280x280 (Ivory

F360 - Flyscreen for 360x320 (Beige)

N360 - Flyscreen for 360x320 (Ivory)

Spare woven fabric flyscreens for the MPK range of rooflights.



F427 - Spare Dome (Beige) (illustrated)

Spare Dome for 400x400 MPK Rooflight

Spare opaque, double-skin domes for the MPK beige and ivory 400x400 rooflights.



Spare Roller Blinds for 420 Rooflight



F390 - Integrated Rooflight Complete (Beige) (illustrated) F395 - Integrated Rooflight Complete (Ivory)

MPK 420 Integrated Rooflight Complete (Replaces old style 400x400 Rooflight)

With the same basic specification as the 400x400 MPK Rooflight, the 420 also includes an integrated flynet and roller blind surround, which does not restrict the free airflow when in use. Available in Beige or Ivory colourways.



F402 - Flynet with Blind (Beige) F403 - Flynet with Blind (Ivory) (illustrated)

Flynet for 420 Rooflight with Blind

Spare flynets for the MPK 420 rooflights. Available in Beige or Ivory colourways.



F370 - Flyscreen (Beige) (illustrated)

Flyscreen for MPK 400x400 Rooflight (Beige)

Spare woven fabric flyscreens for MPK 400x400 rooflight range



F400 - Spare Flynet (Beige) (illustrated) F405 - Spare Flynet (Ivory)

Spare Flynets for 420 Rooflight



F335 - Clear Rooflight (Beige) F336 - Clear Rooflight (Ivory)

MPK Clear 280x280 Rooflight Complete

Complete with lock, flynet and blind



F339

Replacement Dome for MPK 280x280 Clear Rooflight

Complete with lock, flynet and blind



1335

Spare Flynet/Blind for 280x280 Clear Rooflight (Beige)

Fits the 280x280 clear dome MPK rooflights



N336

Spare Flynet/Blind for 280x280 Clear Rooflight (Ivory)

Fits the 280x280 clear dome MPK rooflights



N380 - Ivory

MPK 280 Special Flyscreen



F340

Replacement Dome for MPK 400x400 Clear Rooflight

Complete with lock, flynet and blind



F396

MPK Clear 400x400 Rooflight (Ivory)

With pleated blind & flyscreen



F332

MPK Clear Rooflight Fixing Kit (for F396)

4 x Corners, Side Fixing & Screws



MPK Vision Star M Pro (Smoked Glass)



F337 - Clear Rooflight (Beige) F338 - Clear Rooflight (Ivory)

MPK Clear 400x400 Rooflight Complete

Complete with lock, flynet and blind



F397 - 1m x 1m F398 - 1m x 1.5m

Mosquito Netting

Complete with fixing pads



Mosquito Netting 1m x 30m Bulk Roll



F220 - End Stops (Pkt of 2)



F180 - (Pkt of 20) F180B - (Box of 500)



F200 - (Pkt of 20) F200B - (Box of 500)

Swish Button Hooks



F210 - (Pkt of 20)



Visa Track Track (2.13m)

For face fixing



F130

For right angle fixing on pelmets, ledges and ceilings



F150

Visa End Stops (Pkt of 2)



F141 - (200m in box) F142 - (50 metre Roll)

Visa Curtain Tape



F198 - 2.5m Track Only
F195 - Fixing Brackets Only (Pkt of 5)
F197 - End Stops Only (Pkt of 2)

Swish Nylonglyde



F190 - Gliders (Pkt of 20) F190B - Gliders (Box of 500)

Swish Nylonglyde Gliders



Sprite Curtain Hook for Wire (Pkt of 25)



F546 - Black Toggle Window Catch

Black Toggle Window Catch

For quick & secure fastening

























After-sales maintenance products are an important part of the Caravan Accessory retail market, and a mainstay of Caravan Workshop business. Whether it's silicones or mastics, adhesives or sealants, or a range of top quality cleaning products you require, make Crusader Products your first stop.

CRUSADER PRODUCTS Live life. Live league

- Sealants & Adhesives
 - Glues & Tapes •
 - Seals & Mouldings
 - **General Fixings**
 - Hinges & Fittings
 - Catches •
 - Interior Fittings •
- Clocks & Barometers •



Sikaflex 512 Caravan & Motorhome Sealant (300ml)

Polyurethane hybrid adhesive sealant



G440 - (White) G441 - (Black)

Sikaflex 221 Sealant (300ml)

Polyurethane hybrid adhesive sealant



(White) Sealant (300ml)

UV stable Polyurethane multi purpose adhesive sealant



Sikaflex 252 (White) Adhesive (300ml)

Very high strength and flexible adhesive



G444 - Adhesive (300ml) G445 - 600ml sausage Adhesive

Sikaflex 552UV (White)

UV resistant hybrid adhesive sealant



G469

Fix All Adhesive White Sealant (290ml Cartridge) Multi Use Hybrid Polymer

hybrid polyurethane



High strength MS Polymer adhesive sealant



Soudal Soudaseal RV61 Hybrid Bonding Sealant (300ml)

Hybrid adhesive sealant



Synthetic Polymer Adhesive STR 360 (290ml Cartridge)



G401 - White (290ml) G409 - White (600ml) G407 - Black (290ml)

Bostik Simson Synthetic Polymer Adhesive ISR 70-03



ynthetic Polymer Adhesiv R 70-08 (290ml Cartridge



Spare Nozzle for Sealant Tube

Fits 290 - 310 ml tubes Pack of 6



G470 - (Clear) G480 - (White)

Silfix HM Silicone Sealant (310ml)

High Modulus Silicone



G490

Silfix LMA (Ivory) Silicone Sealant (310ml)

Low Modulus Silicone



G496

Seamseal BR (White) Butyl Sealant (380ml)

Butyl Rubber Sealant



G461 - (White) G460 - (Cream)

Seamseal CV Bedding Sealant (380ml)

Non-setting bedding sealant



G449

Sika 205 Cleaner to Improve Adhesion (250ml)



G450

Sika 208 Remover to Remove Surface Sikaflex (1 Litre)



G465 - 19mm G509 - 32mm G475 - 45mm

HP400 Wide Off-White Mastic Strip

(2.5mm x 19m)



G497 - 19mm G498 - 32mm G499 - 45mm

HP600 Wide White Mastic Strip Sealant

(2.5mm x 19m)



G503

HP 400 32mm Wide Grey Mastic Sealing Strip

(2.5mm x 19m)



G505 - 19mm G500 - 32mm G508 - 45mm

W4 Wide Mastic Sealing Strip

(5m roll)



2311

Polythene Roll Single Layer Non-stick Plastic (25kg)



G744 - Stik'n Guard (10m x 500mm)
G744 - Stik'n Guard (100m x 600mm)
G743 - Carpet Guard(2m x 700mm)

3742 - Carpet Guard (30m x 700n

Carpet Protector & Carpet Guard



Floor Glue Std Set (Two Part) 1.5kg

Low viscosity floor de-laminating kit



Floor Kit Pro Adhesive

Easy to use fast cure epoxy adhesive for floor delamination



G467 - 1.3kg G466 - 6.5kg

Panel Pro Adhesive Two Part

Two part easy mix polyurethane adhesive for bonding superior



Syringe for Floor Glue 50ml





Gorilla Superglue



Gorilla Superglue GEL





V995

Camo Roll Gorilla Double Adhesive Reinforced Tape



Gorilla Clear Waterproof Repair Tape




V993

Large Roll Gorilla Double Adhesive Reinforced Tape



V994

Handy Roll Gorilla Double Adhesive Reinforced Tape



G128 - 25mm G136 - 27mm G119 - 30mm

Window Seal Small Bubble with Mastic

20m Roll



G129 - 25mm G137 - 27mm G120 - 30mm G123 - 34/35mm

Window Seal Large Bubble with Mastic

20m Roll



G133 - White 23mm G134 - Grey 23mm G135 - White 25mm

Caravan Window Insert Filler PVC

20m Roll



Tool for fitting Insert Filler in Window Rubber



"Double Bubble"

30m Roll Other profiles available to order



G138 - Awning Rail Gasket G140 - Sink/Hob Seal

Awning Rail Gasket (100m) Sink/Hob Seal (25m)



G379 - Navy Blue G380 - Maroon G381 - Black

Fill In Strip 13mm

100m



G382 - White G383 - Green G384 - Cream

Fill In Strip 13mm



G385 - Grey G386 - Silver

100m



G387 - Black (15mm) G388 - Cream (15mm) G389 - Grey (14mm)

100m



into channel



F100 - White F110 - Beige

22mm D Mould Top & Bottom



N169 - 20mm White F908 - 25mm White F908B - 25mm Beige F908C - 25mm Off-white

Decrodome Polytop Pins (10 pins)



F909 - 25mm White F910 - 25mm Off-white F911 - 25mm Light Beige

Decrodome Polytop Pins (Bag of 1000 pins)



N173



Awning Rail Screws (2cm)

(Pack of 10)





F502 - Off-white F503 - White F505 - Apple Cherry F506 - Beige F517 - Grey



F900 - White F901 - Cream F913 - Black F914 - Tan F915 - Brown



F902 - White F903 - Beige F904 - Tan F912 - Brown

F906 - Silver F907 - Black

Metal Fixing Bracket & Cover (Pack of 5)



N171 - Jacknut M4x25mm N172 - Rivet 4.8 x 30mm (x5)

Cavity Fixer Jacknut & Peel Rivet



N220 - (pack of 12) N220B - (pack of 50)

Cupboard Door Stop Domes



N250 - 3/8" (9.5mm) (Pack of 20) N252 - 3/8" (9.5mm) Closing Too N251 - 1/2" (13mm) (Pack of 10) N253 - 1/2" (13mm) Closing Tool

Brass Eyelet



Awning Skirt Studs & Poppers



F536 - 1 3/4" Plastic N149 - Nylon 2" (50mm)

Hinges (Pair)



N141 - Brass 1 1/2" (38mm) N143 - Brass 2" (50mm) N140 - Bronze 2" (50mm)

Flush Hinge (Pair)



N142 - Bronze 2" (50mm) N144 - Brass 2" (50mm) N147 - Brass 2" (50mm)

Cranked Hinge (Pair)



N145 - Brass N146 - Bronze

2"(50mm) Flush Hinges with Finials (Pair)



N148 - Brass Barrel N139 - Tubular 12mm Concealed

Hinges (Pair)



N150 - 1 1/2" (38mm) N151 - 2" (50mm) Necked

Brass Bolt



F430 - Tan F431 - White F450 - Beige F432 - Grey

Plastic Turnbutton



F440 - Tan F441 - White F460 - Beige F434 - Grey

Spacer for Turnbutton



Plastic Turnbuckle





Sliding Door



Sliding Door Tan L Bracket Guide

sales@crusaderproducts.co.uk

































Plastic Table Bracket & Bolt

Table Storage Brackets (Pair)

with Table Brackets (Locking)

Table Edge Strip with Wall Retaining Strip (Beige)



M300 - Base M302 - Top M301 - Leg 70cm



Letterbox Bracket Flap Support



Triangular Flap



Large Cupboard Stay











Round (White Face-Roman) Clock Unmounted

90mm



(Brass Face-Roman) Clock Unmounted

90mm



White Face Arabic Round Clock

70mm



White Face Roman Round Clock

70mm



H158 - Chrome trim H168 - Brass trim

Oval White Face Arabic Clock Unmounted

80 x 65mm



Oval White Face Roman Clock Unmounted

80 x 65mm



Small Chrome Bezel Roman White Faced Round Clock

70mm



Small Chrome Bezel Arabic White Faced Round Clock

70mm



V990

Oval White Face Arabic Chrome Trim Cloc Unmounted

130mm x 75mm



V991

Oval White Face Roman Brass Trim Clock Unmounted

130m x 75mm



H162

70mm



H166

Small Chrome Bezel Thermometer (White Face)

Whether your customer wishes to improve their leisure vehicles towing characteristics or manoeuvrability, or to increase it's safety, or simply to improve it's looks and saleability, we have a wide choice of chassis fittings and towing products available to meet all leisure requirements.

Fowing & Auto Jockey Wheel Assemblies • Jockey Wheels Chassis Accessories Clamps & Mirrors • **Towball Fittings** • 7 Pin Towing Electrics • 13 Pin Towing Electrics • Fittings •



5ft H x 4ft W x 17" D (Stock not included)





With Metal Wheel



With Metal Wheel






With Metal Wheel





With Metal Wheel





With Metal Wheel







Jockey Clamps and Handles





200 x 40mm




200 x 50mm





250 x 70mm





230 x 75mm








220 x 70mm





Spare Clamp Locking Handle for Jockey Clamp

































(In Storage Bag)



(Box of 4)











(Box of 4)











Towball Bolts (Pair)



E350 - 1/2" E360 - 1" E370 - 1 1/2" E380 - 2"















Double Car Backing Plate (Dogbone - Both Sides)































E100 - Plug E120 - Socket E121 - Socket with Fog Cut Out















































Caravan - Towing & Chassis Cable - Typical Uses

| Crusader Code | Cable Type | Nominal Wire X - Section | Continuous Current Rating | Typical Uses | |
|------------------|------------------------------------|--------------------------------|---------------------------------|---|--|
| SE165 | 65/0.3 | 4.5mm² | 35 amps | | |
| SE184 | 84/0.3 | 6mm² | 42 amps | Ideal for extra heavy duty low voltage use, such as Motor Mover installation, charging cables for ammeter, alternator and dynamo circuits, and some marine use. Check the current rating required. | |
| SE197 | 97/0.3 | 7mm² | 50 amps | | |
| SE1120 | 120/0.3 | 8.5mm² | 60 amps | | |
| SE180 | 80/0.4 | 10mm² | 70 amps | | |
| SE502S | 12S 5 Core 4x35/0.3 1x21/0.3 | 4x2.5mm² 1x1.5mm² | 4x21.75 amps 1x12.75 amps | The new heavy duty industry standard for 12S external connections, for caravans with heavier electrical needs. | |
| SE709 | 7 Core Cabl∈ 7x9/0.3 | 7x0.65mm² | 5.75 amps | For light duty 12N Black exterior connection, for small trailers, standard lighting boards and some caravans. | |
| SE701N | 12N 7 Core 6x14/0.3 1x28/0.3 | 6x1mm² 1x2mm² | 6x8.75 amps 1x17.5 amps | For 12N Black exterior connection between car and caravan to power the front and rear external running lights. AVAILABLE IN A RANGE OF REEL LENGTHS.See page 80 | |
| SE702S | 12S 7 Core 6x21/0.3 1x35/0.3 | 6x1.5mm² 1x2.5mm² | 6x12.75 amps 1x21.75 amps | For 12S Grey external supplementary connection between car and caravan, to provide internal 12v power. | |
| SE1300 | 13 Core 8x21/0.3 5x35/0.3 | 8x1.5mm² 5x2.5mm² | 8x12.75 amps 5x21.75 amps | The continental European standard 12N/12S single connection between car and caravan. | |

12N (Nominal) Black 7 Pin Socket Connections (Viewed from rear of socket)




| Application | Socket Pin No. | Cable Core Colour | |
|-------------------------------|-------------------|----------------------|--|
| L.H. Indicator | 1 | Yellow | |
| Rear Fog Lamp | 2 | Bl U e | |
| Earth | 3 | White | |
| R.H. Indicator | 4 | Green | |
| Right Tail/Side (& No. Plate) | 5 | BrowN | |
| Stop Lights | 6 | Red | |
| Left Tail/Side (& No. Plate) | 7 | Black | |

12S (Supplementary) Grey 7 Pin Socket Connections (Viewed from rear of socket)



| Application | Socket Pin No. | Cable Core Colour | | |
|---|-------------------|----------------------|--|--|
| Reversing lights and/or Reversing Catch on Inertia Brakes | 1 | Yellow | | |
| NO ALLOCATION (may be used for auxillary battery charging | 2 | BI U e | | |
| Earth (Common return) | 3 | White | | |
| Power Supply | 4 | Green | | |
| Sensing Device (i.e. warning light) with common return | 5 | Brow N | | |
| Power Supply for Refrigerator | 6 | Red | | |
| NO ALLOCATION (may be used spare earth for Refrigerator) | 7 | Black | | |

Black 13 Pin Euro Socket Connections (Viewed from rear of socket)



| Application | Socket Pin No. | Core Cross Section | Core Colour |
|----------------------------------|-------------------|-----------------------|----------------|
| L.H. Indicator | 1 | 1.5mm² | Yellow |
| Rear Fog Lamp | 2 | 1.5mm² | Bl U e |
| Earth for contacts 1 to 8 | 3 | 2.5mm ² | White |
| R.H. Indicator | 4 | 1.5mm² | Green |
| Right Tail/Side (& No. Plate) | 5 | 1.5mm² | Brow N |
| Stop Lights | 6 | 1.5mm² | Red |
| Left Tail/Side (& No. Plate) | 7 | 1.5mm² | Black |
| Reversing Lights | 8 | 1.5mm² | Pin K |
| +'ve Direct from Battery | 9 | 2.5mm ² | Orange |
| +'ve Ignition Key On | 10 | 2.5mm ² | Slate Grey |
| Earth Return for Contact 10 | 11 | 2.5mm ² | White/Blac |
| Signalling Connection to Trailer | 12 | 1.5mm² | White/BIU |
| Earth Return for Contact 9 | 13 | 2.5mm ² | White/Red |



Insert Coupling Hitch Lock



Hitch Lock (Open Type Coupling)



Hitch Lock (Zinc)



Universal Lock



Crusader Anti



Full Face Wheel Clamp



N619 - single N623 - pair

Reich Standard Mirror



N620


Reich Handy Mirror XI



Reich Handy Mirror XL Extended



Reich Handy Mirror XL Superflex



Reich Double Deluxe Clip on Mirrors



Euro Scissor Mirror Twin

























2 x 4 Metre Ratchet Tie Down Straps with S Hooks



CRUSADER PRODUCTS Live life... Live leisure Main Door Locks •

Compartment Locks •

Keys and Barrels •

Door Retainers •

Hitchlocks & Clamps •

Alarms •



S140 - L/H

S145 - Spare Front w/Lock & Keys

Caraloc 640 Lock

S173 - MC Barrel



S153 - L/H S155 - R/H

Caraloc 640 Interior Only



S175 - Front S171 - Spare Barrel & Keys

Caraloc 640 High Security

S171 - H/S Barrel



S160 - L/H S170 - Spare Front Only

Caraloc 700

S173 - MC Barrel



S177 - L/H S179 - R/H

Caraloc 2000 Lock

S270 - WD Barrel



S180 - L/H S190 - R/H

Vecam Lock

S200 - Vecam Barrel



N103

80mm Baggage Door Lock with MC Barrel & Keys (Fits up to 22mm Thick)

S173 - MC Barrel



S305 - Lock

S306 - Spare MC Tang Cam Arm

Caraloc Bottle Box Lock (Fits from 12.5mm to 25mm)

S270 - WD Barrel



S300 - Locks (Pair)
S284 - Compartment Lock Cover (Pair)

MC Gas Bottle Locke Locks (Pair)

S173 - MC Barrel



S274 - Lock Set Complete

S273 - Spare Compression Lock Bod

S272 - Spare Latch Bar Kit

WD Compression Locks (for Gasketed Doors)



S310

Locker Lock

S227 - SouthCo Key



S315

Southco Vice Latch for Lockers

S227 - SouthCo Key







MC Barrel & Keys



S270/NO - specific number

Spare WD Barrel & Key



S271 S271/NO - specific number

Short Tang WD Barrel & Keys



S470 S470/NO - specific number

WD Short Tang Barrel & Keys



S280 - WD Spare Key S290 - WD Barrel Removal Tool



S200 - Barrel & Keys S210 - Zadi Key (Pair) (No.9000+)

Spare Vecam Barrel & Keys & Zadi Keys









Barrel Removing Key (Vecam)



Snake Cut Lock



Large Push Button Lock

(Gold)



Spare Collar for **Push Button Lock**

for M323 (Gold)



M324

Large Push Button

(Satin)



Spare Collar for **Push Button Lock**

for M324 (Satin)



(Gold)



(Satin)



T136

Square Push Button Lock with Latch

(Chrome & Silver) to fit 14-16mm Panel



(Chrome & Silver) to fit 13-16mm Panel



Small Push Button Lock

(Brown)



Standard Latch Lock

(Grey)



11mm Door Catch Plate


(Grey)



11mm Soft Close Door Catch Plate

(Grey)







Plastic Door Retainer



Marine Brown Box of the con-



Viva Door Retainer



S390 - Black plastic S387 - Grey plastic

Q/R Barrel Door Retainer



Plastic Barrel Door Retainer



S389

Metal Barrel Door Retainer



Heavy Duty Door Retainer













Open Type Coupling Lock



Camping Lock







T251





N257 - Combination Lock N194 - Small Padlock N133 - Identitags

Small Padlocks





Sargent Stinger 310 Mobile Alarm



N541

Digital Carbon Monoxide



Deluxe



/ate

Whether you're looking for a quality range of modern design taps, from Reich or Comet, or a wide selection of fittings, filters, pumps and connectors for fresh or waste water, Crusader Products feel sure they can meet the demands of both you and your customers.

Tap Fittings •
Pumps & Fittings •
Pushfit Connectors •
Connectors & Fittings •
Waste & Water Fittings •
AquaPRO & WastePRO •
Water & Waste Carriers •
Twintub & Toilets •
Pipes & Hoses •
Crusader Toilet Fluids •
Cleaning Products •

Showers

CRUSADER PRODUCTS Live life. Live leisur



F258 - with Ridged Connectors

Reich KAMA Mixer Tap Chrome (27mm)

F277 - Microswitch F217 - Ceramic Cartridge Various Connectors Page 61



F274 - with Ridged Connectors F274S - with Smooth Connectors

Reich KAMA Mixer Tap Chrome (33mm)

F277 - Microswitch F217 - Ceramic Cartridge Various Connectors Page 61



F238 - with Ridged Connectors F238S - with Smooth Connectors

Reich PELIKAN Mixer Tap Chrome (33mm)

F232 - Microswitch F217 - Ceramic Cartridge



N497

Reich CONCEPT E Mixer Tap Chrome (33mm)

F232 - Microswitch F219 - Ceramic Cartridge



F271 - Chrome (illustrated)

Reich TWIST Mixer Tap

F273 - Microswitch F219 - Cartridge (33mm) F227 - Chrome Spare Spout



N105 - Matt/Nickel (illustrated)
N104 - Chrome

Reich TWIST Mixer Tap

F273 - Microswitch F218 - Cartridge (39mm) F228 - Nickel Spare Spout



F239

Reich TWIST Mixer Tap

F273 - Microswitch F218 - Ceramic Cartridge F227 - Chrome Spare Spout



F244

Reich TWIST Mixer Tap R/H 90° Black/Nickel (39mm)

F273 - Microswitch F218 - Ceramic Cartridge F228 - Nickel Spare Spout



F211

Reich TWIST Mixer Tap L/H 45° Chrome (39mm

F273 - Microswitch F218 - Ceramic Cartridge F227 - Chrome Spare Spout



F212

Reich TWIST Mixer Tap L/H 45° Matt/Nickel (39mm

F273 - Microswitch F218 - Ceramic Cartridge F228 - Nickel Spare Spout



F213

Reich TWIST Mixer Tap R/H 45° Chrome (39mm)

F273 - Microswitch F218 - Ceramic Cartridge F227 - Chrome Spare Spout



F214

Reich TWIST Mixer Tap R/H 45° Matt/Nickel (39mm)

F273 - Microswitch F218 - Ceramic Cartridge F228 - Nickel Spare Spout



N106 - with Ridged Connectors N106S - with Smooth Connectors

F232 - Microswitch F217 - Ceramic Cartridge V865 - Spare Spout F251 - Tap Rose



F232 - Microswitch F217 - Ceramic Cartridge V865 - Spare Spout F251 - Tap Rose



F232 - Microswitch F219 - Ceramic Cartridge V865 - Spare Spout F251 - Tap Rose



N293 - Microswitch F219 - Ceramic Cartridge



Reich CHARISMA Short Mixer Tap Chrome (30-35mm Base)

F231 - Microswitch F216 - Ceramic Cartridge Various Connectors P.64



Reich CHARISMA Long Mixer Tap Chrome (30-35mm Base)

F231 - Microswitch F216 - Ceramic Cartridge Various Connectors P.64



Reich VECTOR E Bathroom Mixer Tap Chrome (33mm)

126mm Spout F232 - Microswitch F219 - Cartridge



Reich VECTOR S Kitchen Mixer Tap Chrome (33mm)

159mm Spout F232 - Microswitch F219 - Cartridge



F233 - Microswitch



F232 - Microswitch F219 - Ceramic Cartridge



F232 - Microswitch F219 - Ceramic Cartridge



F232 - Microswitch F219 - Ceramic Cartridge



F281 - Microswitch F117 - 1/2" screw on adaptors



F281 - Microswitch F117 - 1/2" screw on adaptors



F281 - Microswitch F117 - 1/2" screw on adaptors



F281 - Microswitch F117 - 1/2" screw on adaptors



Reich Spare CHARISMA Shower Head

T295 - 3/8" - 1/2" Hose T267 - 1/2" - 1/2" Hose



Reich Spare ORION Shower Head (Easy Clean)

T295 - 3/8" - 1/2" Hose T267 - 1/2" - 1/2" Hose



Reich Spare JULIA Shower Head

T295 - 3/8" - 1/2" Hose T267 - 1/2" - 1/2" Hose



Reich Spare DUETT Shower Head

T295 - 3/8" - 1/2" Hose T267 - 1/2" - 1/2" Hose



T295 - 3/8" - 1/2" Hose T267 - 1/2" - 1/2" Hose



T295 - 3/8" - 1/2" Hose T267 - 1/2" - 1/2" Hose



T295 - with 3/8" cap and 1/2" cone T267 - with 1/2" cap and 1/2" cone

Metal Effect 1.5 metre





F243 - 33mm Base F243S - 33mm/Smooth F243S/39MM - 39mm/Smooth

Reich TWIST Table Top Shower Mixer (Chrome)

F273 - Microswitch



F229 - 33mm Base F229/39MM - 39mm Base

Reich TWIST Table Top Shower Mixer (Matt/Nickel)

F273 - Microswitch



F111

Reich TREND A Table Top Shower Mixer (27mm)

F232 - Microswitch



N609

Reich TWIST Under Table Shower Mixer (Chrome)

F273 - Microswitch



F278

Reich KAMA Shower Mixer with JULIA Head

F277 - Microswitch F217 - Ceramic Cartridge



1490

Reich KAMA Shower Mixer with DUETT Head

F277 - Microswitch F217 - Ceramic Cartridge



N492

Reich KAMA Shower Mixer with KOMBI Head

F277 - Microswitch F217 - Ceramic Cartridge



F229/39MM - 39mm Base

Reich TWIST Table Top Shower Set (Matt/Nickel)

Comes complete with Konus Wall Bracket, DUETT Head & Shower Hose



N494

Reich TREND E Shower Mixer with JULIA Head

F232 - Microswitch F217 - Ceramic Cartridge



N495

Reich TREND E Shower Mixer with TREND Head

F232 - Microswitch F217 - Ceramic Cartridge



N496

Reich TREND E Shower Mixer with DUETT Head

F232 - Microswitch F217 - Ceramic Cartridge



F259 - with Flexible Tail

Reich TWIST Table Top Shower Set (Matt/Nickel)

Comes complete with Konus Wall Bracket, DUETT Head & Shower Hose



F256

Reich Universal Wall Shower Bracket

Universal bracket for most shower heads



F257

Reich KONUS Bracket to fit JULIA & DUETT Heads

Specifically designed for Julia & Duett showerheads but fits wide variety



T266

Reich Elbow Wall Shower Bracket



T259 - Chrome 90° Base Angle
N607 - Chrome 45° Base Angle

Reich Base Stem Angles for TWIST Taps

Spare Stem Angles 45° & 90° for all Twist taps



F227 - Chrome Spout F228 - Matt Nickel Spout

Reich Spare Spouts For TWIST Mixer Taps



V865 - Chrome Trend Spout

Reich Spare Parts For TREND Mixer Taps



F117 - 1/1" Screw On adaptors (Pair)

Reich Tap Screw On Adaptors



N503 - Red Insert for Kama Taps N504 - Blue Insert for Kama Taps N505 - Red Insert for Twist Taps N506 - Blue Insert for Twist Taps

Reich Indicators for Kama & Twist Taps



F216

Reich Ceramic Cartridge 35mm

Fits CHARISMA Mixer Taps



F217

35mm

Fits KAMA, PELIKAN, TREND E & DUETT Mixer Taps



F218

28mm

Fits TWIST 39mm Mixer Taps



F219

Reich Ceramic Cartridge 25mm

Fits TREND C & S, STYLE, CONCEPT S, and TWIST 33mm Mixer Taps

Reich Microswitch for KAMA Taps



Reich Microswitch for TWIST Taps



Reich Microswitch for CHARISMA Taps



Reich Microswitch for TREND E Taps



Reich Microswitch for MONO MIX STYLE Taps



Reich Microswitch for CERAMIC STYLE Taps



Reich Microswitch for DELUXE Taps



Reich Microswitch for TREND S Tap



F102 - Blue Connector & O Ring F103 - Red Connector & O Ring F114 - Spare O Ring

Reich Ridged Connectors



F108 - Blue Connector & O Ring F109 - Red Connector & O Ring F114 - Spare O Ring

Reich Smooth Connectors



F104 - Blue 300m Flexi Hose F105 - Red 300m Flexi Hose F114 - Spare O Ring

Reich Flexi 300mm Hose Connectors



F106 - Blue 1500m Flexi Hose F107 - Red 1500m Flexi Hose F114 - Spare O Ring F116 - Pair 1000mm Red & Blue Hose

Reich Flexi Hose Connectors



V873 - with 12cm Spout V886 - with 15cm Spout V887 - with 22cm Spout

Comet DUCALE Mixer Tap (Chrome)



F225

Comet ROMA Mixer Tap (Chrome)

F215 - Microswitch



F226

Comet FLORENZ Mixer Tap (33mm)

F215 - Microswitch



Comet FLORENZ Cold Water Only Tap

F215 - Microswitch



Comet STILO Mixer Tap (Chrome)



F250 - Novo Belge Single Tap F285 - Spare Belge Spout

Comet NOVO Beige Single Tap

F280 - Microswitch



F260 - Novo Beige Double Tap F285 - Spare Beige Spout

Comet NOVO Beige Double Tap

F280 - Microswitch



Comet NOVO Beige Shower Tap

F280 - Microswitch



F263 - Novo Shower Head & Bracket F262 - Beige Shower Hose

Comet NOVO Beige Shower Fittings



F253

Comet NOVO Beige

F280 - Microswitch







For Comet Taps F226 & F298



V853

For Comet Taps F226 & F298



For Comet Taps F225



V851 - Florenz Blue and Red Insert V857 - Roma Blue/Red Insert

Comet Taps Blue/Red Inserts



Comet KING Shower Head (Chrome)

Comet Shower Head fits 1/2" Hose (T267)



Comet ROMA Trigger Shower Head

Comet Shower Head fits 1/2" Hose (T267)



Universal Shower Head, Hose & Bracket Set



F297

Chrome Shower Fitting (Complete)

Universal Shower Head, Hose, Bracket and Riser Bar







Also fits variety of taps



For Cara Mini/Mixer Tap



Comet 45° Ridged Tap Connectors (1/2")



V849 - Red Hosetall Connector

Comet Hosetall
Tap Connectors (1/2")



Nylon Hosetail 12mm Tap Connectors



Comet ROMA/FLORENZ Spare Microswitch



Comet NOVO Spare Microswitch



W4 Microswitch For Whale Taps







Comet In Line 10mm Microfilter



Comet In Line 12mm Pressure Switch 1.4 Bar



Comet Domed Foot Switch





Bohler 8 Litre



Reich 8 Litre



Reich 12 Litre Water Pump



Reich 15 Litre Water Pump



Reich 18 Litre Water Pump



Reich 19 Litre Twin Water Pump with NRV



Reich Powerjet 22 Litre 1.8 bar Water Pump



Reich Powerjet 25 Litre 2.1 bar Water Pump



Comet ELEGANT 8 Litre Water Pump

As used in Thetford Toilet Systems



Comet VIP PLUS 20 Litre Water Pump

As used in Carver & Truma systems



Immersion Bilge Pump 10 Litre



Immersion Bilge Pump 2.5A for Water Tank

8.5 litres per minute





F312 - Complete Unit (Black)
F314 - Spare Locking Cap (Black)
F316 - Spare Throat Assembly (Black)
S200 - Vecam Barrel & Keys (Spare)



F313 - Complete Unit (White) F315 - Spare Locking Cap (White) F317 - Spare Throat Assembly (White) S200 - Vecam Barrel & Keys (Spare)

40mm Water Inlet with Locking Zadi Cap (White)





V726 - Spare Housing Lid (Ivory)
V726W - Spare Housing Lid (White)
V728 - Lid Hinge Pins (Pair)



V727 - Security Clips V728 - Lid Hinge Pins (Pair)







Refills & Spares



T290



F655



F667





12mm Equal Elbow







15mm Equal Straight Pushfit Connector



15mm Equal Elbow Pushfit Connector



15mm Equal Tee Piece Pushfit Connector



Straight Pushfit Adaptor 12mm to 1/2" Hose











Straight Pushfit Adaptor



Straight Pushfit Adaptor



N226







Straight Pushfit Adaptor 12mm to 3/8" BSP Female



Straight Pushfit Adaptor 12mm to 3/8" BSP Male



Straight Pushfit Adaptor 12mm to 1/2" BSP Female



Straight Pushfit Adaptor 12mm to 1/2" BSP Male






N237

12mm Stem to 1/2" Male



N231 - 12mm End Plug N278 - 15mm End Plug

End Plugs for Blanking Push Fit Connectors



Locking Collett Clips for Push Fit Connectors



12mm Bulkhead

For Walls up to 20mm Min Hole Diameter 27mm



Tank Fitting Assembly 12mm to 1/2" Male BSP



12mm Pushfit Connector Non Return Check Valve



12mm Equal Pushfit In Line Shut Off Valve



12mm Elbow to Stem In Line Shut Off Valve



N246

12mm In Line Pushfit Filter/Strainer with Cap



10mm In Line Pushfit Filter/Strainer with Cap



Light Duty Tube Cutters For Pushfit Pipe



























1/2" Straight Water Hose Connector







1/2" to 3/8" Straight Water Hose Reducer



3/4" Straight Water Hose Connector



3/4" Y Piece Water Hose Connector





F606

28.5mm Y Piece Water Hose Connector



Consists of F606 and 3 x length I150 28.5mm Hose



Pushfit Y Piece 28.5mm Water Hose Connector



Pipe Connection Kit



F610 - 23.5mm Hose Seal Sleeve F610PR - 23.5mm Hose Sleeve (Pair)

23.5mm Hose Sealing Sleeves



F611 - 28.5mm Hose Seal Sleave F611PR - 28.5mm Hose Sleave (Pair)

28.5mm Hose Sealing Sleeves



Straight Pipe Connector











28.5mm Convoluted to



28.5mm Convoluted to







F653

Push Fit 28mm Pipe Sink "U" Waste Trap



1/2" Round Hose Inlet With Dust Cap

F621 - Spare 1/2" Dust Cap



3/4" Round Hose Inlet With Dust Cap

F622 - Spare 3/4" Dust Cap



Double Round Hole Inlet With Dust Caps

F621 - Spare 1/2" Dust Cap F622 - Spare 3/4" Dust Cap



F621 - 1/2" Dust Cap F622 - 3/4" Dust Cap



F623



F624



F625

28.5mm Hose Inlet With Cover



F635 - Straight Plastic 3/4" Waste F636 - Right Angled Plastic %" Waste F634 - Spare 3/4" Plug (Pair)

3/4" Plastic Top Sink Wastes



F632 - Straight S/Steel 3/4" Waste F634 - Spare 3/4" Plug (Pair)

3/4" Stainless Steel Top Straight Sink Waste



F633 - R/Angled S/Steel 3/4" Waste F634 - Spare 3/4" Plug (Pair)

3/4" Stainless Steel Top Right Angled Sink Waste



F630 - Straight 11/4" Sink Waste F629 - Spare 11/4" Plug

1 1/4" Straight Sink Waste to 3/4" Hose Fitting



F631 - Angled 11/4" Sink Waste F629 - Spare 11/4" Plug

1 1/4" Angled Sink Waste to 3/4" Hose Fitting



1 1/4" Straight Sink Waste to 28mm Pipe Fitting



F627 - Angled 1.1/4" Sink Waste F629 - Spare 1.1/4" Plug

1 1/4" Angled Sink Waste to 28mm Pipe Fitting



11/4" R/Angled Sink Waste to 28mm Pipe Fitting



N502 - 33mm Straight Drain N508 - 33mm Plug



N500 - 33mm R/Angled Drain N508 - 33mm Plug

Reich 33mm Right Angled Waste Drain



N501 - 39mm Straight Drain N507 - 39mm Plug



N499 - 39mm R/Angled Drain N507 - 39mm Plug

Reich 39mm Right Angled Waste Drain



M00 Wormscrew Hose Clips



00 Wormscrew Hose Clips



F668 - 16-25mm 5/Steel Clips (Pair) F669 - 25-40mm 5/Steel Clip (Single

Stainless Steel Wormscrew Hose Clips



F645B - 1" Herbie Clip (Bulk 100)



F646 - 13/8" Herbie Clip (Pk 5)

Herbie Hose Clips (1 3/8")



F648 - 5/8" P Clip (Pk 5) F637 - 3/4" P Clip (Pk 5) F638 - 1" P Clip (Pk 5)

F643 - 11/4" P Clip (Pk 5) F639 - 13/8" P Clip (Pk 5)

Nylon P Clips (for Water Hose)



F640 - 5-11mm Seal (Pair) F640B - 5-11mm Seal (Pk 50) F641 - 10-19mm Seal (Pair) F641B - 10-19mm Seal (Pk 50) F642 - 19-28mm Seal (Pk 50) F642B - 19-28mm Seal (Pk 50)

Floor Seal



N476 - Aqua Clean Midi Tabs (32) N477 - Aqua Clean Mega Tabs (18)

Aqua Clean Water Purifiying Tablets



N474 - Puriclean 100g (15 Gal Tank) N473 - Puriclean 400g (60 Gal Tank) N475 - Puriclean 4kg (550 Gal Tank)

Puriclean Water System Cleaner



Aqua Sol Fresh Water Treatment



Puri Sol Water Tank Cleaner



Waste Guard Waste Water Deodoriser



W200 - 25 Lt Carrier with Black Cap W198 - Spare Black Cap (25 Lt)

25 Litre Fresh Water Carrier with Cap



W201 - 25 Lt Carrier with Red Tep W199 - Spare Red Tap (25 Lt)

25 Litre Fresh Water Carrier with Tap



W202 - 10 Lt Carrier with Black Cap W193 - Spare Black Cap (10 & 5 Lt)

10 Litre Fresh Water Carrier with Cap



W203 - 10 Lt Carrier with Red Tap W194 - Spare Red Tap (10 & 5 Lt)

10 Litre Fresh Water Carrier with Tap



W204 - 5 Lt Carrier with Black Cap

5 Litre Fresh Water



W205 - 5 Lt Carrier with Red Tap W194 - Spare Red Tap (10 & 5 Lt)

5 Litre Fresh Water Carrier with Tap



F304

W4 Universal Tap Adaptor



 $F288 - \text{FIII Up (with 1m Hose)} \\ F289 - \text{FIII Up 2 (with 2m Hose)} \\ N249 - \text{FIII Up 5 (with 5m Hose)} \\$

W4 Fill Up Hoses for Fresh Water



Spare Black Cap for Fresh Water Carriers



N612

Food Grade Flat Hose For fresh Water (25ft)



N611

Reel of Food Grade SuperFlat Hose (50ft)



M305

Flat Hose with Spray Nozzle (50ft)



















Filler Hose
Extends from

330mm to 900mm



Helps pull carriers with ease



V594 - Black Bag for AquaPRO V595 - Grey Bag for WastePRO

Storage Bags for Carriers With Drawstrings





T107 - Twin Tub Washing Machine Washing Capacity : 3.5kg. Spinning Capacity : 2.5kg Easy to operate and portable. 15 Minutes Timer.



PORTAPRO 20
DELUXE

• Injection Piston Pump
• 3-way Flush Action
• 20L Holding Tank
• Top Quality Materials

V977 - PortaPRO 20 Deluxe
with Injection Piston Pump

CLEAR PVC FRESH WATER HOSE



1105 - 3/8" Clear Hose (30m Roll)

1110 - 1/2" Clear Hose (30m Roll)

BLUE PVC FRESH WATER HOSE



1140 - 3/8" Blue Hose (30m)

1120 - 1/2" Blue Hose (30m)

BLUE REINFORCED PVC FRESH WATER HOSE



1142 - 3/8" Blue Reinforced Hose (30m Roll)

1124 - 1/2" Blue Reinforced Hose (30m Roll)

1161 - 10mm I/D Reinforced Hose (30m Reel)

RED REINFORCED PVC FRESH WATER HOSE



1141 - 3/8" Red Reinforced Hose - 30m Rol

1125 - 1/2" Red Reinforced Hose (30m)

1162 - 10mm I/D Reinforced Hose (30m Reel)

12mm SEMI RIGID PUSHFIT WATER PIPE



N243 - 12mm Blue Semi Rigid Hose (25m)

N242 - 12mm Red Semi Rigid Hose (25m)

40mm WIDE THROAT FRESH WATER HOSE



1160 - 40mm White Convoluted Food Grade Hose (10m Roll)

BLACK 3/4" FLEXIBLE WASTE WATER HOSE



1135 - 3/4 Black Flexi Convoluted Hose (30m)

GREY CONVOLUTED WASTE WATER HOSE



1149 - 23.5mm Convoluted Waste Hose (50m)

1150 - 28 5mm Convoluted Waste Hose (25m)

GREY PUSHFIT 28mm RIGID PIPE



1151 - 28mm Push Fit Rigid Pipe 3m Length



Crusader Chem Blue Toilet Fluid



Crusader Chem Blue Toilet Fluid



Crusader Chem Green Biodegradeable Toilet Fluid





Fenwicks Black Streak Remover



Fenwicks Windowize



H238 - Awning Cleaner (IL Spray) H239 - Awning Reproofer (IL Spray)

Fenwicks Awning Products



Fenwicks Top n' Tail Toilet Fluid



Fenwicks Caravan Cleaner



Fenwicks Motorhome Cleaner



H260 - 1 Litre Bottle

Fenwicks Bobby Dazzler



Fenwicks Overwintering

Gas

When working with gas, it's essential that you can rely upon the quality of components that are used. That's why Crusader Products have carefully selected a range of compression fittings, couplings, regulators, pigtails and accessories to meet the high standards that modern caravanning demands.

PUSADER

PRODUCTS Live life... Live leisure

- Regulators
- Adaptors & Regulators •
- Pigtail Gas Hoses & Valves
 - Gasfuse •
 - Gas Fittings
 - Compression Fittings
 - Safety Products
 - Pipes & Hoses
 - Barbeques •









Butane Regulator with Manometer

Camping Gas Regulator









Propane Regulator with Handwheel

Propane Regulator with Manometer











Camping Gaz Adaptor Valve



G824

21mm Clip On Adaptor (Straight)

(to 4.5kg Calor Male Thread)



G828

21mm Clip On Adaptor (R/Angled)

(to 4.5kg Calor Male Thread)



27mm Clip On Adaptor (Straight)

(to 4.5kg Calor Male Thread)



G924 - 8mm

Euro Caravan Regulator 30mb for Propane or Butane

(M20 Inlet/8mm compression outlet)



G925 - 10mm

Euro Caravan Regulator 30mb for Propane or Butane

(M20 Inlet/10mm compression outlet)



5922 - amm 90°

Euro Caravan Regulator 30mb for Propane or Butane

(M20 Inlet/8mm 90° compression outlet)



G923 - 10mm 90°

Euro Caravan Regulator 30ml: for Propane or Butane

(M20 Inlet/10mm 90° compression outlet)



G928 - M20 x 8mm

30mb Caravan Auto Changeover

(M20 x 8mm)



G929 - M20 x 10mm

30mb Caravan Auto Changeover

(M20 x 10mm)



G829

Regulator Adaptor M20 to 8mm Pipe

(Includes Test Nipple)



G830

Regulator Adaptor M20 to 10mm Pipe

(Includes Test Nipple)





0.45m Propane Pigtail with Handwheel

with M20 Fitting



with M20 Fitting



with M20 Fitting



with M20 Fitting



1.5m Propane Pigtail with NRV

with M20 Fitting



with M20 Fitting





with M20 Fitting



0.5m Pigtail (M20 to M20)

with M20 to M20 Fittings



Single Caravan Manifold Valve



Double Caravan Manifold Valve



Triple Caravan Manifold Valve



Gasfuse is trusted by 2 million families worldwide.

Gasfuse is a revolutionary lifesaving device that will completely and automatically shut-off the supply of bottled gas in the event of a major leak, regulator failure or valve fire. With over 25 years history designing, crafting and developing gas safety valves, we are proud to be the leaders in our field. Our safety record, and the quality of our product are second to none. Trust in Gasfuse today, and safeguard your family.







eaner Safer

instantly shuts-off soons of the gas supply in the event of a major leak or regulator failure. Cour German made,

Our German made, ecision engineered gauge flows you to quickly and easily find out what is going on inside your cylinder.

Tilt shut-off

Gasfuse has an inbuilt tilt switch, meaning if your bottle falls or wobbles excessively mid flow, the supply will shut-off.





Gasfuse far exceeds any pressure test requirements with a staggeringly high burst pressure of soo bar



Thermal fuse

is the event of a major go sive fire, Gashuse will sho off the supply of gas prio to cylinder failure.



Quality & safety

Gastuse complies with all of the major relevant international quality and safety codes.



Award winning

Gasfuse is the first of it's kind, winning innovation invention and safety awards around the world



Over 2 million sold

Gasfuse is sold around the world. Our wide range of fittings will cater for most gas cylinders.

An award-winning, globally approved product.



















TWO GOLD MEDALS FOR SAFETY BRONZE MEDAL AND SILVER MEDAL FOR ENVIRONMENT

Awarded by the International Inventors Association in Geneva, Switzerland

G842 - Gasfuse - Shuts off 100% of the supply of bottled gas in the event of a major leak or regulator failure.

A revolutionary lifesaving device with inbuilt tilt switch shutting supply off if the bottle tilts or falls.



G753 - 1/4" G754 - 5/16" G805 - 8mm G812 - 10mm

















Outdoor Utility Gas Point (White)

Complete with Lock on Hose Fitting



Lock on Hose Fitting



Complete with Lock on Hose Fitting



Quick Release Nozzle For Outdoor Utility Gas Point
















G756 - 1/4"C G757 - 5/16"C G801 - 8mm G819 - 10mm



G761 - 5/16"C x 1/4" G804 - 10mm to 8mm











G762 - 5/16" Line to 1/4" Branch G808 - 10mm Line to 8mm Branch










G809 - 8mm G811 - 10mm



LPG Sticker



Gas Bottle Bracket & Strap (Includes Spacer Block)



3793

Saddle Clamp Bottle Holder



1556

Deluxe Smoke Alarm



N554

Deluxe Carbon Monoxide Smoke Alarm



N541

Digital Carbon Monoxide Smoke Alarm



M315

ABC Powder Aerosol Extinguisher 600g



M316 - 0.6kg Alpha 600 M319 - 0.95kg Beta 950

Powder Fire Extinguisher



N555

ABC Powder Deluxe 1Kg Fire Extinguisher



M311

Home & Leisure Fire Extinguisher (Twin Pack)



M312

Home & Leisure Fire Safety (Twin Pack)



M322

Crusader Fire Blanket (Ncc approved) 1M x 1M





G815 - 8mm G816 - 10mm

Metric Copper Pipe (30 metre Roll)



2m Black LP Hose & M00 Clips (Pair)



1102

Black L.P Gas Hose (75m Roll)



N603 - 1M G747 - 2M

Orange HP Gas Hose & M00 Clips (Pair)



I146 - Coil I145 - Reel (Illustrated)

Orange H.P. Gas Hose (50 Metres)



F290 - Pair F301 - Pack of 100



Barbeque Gas Kit (Includes Propan Regulator, 2 Metres of Gas Hose & 2 MOO Hose Clips)







V950 - Tabletop BBQ V949 - Spare Burner

Gordon BBQ Complete with Lava Roc



Combo Portable Gas BBQ With Folding Trolley



V739 - Combo Portable Gas Barbeque & Trolley

This top quality, stylish 3 in 1 Combo Portable Gas BBQ is the ideal outdoor cooker for caravans, motorhomes, camping, picnics and home use. With it's easy to assemble design, incorporating two fold-out side shelves and a sturdy trolley assembly which can be removed. It can also be used as a table top unit.

Running on either propane or butane, the Combo has piezo ignition, a variable heat control, a large single burner with flame tamer and a chrome grill.

Dimensions

Standing Size: 104cm x 45cm x 93cm Carton Size: 64cm x 41.5cm x 32cm Cooking Area: 44cm x 32cm



V950 - Gordon Portable Gas Barbeque with Lid

This handy folding Gordon Portable Gas
Barbeque is the ideal portable solution for
caravans, motorhomes, camping, picnics
and home use. With its easy to assemble
design, and its folding legs which double as
a lid retainer during transport.

The Gordon BBQ runs on either propane or butane, and comes complete with lava rock for that delicious barbeque smoky flavour.

Dimensions:

Overall Size: 48cm x 29.5cm x 28.5cm Cooking Area: 41cm x 26.5cm. Crusader Products prides itself on the huge range of mains and low voltage electrical accessories it keeps in stock. Whether you require chargers or converters, power units or plug sockets, adaptors or an extensive selection of TV Aerial and Satellite products, Crusader Products can offer a superb choice of quality accessories at exceptional prices.

CRUSADER PRODUCTS Line life. Line lessing

- Mobile Mains •
- Mains Leads & Adaptors
 - Mains Inlets & Outlets •
- Mains Kits & Consumer Units
 - Berker Socket Range
 - TV & Aerial •
 - 12v Plugs & Sockets •
 - 12v Leads & Accessories
 - Batteries •



Powerpro 3 Way Mobile Mains Unit with 15m Cable Reel, and USB Outlets

POWER - 3 x 13 Amp Mains Sockets with RCD CHARGE - 3 x USB ports for cameras and mobiles ILLUMINATE - Integrated detachable LED Torch



SITE POWER - 3 x 13 Amp Mains Sockets SAFETY - RCD and Polarity Warning Indicator

2.5mm² Copper Mains Leads suitable for Motorhome & Caravans on all sites including NCC



J245

10 Metre Orange 2.5mm² Mains Lead

3 Core 100% Copper Cable 16 Amp 240V Connectors BS EN 60309 / IP44



J250

25 Metre Orange 2.5mm² Mains Lead

3 Core 100% Copper Cable 16 Amp 240V Connectors BS EN 60309 / IP44



J252 - 15 Metre J255 - 20 Metre

Orange 2.5mm² Mains Lead

3 Core 100% Copper Cable 16 Amp 240V Connectors BS EN 60309 / IP44



J248 - 10 Metre J249 - 25 Metre

> Orange 1.5mm² Lead

3 Core 100% Copper Cable 16 Amp 240V Connectors BS EN 60309 / IP44



V869

Cord Reel 25 metre Cable Wheel



X101 - with 10m x 2.5mm² Mains Lead X100 - Cord Reel Compact.

Cable Cord Reel Compact



V763

Carry Bag For Mobile Mains Unit

Bag for SITE POWER (V762)



for 3 Gang Mobile Mains
Tripod for SITE POWER (V762)

Tripod









Mains Cable Carry









BS EN 60309 / IP44

BS EN 60309 / IP44

BS EN 60309 / IP44










Testing Kit Useful to test Reverse Polarity

Universal Mains



J160 - Surface Mounted (IP44) J160C - Cap for Surface Inlet

Surface Mains Inlet



Flush Square Mains Inlet (IP44)



J170W

Caravan Inlet Flush Mounted White (Rectangular)



J210W - 13A Socket Outlet J437 - 13A Trailing Socket

Flush Fit White 13A Socket Outlet (Rectangular)



J215W - Mains Outlet (White) J205 - Waterproof Socket Only

Deluxe Mains Outlet 13A with Waterproof Socket (Rectangular)



J209W - White

13A Mains Socket & Cigar Socket 12v Outlet (Rectangular)



J450W - Box with lid J180W - Lid with 2 pins J180W/PIN - Spare pins

Spare White Rectangular Box with Lid



J170S

Caravan Inlet Flush Mounted Grey (Rectangular)



J450S - Box with lid J180S - Lid with 2 pins J180W/PIN - Spare pins

Spare Grey Rectangular Box with Lid



J180W/PIN - Spare Pins

Spare Rectangular Lid (White) for Inlet Box



N128

Bulldog Electrical Outlet Point (White)



Bulldog Electrical Outlet Point (Grey)



Mains Installation Kit



Crusader Consumer Unit



J129

Crusader DP Consumer Unit



J128

Spare Enclosure For Consumer Unit



J132 - 6 Amp J133 - 10 Amp J137 - 16 Amp

> MCB (Single Pole)



J138 - 6 Amp J139 - 10 Amp J142 - 16 Amp

> MCB (Single Pole & Neutral)



J146 - 6 Amp J147 - 10 Amp J148 - 16 Amp

> MCB (Double Pole)



J134 - 25 Amp RCD J136 - 40 Amp RCD

> Spare Residual Circuit Device



P290DS

Single Gang Switched 13A Socket (Desert Sand)



P310DS

Double Gang Switched 13A Socket (Desert Sand)



P330DS

Single Gang Surface Mounting Box (Desert Sand)



P350DS

Double Gang Surface Mounting Box (Desert Sand)



B402 - Mains Socket N646 - 1 Gang Blanking Plate

Berker 13 Amp Mains Socket (Matt Anthracite)

2015 onwards Swift & Lunar 55.5mm x 55.5mm variety of frames on page 91



V616 - Mains Socket N647 - 1 Gang Blanking Plate

Berker 13 Amp Mains Socket (Matt Polar White)



V615 - with IP44 Cover & Seal

Berker 13A Mains External Socket (Matt Anthracite)

N545 - Back Box V621 - Spare IP44 Seal



N550 - with IP44 Cover & Sea

Berker 13A Mains External Socket (Glossy Polar White)

N545 - Back Box V621 - Spare IP44 Seal



V609

Berker Schuko Euro 2 Pin Mains Socket (Matt Anthracite)



B404

Berker Coaxial TV Socket (Matt Anthracite)



V618

Berker Satellite Socket (Matt Anthracite)



B403

Berker Coaxial & Satellite Socket (Matt Anthracite)



N543

Berker 12v Geru Socket (Matt Anthracite)



V982

Berker 12v Cigar Plug Socket (Matt Anthracite)



V983

Berker 12v Geru & Satellite Socket (Matt Anthracite)



V985 - from 12V supply

Berker 5v USB Charging Socket (Matt Anthracite)



B401

Berker One Way Rocker Switch (Matt Anthracite)



B406

Berker Two Way Rocker Switch (Matt Anthracite)



N542 - 4 Contact Step Switch

Berker Reverse Polarity Step Switch (Matt Anthracite)



N545 - Wall Box With Clamp

Berker Surface Mounting Box (Glossy Anthracite)




B400 - Anthracite V617 - White (illustrated) N546 - Matt Chrome

1 Gang Frame Flow



N648 - Anthracite N649 - White (illustrated) N548 - Matt Chrome

2 Gang Frame Flow



N640 - Anthracite (illustrated) N642 - Matt Chrome

3 Gang Frame Flow




N720 - Anthracite N721 - White (illustrated) V622 - Matt Chrome Pure V620 - Bright Chrome Pure

1 Gang Hinged Lid



V984 - Black Gloss N643 - S/Steel Matt

1 Gang Pure



V974 - 2 Gang Black Gloss N644 - 2 Gang S/Steel Matt N645 - 3 Gang S/Steel Matt


2 Gang Pure & 3 Gang Pure



V624 - Anthracite (Illustrated) V625 - White

IP44 Hinged 1 Gang Frame

V621 - Spare IP44 Seal



V621

IP44 Seal 1 Gang



Male Coaxial Plug (Nickel/Brass)



Single Fastfit Digital Male Coaxial Plug



Female Coaxial Plug



Coaxial In Line Coupler



Coaxial Y Splitter



Satellite F Connector



Single Inline Satellite F Connector



Adaptor to fit an F Satellite Connector to a Coaxial Socket



Adaptor to fit a Coaxial Connector to an F Satellite Socket



2 Way Satellite Splitter Box



3 Way Satellite Splitter Box





Satellite Surface Socket



Coaxial External Socket with Prewired lead



Coaxial Flylead (2m)



25m Satellite Lead (F Connector to F Connector)

Various Coaxial and Satellite Cable available in Cable Section



Universal TV Power Lead DC



N129

Satellite / TV / 12v Outlet Point



A150

Radio Aerial



A109 - with 10m of Benchmarked Cabl

Digimaster Digital UHF 32 Element High Gain TV Aerial



3 Pole Mast, Std & Jockey Clamp

Masted TV Aerial Kit



10 Element TV Aerial (with PCB Ball and Mast



Aerial Mast Jockey Wheel Deluxe Aluminium Clamp



Aerial Fixing Clamp



2 Pin 12v (Desert Sand) Polarized Plug



Geru/Hella

Single Pole Plug



B264 - Socket & Cap B265 - Flush Socket

Geru/Hella Single Pole Recessed Socket & Cap



Cigar Plug



V764

Cigar Plug with Fuse

With removable red cap to adapt to Geru size plug



V614

Cigar Plug & Cable



B244

Twin Extension Socket



B270

W4 Cigar Plug 2 Metre Extension Lead



Cigar Socket 2 Way Adaptor



B260

Recessed Cigar Socket



B261

Surface Mounted Cigar Socket with Rubber Cap



In Line Cigar Socket



B220

Adapt It - Cigar Socket to Senate Plug



B240

Adapt It 3 - Cigar Socket to Clipsal 2 Pin Plug



B245

Adapt It 4 - Cigar Socket To Crocodile Clips



Adapt It 5 - Cigar Socket To Single Pole Geru/Hella Plug



B272

Luminous Press Switch



B281 - Switch with Red Key B281-KEY - Cut Off Key

Battery Isolator Cut-Off Switch with Red Key



T134

Muvonics 18A Battery Charger (Multi Stage)



E210 - Deluxe Battery Clamps

Pair of Quick Release Battery Clamps (Red & Blue)



N110 - Fits most 75/85Ah Batteries

Small Battery Box (with Strap) Red



N110U - Fits most 75/85Ah Batteries

Medium Battery Box (with Strap) Blue



N111 - Fits most 110Ah Batteries

Large Battery Box (with Strap/Divider)



B288 - Retaining Brackets M503 - Double Brackets & Strap

Retaining Brackets for Battery Box Securing Strap (Brown)

TYPE AAA

TYPE AA

TYPE C

TYPE D

TYPE PP3

TYPE 996

TUBULAR CELL

FLAT ROUND CELL







N453 - Duracell 1.5v (x4) (10 Packs)

N454 - Philips 1.5v Powerlife (x4) (12 Packs)

N450 - Duracell 1.5v (x4) (20 Packs)

N452 - Duracell Procell (Industrial) 1.5v (x100)

N451 - Philips 1.5v Powerlife (x4) (12 Packs)

N455 - Duracell 1.5v Plus (x2) (10 Packs)

N456 - Phillips 1.5v Powerlife (x2) (12 Packs)

N457 - Duracell 1.5v Plus (x2) (10 Packs)

N458 - Philips 1.5v Powerlife (x2) (12 Packs)

N459 - Duracell 9v Plus (x1) (10 Packs)

N449 - Duracell 9v Plus (x100)

N460 - Philips 9v Powerlife (x1) (12 Packs)

N461 - AGFA 9v Alkaline (x50)

N461/100 - AGFA 9v (x100)

N472 - GP 6V Zinc Carbon Lantern 4R25 - PJ996 (Box of 10)

N462 - GP 1.5v LR1 Size N (Clock) Alk (x2) (Box of 10)

N462/SINGLE - Agfa 1.5v LRI Size N (Clock) Alk (Box of 10)

N470 - Philips 1.5v LR1 Size N Alkaline (Box of 20)

N469 - GP 6v LR44 Alkaline (Box of 10)

N484 - GP 12v 27A Powerful (Alarm) (x5) (Box of 20)

N471 - GP 1.5v A76 Alkaline Alarm Button (Box of 10)

N464 - Philips 3v CR1220 Lithium (Box of 10)

N465 - Philips 3v CR1620 Lithium (Box of 10)

N466 - Philips 3v CR2016 Lithium (Box of 10)

N467 - Philips 3v CR2025 Lithium (Box of 10)

N468 - Philips 3v CR2032 Lithium (Box of 10)

_ - Lighting & Bulbs

EXTERIOR LIGHTING

- Rear Clusters •
- Rear Clusters & Number Plate Lamps
 - Circular & Oval Lamps •
 - LED & Standard Marker Lamps
 - Marker Lamps •
 - Marker Lamps & Reflectors
 - INTERIOR LIGHTING
 - LED Lights
 - Standard Lights •
 - Standard Lights
 - **General Lights**
 - Yourlite


BULBS & TUBES

- LED & SMD •
- 249V & Halogen 12V
 - 12V Bulbs & Tubes •



Crusader Products is a one stop lighting shop for all your low voltage auto and leisure lighting needs. We stock an extensive range of exterior cluster and marker lamps to fit a huge range of European leisure vehicles, as well as a frequently updated and expanding range of internal light fittings and their respective Tungsten, LED and Halogen

bulbs, and Fluorescent tubes.



D401 - With Reverse

446 x 170 x 80mm 1 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470) 1 x Amber Bulb (D482)



446 x 170 x 80mm 1 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470) 1 x Amber Bulb (D482)



446 x 170 x 80mm 1 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470) 1 x Amber Bulb (D482)



446 x 170 x 80mm 1 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470) 1 x Amber Bulb (D482)



D390 - With Reverse (illustrated)

385 x 130 x 60mm 3 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



D400

385 x 130 x 60mm 3 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



385 x 130 x 60mm 3 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



385 x 130 x 60mm 3 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



462 x 178.5 x 106.5mm



D421

462 x 178.5 x 106.5mm



D365

Can be fitted L/H or R/H 383 x 130 x 52mm 3 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



385 x 130 x 60mm 3 x 12v 21w Single Contact (D480) 1 x 12v 21w/Sw Dble Contact (D470)



D330 - with Red Fog Light and No Reverse D450 - Spare Jokon Bulb Retaining Clip

Jokon BBSN540 Wraparound Cluster Lamp

385 x 130 x 60mm 3 x 12v 21w Single Contact (D480) 1 x 12v 10w Single Contact (C340)



D350 - Cluster Lamp (With Fog)
D450 - Spare Jokon Bulb Retaining Cli

Jokon BBSA542 Wraparound Cluster Lamp (With Fog)

305 x 130 x 60mm 2 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



D327 - Cluster Lamp D322 - L/H lens

Britax 9038 L/H Cluster Lamp


285 x 97 x 55mm 3 x 12v 21w Single Contact (D480) 2 x 12v 5w Single Contact (D300)



D329 - Cluster Lamp D328 - R/H lens

Britax 9038 R/H Cluster Lamp

285 x 197 x 55mm 3 x 12v 21w Single Contact (D480) 2 x 12v 5w Single Contact (D300)



D180 - Cluster Lamp

Britax 9002 Cluster Lamp

160 x 80 x 56mm 1 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



D200 - Cluster Lam

Perei CRL12 Cluster Lamp

98 x 98 x 48mm 1 x 12v 21w Single Contact (D480) 1 x 12v 21w/5w Dble Contact (D470)



D179

Hella Recessed Number Plate Lamp 2KA 004 331067

92 x 29 x 19mm



D181

Hella Recessed Number Plate Lamp 2KA 005 049007

82.5 x 32.5 x 39mm



D175

Jokon K420 (Black) Number Plate Lamp

72 x 50 x 38mm 1 x 12v 10w Single Contact (C340)



D176

Hella 2KA Number Plate Lamp

100 x 54 x 56mm 1 x 12v 10w Single Contact (C340)



D160

Number Plate Lamp

100 x 55 x 58mm 1 x 12v 10w Single Contact (C340)



D150


Britax 867 Number Plate Lami

106 x 57 x 57mm 1 x 12v 10w Single Contact (C340)



Jokon Amber Rear Indicator Light (Circular) (94.4mm Diameter)

1 x 12v 21w Single Contact (D481)



Light (94.4mm Diameter)

1 x 12v 21w Single Contact (D480)



D284

1 x 12v 21w Single Contact (D480)



Jokon Red Rear Stop/Tail Circular Light (94.4mm Diameter)

1 x 12v 21w/5w Twin Contact (D470)



140.4mm x 98.4mm x 75.1mm 1 x 12v 21w Single Contact (D481)



rear fog lamp

140.4mm x 98.4mm x 75.1mm 1 x 12v 21w Single Contact (D480)



140.4mm x 98.4mm x 75.1mm 1 x 12v 21w Single Contact (D480)



stop/tail lamp

140.4mm x 98.4mm x 75.1mm 1 x 12v 21w/5w Single Contact (D470)



1 x 12v 21w Single Contact (D481)



rear fog lamp

1 x 12v 21w Single Contact (D480)



1 x 12v 21w Single Contact (D480)



1 x 12v 21w/5w Twin Contact (D470)



NEZZ

Hella Circular Red Rear Stoplight Combination Light

60mm Used on Swift (Bessacar) Lunar & Autotrail



D440

Jokon Led Rounded Oval 12v Front Marker Lamp (clear)

110 x 45 x 13mm



0441

Jokon Led Rounded Oval 12v Side Marker Lamp (amber)

110 x 45 x 13mm



D442

Jokon Led Rounded Oval 12v Rear Marker Lamp (red)

110 x 45 x 13mm



D435

Jokon Led 12v White Front Marker Lamp 1.0W

100mm x 44mm x 12.5mm



D438

Jokon Led 12v Amber Side Marker Lamp 1.0W

100mm x 44mm x 12.5mm



D437

Jokon Led 12v Red Rear Marker Lamp 1.0W

100mm x 44mm x 12.5mm



D443

Jokon Led 2010 12v Side Marker Lamp (amber)

124 x 45 x 14mm



D700

Jokon LED High Level Rear Light

290 x 26 x 26mm



D445

Jokon Led 12v Rear Tail Marker Lamp

30mm



D287 - Marker Lamp D288 - Spare Lens

Britax 882 Rear Marker Lamp (red)

74 x 28 x 30mm 1 x 12v 5w Festoon (D460)



T262 - L/H (illustrated) T263 - R/H

Hella Side Marker Lamp (red/white)

122.2 x 39.2 x 28.6mm 1 x 12v 5w Festoon (D460)



Hella Oval Flush Clear

101.6 x 45 x 12.5mm 1 x 12v 5w Capless Bulb (D475)



Hella Oval Amber

101.6 x 45 x 12.5mm 1 x 12v 5w Capless Bulb (D475)



Hella Oval Red

101.6 x 45 x 12.5mm 1 x 12v 5w Capless Bulb (D475)



Snap Fit Front

110 x 40 x 25mm 1 x 12v 5w Capless Bulb (D475)



Snap Fit Side Marker Lamp (Amber)

110 x 40 x 25mm 1 x 12v 5w Capless Bulb (D475)



Snap Fit Rear Marker Lamp (Red)

110 x 40 x 25mm 1 x 12v 5w Capless Bulb (D475)



Marker Lamp (Clear)

84 x 26 x 29mm 1 x 12v 5w Festoon (D460)



Marker Lamp (Clear)

71 x 61 x 37mm 1 x 12v 5w Festoon (D460)



74 x 26 x 46mm 1 x 12v 5w Festoon (D460)



75 x 45 x 25mm 1 x 12v 5w Festoon (D460)



84 x 26 x 29mm 1 x 12v 5w Festoon (D460)



74 x 28 x 30mm 1 x 12v 5w Festoon (D460)



D275 - Marker Lamp D276 - Spare Lens

Britax 881 Front Marker Lamp (Smoky Clear)

74 x 28 x 30mm 1 x 12v 5w Festoon (D460)



D290 - Marker Lamp

Jokon SPL115 Side Marker Lamp (Red/Clear)

71 x 61 x 37mm 1 x 12v 5w Festoon (D460)



D298 - Marker Lamp

Jokon 102 Side Marker Lamp (Red/Clear)

90 x 40 x 40mm 1 x 12v 5w Festoon (D460)



D297 - Marker Lamı N606 - Spare Lens

Hella 2XE Side Marker Lamp with Screw on Lens (Red/Clear)

92 x 43 x 37mm 1 x 12v 5w Festoon (D460)



299

Hella 883 Side Marker Lamp (Red/Clear)

60 x 60 x 40mm 1 x 12v 5w Festoon (D460)



N118 - Marker Lamp

Jokon SPL07 Side Marker Lamp with Clip On Lens (Red/Clear)

92 x 43 x 37mm 1 x 12v 5w Single Contact (D300)



G161 - White G162 - Amber G163 - Red

Circular Reflector (Pair)

60mm



T322 - White T320 - Amber T321 - Red

Oval stick-on Reflector (Single

101.6 x 45mm



G165 - White G160 - Amber

Small Reflector (Pair)

72 x 43mm



V876 - White V875 - Amber V877 - Red

Reflector (Pair)

95 x 38mm



G180 - White G170 - Amber G190 - Red

Large Reflectors (Pair)

130 x 50mm



D410 - Standard Red D415 - With White Surround

Triangular Reflector (Single)

Standard: 160 x 140mm White Surround: 180 x 160mm



























Lumo 30 LED Cool Lite White (2.5W)



Lumo 9 LED Ceiling



Lumo 3 LED Down Lite Chrome (0.6w)



Lumo 21 LED DownLite Brush Nickel (2w)



Lumo 1 LED Spot Lite Brushed Nickel (1w)



Lumo 1 LED Eco Spotlite (1w) Brushed Nickel Bulk



Lumo 12 LED Dora SpotLite (0.75w) Brushed Nickel



Lumo 1 LED Spotlite Chrome (1.5W)



Lumo 9 LED Touch Downlite



Lumo 1 Led Down Lite Brushed Nickel (1.5W)

N570



Lumo 1 LED Ciara Eyeball Spot Lite (1w)



For full details see the LED Bulbs section















Lumo Coronet Light with 9wPL Tube





Lumo Ellipse Light with 1x8w Tube















Lumo Mini Spot









Frilight Nova Downlighter (Chrome)

Frilight Star Downlighter (Chrome) with Switch











for Downlighters



Britax Mk1 Round Awning Light with backing pad



D120 - Mk2 Awning Light

Britax Mk2 Rectangular Awning Light






Lumo Working LED Light Display Stand



Mains Awning Light



Deluxe Awning Light with Switch and Cable



Speaker, Light and Mobile Powerbank

In colours: Black, Gold or Orange







Plug-in Nightlight




C420



T417 - Yourlite - Portable Bluetooth Speaker Light and Mobile Powerbank. in colours: Black, Orange, or Gold

SINGLE CONTACT BULBS



- N120 12v 4w Single Contact Bulb with Ba9s Base
- D300 12v 5w Single Contact Bulb with Bal5s Base
- C340 12v 10w Single Contact Bulb with Ba15s Base
- C350 12v 15w Single Contact Bulb with Ba15s Base
- D480 12v 21w Single Contact Bulb with Ba15s Base
- D481 12v 21w Amber Single Contact Bulb with Ba15s Base (Level Pins)
- D482 12v 21w Amber Single Contact Bulb with Bau15s Base (Offset Pins)

DOUBLE CONTACT BULBS




- D310 12v 5w Twin Contact Bulb with Ba15d Base
- D320 12v 10w Twin Contact Bulb with Ba15d Base
- D476 12v 21w Twin Contact Bulb with Ba15d Base
- D470 12v 21w/5w Twin Contact Bulb with Ba15d Base

FESTOON BULBS




- D460 12v 5w Festoon Bulb with S8 Cap
- D490 12v 10w Festoon Bulb with S8 Cap
- D500 12v 18w Festoon Bulb with S8 Cap

GENERAL 12v BULBS




- $D474 12 v \ 1.2 w \ Capless \ Bulb \ with \ 5 mm \ Wedge \ Base$
- D475 12v 5w Capless Bulb with 10mm Wedge Base
- N123 12v 15w Bulb with E14 Screw Base (Small Edison)
- N124 12v 25w Bulb with E14 Screw Base (Small Edison)
- C330 12v 24w Table Lamp Bulb with B22d 22mm Bayonet Base

12v TUBES



- C311 12v Fluorescent 4w Tube with G5 Caps
- C312 12v Fluorecsent 6w Tube with G5 Caps
- C310 12v Fluorescent 8w Tube with G5 Caps
- C320 12v Fluorescent 13w Tube with G5 Caps
- C313 12v 4w UV Fluorescent Bug Killer Tube with G5 Caps
- C314 12v 9wPLTube with 4 Pin 2G7 Base
- C315 12v 16w 2D Square Fluorescent Tube with Four Pin GR10 Base

| | | V884 - 25w 240v Clear Bulb with Bi Pin G9 Base |
|------------------|-----------|--|
| | Onnin Ti | C341 - 15w 240v Pygmy Bulb with Small Edison E14 Screw Base |
| 240v MAINS BULBS | O'mann Ti | C390 - 25w 240v Pygmy Bulb with Small Edison E14 Screw Base |
| | | C400 - 25w 240v Globe Bulb with Twin Contact B22d 22mm Bayonet Cap |
| | | C410 - 40w 240v Globe Bulb with Twin Contact B22d 22mm Bayonet Cap |
| | | |



T294 - Capless Single LED 12v Bulb Wedge Base (5w Equivalent) T293 - Lumo Single LED 12v G4 Base Bulb (1w)



T515 - Lumo 6 LED 12v Trans Ax G4 Base Bulb (1.3w)



N579 - Lumo 12 LED 12v Trans Ax G4 Base Bulb (20w Equivalent)



T292 - Lumo 12 LED 12v MR11 GU4 Base Bulb (0.75w) Warm White



T514 - Lumo Single LED 12v MR11 Gu4 Base Bulb (1.1w)



T393 - Single LED MR16 GX 5.3 Base12v Bulb (2w)



T392 - Lumo Single LED MR16 GX 5.3 Base12v Bulb (3.1w)



T513 - Lumo 30 LED 12v T5 12" Tube (3.6w)

SMD Bulbs

LED Bulbs

& Tubes



C380 - 12v 9 SMD Dichroic MR11 140 lumen 1.2W



C381 - 12v 12 SMD Dichroic MR16 210 lumen 2W



C382 - 12v 12 SMD G4 side pin 160 lumen 2.4W



C383 - 12v 10 SMD G4 back pin 150 lumen 2W

All wiring circuits require secure, fast and efficient electrical connection and the ability to avoid circuit damage by installing quality fuse protection.

Crusader Products stock a huge variety of connectors for all types of cable and wire, or battery connection, as well as a wide range of fuses and fuse holders which are ideal for auto electrical use.

CRUSADER PRODUCTS Live life. Live Jessell

Pre-Insulated Crimp Terminals •

- Crimp Connectors •
- **Battery Terminals & Covers**
 - Jump Leads & Croc Clips
 - Fuses •
 - Fuse Holders •
- Relays & Multiple Connections •
- Protective Sleeving & Sheathing
 - Cable Ties & Clips •



Crusader Products stock a large range of tin-plated, copper crimp terminals, with PVC insulation and anti-vibrate inserts. All terminals conform to BS4579 and BS4G178 and are ideal where you need to make a fast and reliable electrical connection. Available in Retail Packs of 5, or Bulk Packs of 50 terminals. Other types and sizes quoted on request.

| CRIMP | TERMINAL TYI | PE | Red Te | erminals | Blue Te | erminals | Yellow 7 | Terminals |
|--------------|--|--|--|--|--|--|---|---|
| Minimum Orde | er Quantity 10 x (P | acks of 5) | Pack of 5 | Pack of 50 | Pack of 5 | Pack of 50 | Pack of 5 | Pack of 50 |
| | MALE SPA TERMINALS - | And the second | K161 | K162 | K163 | K164 | K165 | K166 |
| 323 | FEMALE SF TERMINALS - | The second second | K159 K261 | K160 K262 | (Ideal for T K263 Yellow Femal | e 2.8mm Spade dap Microswitch (K264) le 9.5mm Spade de Motormover Co | K265 Terminals | K266 N262 |
| Ve you | FEMALE SF TERMINALS - (Fully insul | - 6.3mm | K361 | K362 | K363 | K364 | K365 | K366 |
| | PIGGYBACK TERMINALS - | | K461 | K462 | K463 | K464 | K465 | K466 |
| (L.P.) | MALE BULLET TERMINALS | 4mm 5mm | K541 - | K542 - | K543 K553 | K544 K554 | K555 | - K556 |
| | FEMALE BULLET TERMINALS | 4mm 5mm | K641 - | K642 - | K643 K653 | K644 K654 | - K655 | - K656 |
| | FORK TERMINALS | 3.2mm мз 3.7mm мз.5 4.3mm м4 5.3mm м5 6.4mm м6 | K721 K731 K741 K751 K761 | K722 K732 K742 K752 K762 | K723 K733 K743 K753 K763 | K724 K734 K744 K754 K764 | - K735 K745 K755 K765 | K736 K746 K756 |
| | RING TERMINALS | 3.2mm мз.5 3.7mm мз.5 4.3mm м4 5.3mm м5 6.4mm м6 8.4mm м8 | K821 K831 K841 K851 K861 K881 | K822 K832 K842 K852 K862 K882 K892 | K823 K833 K843 K853 K863 K883 K883 | K824 K834 K844 K854 K864 K884 | - K845 K855 K865 K885 K895 | - K846 K856 K866 K886 K896 |
| Quintill . | BUTT CONNI TERMINA 3.3 to 5.5r | ECTOR LLS | K931 3.3 x 23mm | K932 | K943 | K944 4.0 x 25mm | K935 | K936 5.5 x 27mm |

| T | PE OF | RED | TERMIN | ALS | BLUE | ETERMIN | NALS | YELLO | W TERM | IINALS |
|---------|--|---|---------------------|---|---------------------|---------------------|---|---------------------|---------------------|----------------------|
| CON | INECTOR | For cable connectors between 0.5mm ² and 1.5mm ² (16/0.2 to 21/0.3) | | For cable connectors between 1.5mm² and 2.5mm² (21/0.3 to 35/0.3) | | | For cable connectors between 3mm² and 6mm² (44/0.3 to 84/0.3) | | | |
| | er for each Connector is Packs of 5 Connectors | Retail Pack of 5 | Bulk Pack of 50 | Bulk Pack of 1000 | Retail Pack of 5 | Bulk Pack of 50 | Bulk Pack of 1000 | Retail Pack of 5 | Bulk Pack of 50 | Bulk Pack of 1000 |
| | PRE-INSULATED PIN TERMINALS | V456 12.0 x1.9mm | V457 12.0 x1.9mm | V458 12.0 x1.9mm | V459 12.0 x1.9mm | V460 12.0 x1.9mm | V461 12.0 x1.9mm | V462 14,0 x2,9mm | V463 14.0 x2.9mm | V464 14.0 x2.9mm |
| 5 | PRE-INSULATED BLADE TERMINALS | V465 18.4 x2.3mm | V466 18.4 x2.3mm | V467 18.4 x2.3mm | V468 18.4 x2.3mm | V469 18.4 x2.3mm | V470 18.4 x2.3mm | V471 10.0 x2.8mm | V472 10.0 x2.8mm | V473 10.0 x2.8mm |
| | PRE-INSULATED HEAT SHRINK BUTT TERMINALS Adhesive Lined | V474 | V475 | V476 | V477 | V478 | V479 | V480 | V481 | V482 |
| | SELF STRIPPING CONNECTORS | V483 | V484 | V485 | V486 | V487 | V488 | V489 | V490 | V491 |
| THE WAY | NON INSULATED FEMALE SPADE TERMINALS | V492 | V493 | V494 | V495 | V496 | V497 | V498 | V499 | V500 |
| | BRASS BULLETS & CONNECTORS | V501 | V502 | V503 | V504 | V505 | V506 | V507 | V508 | V509 |
| OF THE | CLOSED END CONNECTORS | V510 | V511 | V512 | V513 | V514 | V515 | V516 | V517 | V518 |
| | 12 WAY CONNECTOR STRIPS | V519 | V520 | V521 | V522 | V523 | V524 | V525 | V526 | V527 |
| | Polyethylene Max: 415v -15°C to +85°C | V528 | V529 | V530 | V531 | V532 | V533 | | | |

CRIMPING TOOLS FOR CRIMP TERMINALS

LIGHT DUTY CRIMPING TOOL



Light Duty Crimping ToolV534

Light duty Crimping Tool for red, blue and yellow pre-insulated terminals. Also crimps noninsulated terminals from 0.75mm2 to 6mm2, strips wire 0.75mm2 to 6mm2. cuts bolts, and has an integral wire cutter.

RACHET CRIMPING TOOL



Rachet Crimping ToolV535

Heavy duty Ratchet Crimping Tool for red, blue and yellow pre-insulated terminals. The tool has an adjustable tensioner. replaceable jaws, indents on the jaws which identify which jaw has been used, and ergonomically designed handles to reduce operator fatigue.

UNINSULATED TERMINAL CRIMPING TOOL



Uninsulated Terminal Crimping Tool.....V536

Ratchet Crimping Tool for un-insulated terminals 0.5mm2 to 6.0mm2. The tool has an adjustable tensioner, replaceable jaws, and ergonomically designed handles to reduce operator fatigue.

BATTERY TERMINALS

A collection of tin plated, brass battery terminals to fit standard size tapered battery posts, and a broad range of cable sizes from 10mm² to 109mm². The terminals are available with a wide variety of connection methods to ensure excellent electrical contact. Other types and sizes of terminal are available on request.

| MACHINED TYPE BRASS BATTERY TERMINALS | Crusader Code | Post Size & Polarity | Cable Cross Section (mm) | Cable Entry Diameter (mm) | Pack Quantity |
|--|---------------|--------------------------------------|--------------------------|------------------------------|--------------------------|
| 00,00 | V271 | One Negative - and One Positive + | 10mm2 to 16mm2 | 7.5 | One Pair of Terminals |
| | V272 | One Negative - and One Positive + | 16mm2 to 25mm2 | 8.3 | One Pair of Terminals |
| | B297 | One Negative - and One Positive + | 25mm2 to 40mm2 | 9.5 | One Pair of Terminals |

| SCREW TYPE TINNED BATTERY TERMINALS | Crusader Code | Post Size & Polarity | Cable Cross Section (mm) | Cable Entry Diameter (mm) | Pack Quantity |
|-------------------------------------|---------------|--------------------------------------|--------------------------|------------------------------|--------------------------|
| 000 | V273 | One Negative - and One Positive + | 16mm² to 25mm² | 8.7 | One Pair of Terminals |
| | V274 | One Negative - and One Positive + | 25mm² to 40mm² | 9.5 | One Pair of Terminals |
| | B298 | One Negative - and One Positive + | 40mm² to 60mm² | 11.1 | One Pair of Terminals |
| | B299 | One Negative - and One Positive + | 60mm² to 70mm² | 14.3 | One Pair of Terminals |

| HEXAGONAL NUT TYPE TINNED BATTERY TERMINALS | Crusader Code | Post Size & Polarity | Cable Cross Section (mm) | Cable Entry Diameter (mm) | Pack Quantity |
|--|---------------|--------------------------------------|--------------------------|------------------------------|--------------------------|
| | V275 | One Negative - and One Positive + | 16mm² to 25mm² | 8.3 | One Pair of Terminals |
| | V276 | One Negative - and One Positive + | 25mm² to 40mm² | 9.2 | One Pair of Terminals |
| | V277 | One Negative - and One Positive + | 40mm² to 60mm² | 10.9 | One Pair of Terminals |
| | V278 | One Negative - and One Positive + | 60mm² to 70mm² | 14.1 | One Pair of Terminals |

| SOLDER TYPE TINNED BATTERY TERMINALS | Crusader Code | Post Size & Polarity | Cable Cross Section (mm) | Cable Entry Diameter (mm) | Pack Quantity |
|---|---------------|--------------------------------------|--------------------------|------------------------------|--------------------------|
| | V279 | One Negative - and One Positive + | 25mm² to 40mm² | 9.5 | One Pair of Terminals |
| | V280 | One Negative - and One Positive + | 40mm² to 60mm² | 11.1 | One Pair of Terminals |
| | V281 | One Negative - and One Positive + | 60mm² to 70mm² | 12.7 | One Pair of Terminals |
| | V282 | One Negative - and One Positive + | 70mm² to 109mm² | 15.9 | One Pair of Terminals |

| UNIVERSAL CRIMP TYPE TINNED BATTERY TERMINALS | Crusader Code | Post Size & Polarity | Cable Cross Section (mm) | Cable Entry Diameter (mm) | Pack Quantity |
|--|---------------|----------------------|--------------------------|------------------------------|---------------|
| | V301 | Universal | 16mm² to 25mm² | 7.0 | 10 |
| | V302 | Universal | 35mm² to 50mm² | 11.0 | 10 |

| STUD & NUT TYPE TINNED BATTERY TERMINALS | Crusader Code | Marked Polarity | Type of Terminal | Sud Size (mm) | Pack Quantity |
|---|---------------|--------------------------------------|------------------|------------------|--------------------------|
| | V283 | One Negative - and One Positive + | Stud & Wing Nut | 10mm Stud | One Pair of Terminals |
| | V284 | One Negative - and One Positive + | Stud & Nut | 8mm Stud | One Pair of Terminals |
| | V285 | One Negative - and One Positive + | Stud & Nut | 10mm Stud | One Pair of Terminals |

| QUICK RELEASE TYPE INSULATED BATTERY TERMINALS | Crusader Code | Marked Polarity | Cable Cross Section (mm) | Cable Entry Diameter (mm) | Pack Quantity |
|---|---------------|--|--------------------------|------------------------------|--------------------------|
| | E210 | One Blue Negative - and One Red Positive + | 16mm² to 50mm² | 10.5 | One Pair of Terminals |

TERMINAL COVERS









PVC INSULATOR BOOT

Flexible PVC push on terminal covers to fit a wide range of copper tube terminals. The cable entry

| barrel diameter is approximate 12mm. | | | | | |
|--------------------------------------|----------------|--|--|--|--|
| V311B | Black PVC Boot | | | | |

| TETTITI: | | | | | | | |
|----------|----------------|--|--|--|--|--|--|
| V311B | Black PVC Boot | | | | | | |
| V311R | Red PVC Boot | | | | | | |

NEOPRENE INSULATOR BOOT

Flexible neoprene rubber push on terminal covers to fit a wide range of copper tube terminals. The cable entry barrel diameter is

| a | oproximately 12mm. |
|-------|---------------------|
| V312B | Black Neoprene Boot |
| V312R | Red Neoprene Boot |

PVC SIDE ENTRY BATTERY TERMINAL COVER

Flexible PVC side entry battery terminal covers, designed to offer insulation for a range of battery terminals. The cable entry barrel diameter is approximately 14mm.

| V313B | Black -'ve Side Entry Cover |
|-------|-----------------------------|
| V313R | Red +'ve Side Entry Cover |

PVC REAR ENTRY BATTERY TERMINAL COVER

Flexible PVC rear entry battery terminal covers, designed to offer insulation for a range of battery terminals. The cable entry barrel diameter is approximately 16mm.

| q | | or to approximately remini |
|---|-------|-----------------------------|
| | V314B | Black -'ve Rear Entry Cover |
| 1 | V314R | Red +'ve Rear Entry Cover |

CROCODILE CLIPS









PLATED STEEL UN-INSULATED CROCODILE CLIPS

Packs of 2 plated steel, un-insulated crocodile clips, with a range of current ratings as below, and with nut & screw fixing for cable. Also available with polarity marking on request.

| B291 | Pair of 5A Crocodile Clips |
|------|-----------------------------|
| B292 | Pair of 25A Crocodile Clips |
| B293 | Pair of 50A Crocodile Clips |

TUBE INSULATED PASSIVATED STEEL CROCODILE CLIPS

| | al savara to fit a wide |
|------------|--------------------------|
| | al covers to fit a wide |
| range of c | opper tube terminals. |
| The cable | entry barrel diameter is |
| appr | oximately 12mm. |
| | |

Pair of 150A Croc Clips

Pair of 175A Croc Clips

Pair of 200A Croc Clips

| 7,700 | Flexible PVC side entry battery terminal covers, designed to offer insulation for a range of battery terminals. The cable entry barrel |
|-------|---|
| _ | diameter is approximately 14mm. |

| V321 | Pair of 150A Full/Ins Croc Clips |
|------|----------------------------------|
| V322 | Pair of 175A Full/Ins Croc Clips |
| V323 | Pair of 200A Full/Ins Croc Clips |

FULLY INSULTAED PASSIVATED FULLY INSULATED ANGLED JAW STEEL CROCODILE CLIPS BRASS CROCODILE CLIPS

Flexible PVC rear entry battery terminal covers, designed to offer insulation for a range of battery terminals. The cable entry barrel diameter is approximately 16mm.

| | V324 | Pair of 650A Full/Ins Angled Clips |
|---|------|-------------------------------------|
| | V325 | Pair of 850A Full/Ins Angled Clips |
| 1 | V326 | Pair of 1000A Full/ins Angled Cline |

JUMP LEADS



V318

V319

V320



STANDARD JUMP LEADS

A range of high quality jump leads made using flexible, PVC coated multi strand copper cable fitted with fully insulated, heavy duty, strongly sprung, passivated steel crocodile clips. As an approximate guide, 16mm2 jump leads are suitable for use on petrol engines up to 2.5 litres (diesel 2 litres), 20mm2 up to 3.5 litres (diesel 2.5 litres), and 25mm2 to 5 litres (diesel 3.5 litres).

HEAVY DUTY JUMP LEADS

These superb quality, heavy duty jump leads are made using flexible, PVC coated multi strand copper cable fitted with fully insulated, heavy duty, strongly sprung, brass angled jaw crocodile clips. As an approximate guide, 35mm2 jump leads are suitable for use on engine sizes up to 7 litres, whilst the 50mm2 leads will tackle commercial and agricultural engine sizes in excess of this cubic capacity.

| Crusader Code | Description | Length | Continuous Current Rating | Peak Current Rating | Crusader Code | Description | Length | Continuous Current Rating | Peak Current Rating |
|------------------|------------------------------|--------|------------------------------|------------------------|------------------|-----------------------|--------|------------------------------|------------------------|
| V327 | 16mm ² Jump Leads | 3m | 110 Amp | 300 Amp | V333 | H/D 35mm2 Jump Leads | 3m | 240 Amp | 600 Amp |
| V328 | 16mm ² Jump Leads | 5m | 110 Amp | 300 Amp | V334 | H/D 135mm2 Jump Leads | 5m | 240 Amp | 600 Amp |
| V329 | 20mm ² Jump Leads | 3m | 135 Amp | 350 Amp | V335 | H/D 50mm2 Jump Leads | 3m | 345 Amp | 900 Amp |
| V330 | 20mm ² Jump Leads | 5m | 135 Amp | 350 Amp | V336 | H/D 50mm2 Jump Leads | 5m | 345 Amp | 900 Amp |
| V331 | 25mm² Jump Leads | 3m | 170 Amp | 450 Amp | | | | | |
| V332 | 25mm ² Jump Leads | 5m | 170 Amp | 450 Amp | | | | | |

FUSES

MINI BLADE FUSES



| Fuse Rating & Colour | 2 Amp Grey | 3 Amp Violet | 4 Amp Pink | 5 Amp Tan | 7.5 Amp Brown | 10 Amp Red | 15 Amp Blue | 20 Amp Yellow | 25 Amp Clear | 30 Amp Green |
|--|---------------|-----------------|---------------|--------------|------------------|---------------|----------------|------------------|-----------------|-----------------|
| Retail Pack of 5 (Min Order = 10 Packs) | F920 | F922 | F924 | F926 | F928 | F930 | F932 | F934 | F936 | F938 |
| Bulk pack of 50 | F921 | F923 | F925 | F927 | F929 | F931 | F933 | F935 | F937 | F939 |

STANDARD BLADE FUSES



| Fuse Rating & Colour | 1 Amp Black | 2 Amp Grey | 3 Amp Violet | 4 Amp Pink | 5 Amp Tan | 7.5 Amp Brown | 10 Amp Red | 15 Amp Blue | 20 Amp Yellow | 25 Amp Clear | 30 Amp Green | 40 Amp Amber |
|--|----------------|---------------|-----------------|---------------|--------------|------------------|---------------|----------------|------------------|-----------------|-----------------|-----------------|
| Retail Pack of 5 (Min Order = 10 Packs) | F800 | F801 | F802 | F824 | F803 | F804 | F805 | F806 | F807 | F808 | F809 | F810 |
| Bulk pack of 50 | F700 | F701 | F702 | F724 | F703 | F704 | F705 | F706 | F707 | F708 | F709 | F710 |

MAXI BLADE FUSES



| Fuse Rating & Colour | 20 Amp Yellow | 30 Amp Green | 40 Amp Amber | 50 Amp Red | 60 Amp Blue | 70 Amp Tan | 80 Amp Clear | 100 Amp Violet |
|--|------------------|-----------------|-----------------|---------------|----------------|---------------|-----------------|-------------------|
| Retail Pack of 5 (Min Order = 10 Packs) | F940 | F942 | F944 | F946 | F948 | F950 | F952 | F954 |
| Bulk pack of 50 | F941 | F943 | F945 | F947 | F949 | F951 | F953 | F955 |

CONTINENTAL FUSES





| Fuse Rating & Colour | 1 Amp Yellow | 8 Amp White | 16 Amp Red | 25 Amp Blue |
|--|-----------------|----------------|---------------|----------------|
| Retail Pack of 5 (Min Order = 10 Packs) | F814 | F815 | F816 | F817 |
| Bulk pack of 50 | F714 | F715 | F716 | F717 |



| Fuse Rating & Colour | 1 Amp | 2 Amp | 3 Amp | 5 Amp | 10 Amp |
|--|-------|-------|-------|-------|--------|
| Retail Pack of 5 (Min Order = 10 Packs) | F819 | F820 | F821 | F822 | F823 |
| Bulk pack of 50 | F719 | F720 | F721 | F722 | F723 |

30mm GLASS FUSES



| Fuse Rating & Colour | 1 Amp | 1.5 Amp | 2 Amp | 3 Amp | 5 Amp | 8 Amp | 10 Amp | 15 Amp | 20 Amp | 25 Amp | 35 Amp | 50 Amp |
|--|-------|---------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|
| Retail Pack of 5 (Min Order = 10 Packs) | F829 | F825 | F826 | F830 | F831 | F827 | F832 | F833 | F834 | F835 | F828 | F736 |
| Bulk pack of 50 | F729 | F725 | F726 | F730 | F731 | F727 | F732 | F733 | F734 | F735 | F728 | F737 |

STRIP FUSES

MIDI FUSES



| Fuse Rating & Colour | 30 Amp | 40 Amp | 50 Amp | 60 Amp | 80 Amp | 100 Amp |
|-------------------------|--------|--------|--------|--------|--------|---------|
| Retail Pack of 5 | F956 | F958 | F960 | F962 | F964 | F966 |
| Bulk pack of 50 | F957 | F959 | F961 | F963 | F965 | F967 |



| Fuse Rating & Colour | 40 Amp Green | | | 70 Amp Brown | | 100 Amp Blue |
|-------------------------|-----------------|------|------|-----------------|------|-----------------|
| Retail Pack of 5 | F968 | F970 | F972 | F974 | F976 | F978 |
| Bulk pack of 50 | F969 | F971 | F973 | F975 | F977 | F979 |

MIXED BAGS OF POPULAR FUSES



F738 Mini Blade Fuses

2 each of

All the see the 6 of 6

and the part of th

F799 Standard Blade Fuses 2 each of 3, 5, 10, 15 & 20A



F740 Continental Fuse 2 each of 8, 16 & 25A

F739 Mains Fuses 2 each of 3, 5 & 13A

FEMALE PAL FUSES



| 20A Female PAL (Lt Blue) | V360 |
|--------------------------|------|
| 30A Female PAL (Pink) | V361 |
| 40A Female PAL (Green) | V362 |
| 50A Female PAL (Red) | V363 |
| 60A Female PAL (Yellow) | V364 |
| 80A Female PAL (Black) | V365 |
| 100A Female PAL (Blue) | V366 |

A range of Female PAL Fuses, widely used in the automobile industry for their sturdy design and high temperature resistance. Element is visible through top of fuse. Packs of 5.

MALE PAL FUSES



| 30A Male PAL (Pink) | V367 |
|-----------------------|------|
| 40A Male PAL (Green) | V368 |
| 50A Male PAL (Red) | V369 |
| 60A Male PAL (Yellow) | V370 |
| 80A Male PAL (Black) | V371 |
| 100A Male PAL (Blue) | V372 |

A range of Male PAL Fuses, widely used in the automobile industry for their sturdy design and high temperature resistance. Element is visible through top of fuse, Packs of 5.

62mm SCREW FIT MALE PAL FUSES



| 30A S/F Male PAL (Pink) | V373 |
|---------------------------|------|
| 40A S/F Male PAL (Green) | V374 |
| 50A S/F Male PAL (Red) | V375 |
| 60A S/F Male PAL (Yellow) | V376 |
| 80A S/F Male PAL (Black) | V377 |
| 100A S/F Male PAL (Blue) | V378 |
| | |

A range of screw fit/bolt down Male PAL. Fuses, with fixed centres at 62mm, widely used in the automobile industry for their sturdy design and high temperature resistance. Element is visible through top of fuse. Packs of 5.

IN LINE BLADE FUSE HOLDERS



| Mini Blade Holder (30A) | V384 |
|-------------------------|------|
| Std Blade Holder (30A) | V385 |
| Maxi Blade Holder (80A) | V386 |

A range of in line blade fuse holders with splashproof weather covers. The Mini and Std holders come with 1.5mm2 cable, and the maxi holder with 3mm2 cable. Packs of 10.

SINGLE SIDE ENTRY BLADE FUSE HOLDER



Blade Fuse Holder......V380

A single, side entry standard blade fuse holder, with 6.3mm spade terminals. Packs of 10.

SINGLE CLIP ON BLADE FUSE HOLDER



A single, bottom entry standard blade fuse holder, with 6.3mm spade terminals, which can be clipped to a mounting bracket or other similar holders to form blocks. Packs of 10.

SELF STRIPPING BLADE FUSE HOLDER



S/S Blade Holder (20A) V383

The 20A max rating means these self stripping blade fuse holders are ideal for many automotive applications, such as radio installation. Suitable for cable from 1mm2 to 2.5mm2 . Packs of 10.

BLADE FUSE EXTRACTOR



Blade Fuse Extractor V3

This simple tool makes blade fuse extraction much easier. Packs of 10.

BOTTOM ENTRY BLADE FUSE BOX



A range of nylon, 6.3mm male blade terminal, bottom entry fuse boxes, with transparent cover and terminal securing bar.

SIDE ENTRY BLADE FUSE BOX



A range of nylon, 6.3mm male blade terminal, side entry fuse boxes, with transparent cover and sealing gasket.

CONTINENTAL FUSE HOLDER



Continental Fuse Holder......V392

A single continental fuse holder with screw down cable connections at both ends. Packs of 10.

CONTINENTAL FUSE BOX



A range of continental fuse boxes with screw terminal cable fixing, and a single screw down, transparent cover. Can be panel or bulkhead mounted.

IN LINE GLASS FUSE HOLDER



30mm In Line Holder...... V396

A bayonet action, in-line auto type fuseholder with moulded body, suitable for 30mm glass fuses, and fitted with 14/0.3 cable with a rating of 8 Amps.

STRIP FUSE HOLDER



Strip Fuse Holder.

The holder accepts single strip fuses, and comes with snap shut lid and end mounting lugs. Cable connection is via 5mm rings on the end studs. Maximum cable size is16mm2.

MIDI FUSE HOLDER



Midi Fuse Holder.

The holder accepts single midifuses, and comes with snap shutlid and end mounting lugs. Cable connection is via 5mm rings on the end studs. Maximum cable size is16mm2.

MEGA FUSE BOX



Mega Fuse Holder

V399

The holder accepts single mega fuses, and comes with snap shut lid and end mounting lugs. Cable connection is via 8mm rings on the end studs. Designed for a cable range of 25 to 35mm2.

TERMINAL COVERS



A range of male and female nylon multiple connectors, using standard 6.3mm spade terminals for securely joining cables from 1.0mm2 to 2.5mm2.

| V344 | 1 way Nylon Connector (Male) | |
|------|--------------------------------|--|
| V345 | 1 way Nylon Connector (Female) | |
| V346 | 2 way Nylon Connector (Male) | |
| V347 | 2 way Nylon Connector (Female) | |
| V348 | 3 way Nylon Connector (Male) | |
| V349 | 3 way Nylon Connector (Female) | |
| V350 | 4 way Nylon Connector (Male) | |
| V351 | 4 way Nylon Connector (Female) | |
| | | |

SUPERSEAL CONNECTORS



A top quality range of IP67 waterproof, male and female superseal connectors, for securely joining cables with cross sections from 0.5mm2 to 1.5mm2. The connectors come complete with terminals and seals. (5 and 6 way connectors also available).

| V352 | 1 way Superseal Connector (Male) | |
|------|------------------------------------|--|
| V353 | 1 way Superseal Connector (Female) | |
| V354 | 2 way Superseal Connector (Male) | |
| V355 | 2 way Superseal Connector (Female) | |
| V356 | 3 way Superseal Connector (Male) | |
| V357 | 3 way Superseal Connector (Female) | |
| V358 | 4 way Superseal Connector (Male) | |
| V359 | 4 way Superseal Connector (Female) | |

RELAYS



Standard 1" square cube Mini ISO Relays are used extensively in the automobile industry as remote control electrical switches, allowing a small current flow circuit to control a higher current power circuit. Occasionally, diodes or resistors may be incorporated in the relay to avoid voltage spikes which can damage solid state devices. Crusader Products stock a wide range of Normally Open and Changeover Relays, with 6.3mm blade terminals, and the most popular formats are listed below. Other types are available on request.

| Crusader Code | Voltage | Current Rating | Pin Layout | Internal Circuit | Relay Description |
|------------------|--------------|-------------------|----------------------------------|--------------------------|---|
| V337 | 12v | 30A | 87 86 85 30 | 860 870 | A 4 Pin Normally Open 12v 30A Mini ISO Relay with detachable bracket. |
| V338 | 12v | 30A | 87 86 ^{87a} 85 | 860 87a 0 870 850 300 | A 5 Pin Changeover 12v 30A Mini ISO Relay with detachable bracket. |
| V339 | 12v | 40A | 87 86 ^{87a} 85 | 860 87a 0 870 850 300 | A 5 Pin Changeover 12v 40A Mini ISO Relay with moulded integral bracket |
| V340 | 12v | 40A | 87 86 85 30 | 860 87a 0 870 850 300 | A 5 Pin Changeover 12v 40A Mini ISO Relay with detachable bracket, and a diode fitted across the coil for voltage spike suppression. |
| V341 | 12v | 40A | 87 86 85 30 | 860 87a 0 870 850 300 | A 5 Pin Changeover 12v 40A Mini ISO Relay with no bracket, and a resistor fitted across the coil for voltage spike suppression. |
| V342 | 24v | 20/30A | 87 86 ^{87a} 85 30 | 860 870 | A 5 Pin Changeover 24v 20/30A Mini ISO Relay with detachable bracket |
| V343 | Relay Holder | | No. | multiple holders t | holder with mounting hole and grooved sides which enable to be connected together, or matching blade fuse holders to ts up to 5 x 6.3mm or 4 x 2.8mm female spade connectors. |

PROTECTIVE SLEEVING



A range of flexible convoluted tubing conduits, manufactured from black, heat stabilised, nylon polyamide 6, which provides excellent resistance to abrasion, auto fluids and fuels, and has a wide working temperature range from -40°C to +140°C. The tubing is also UV steady, flame retardant, and halogen/cadmium free, and is supplied in standard coils as listed, with or without a continuous slit along its length, for ease of cable insertion. Other coil lengths available on request.

| Crusader Code Without SLIT | Crusader Code With SLIT | Internal Diameter (mm) | External Diameter (mm) | Coil Length (m) |
|-------------------------------|----------------------------|------------------------|------------------------|--------------------|
| V147 | V155 | 6.8 | 9.9 | 50m |
| V148 | V156 | 8.5 | 12.9 | 50m |
| V149 | V157 | 9.9 | 13.0 | 50m |
| V150 | V158 | 12.7 | 15.8 | 50m |
| V151 | V159 | 17.0 | 21.0 | 50m |
| V152 | V160 | 21.3 | 25.4 | 50m |
| V153 | V161 | 23.2 | 28.3 | 50m |
| V154 | V162 | 29.0 | 34.5 | 25m |

VI ON CONVOLUTED TUBING



A range of flexible convoluted tubing conduits, manufactured from black, modified polypropylene, possessing high thermostability, and excellent cold impact strength and chemical stability. The tubing is also UV steady, flame retardant, and cadmium free, and has a wide working temperature range from -40°C to +130°C. It is supplied in standard coils as listed, with or without a continuous slit along its length, for ease of cable insertion. Other coll lengths available on request.

| Crusader Code Without SLIT | Crusader Code With SLIT | Internal Diameter (mm) | External Diameter (mm) | Coil Length (m) |
|-------------------------------|----------------------------|------------------------|------------------------|--------------------|
| V163 | V171 | 6.8 | 9.9 | 50m |
| V164 | V172 | 8.5 | 12.9 | 50m |
| V165 | V173 | 9.9 | 13.0 | 50m |
| V166 | V174 | 12.7 | 15.8 | 50m |
| V167 | V175 | 17.0 | 21.0 | 50m |
| V168 | V176 | 21.3 | 25.4 | 50m |
| V169 | V177 | 23.2 | 28.3 | 50m |
| V170 | V178 | 29.0 | 34.5 | 25m |

2:1 HEAT SHRINK SLEEVING



General purpose, flame retarded, 2:1 ratio, polyolefin heat shrink sleeving, available in a wide range of sizes. With its excellent chemical and solvent resistance, wide working temperature range of -40°C to +135°C, and offering high abrasive and electrical protection, it is suitable for a wide range of applications, including electrical insulation, strain relief, cable bundling, colour coding, and identification of wires, cables, pipes and components. Shrink temperature is approximately 100°C. Available as standard in 5 metre lengths of Black (B) or Red (R) sleeving, but other colours and bulk lengths are available on request.

| Crusader Code (Use colour suffix) | Pre Shrink I/D as Supplied (mm) | Shrunk I/D after Heating (mm) | Wall Thickness after Heating (mm) | Pack Quantity (m) |
|--------------------------------------|------------------------------------|----------------------------------|--------------------------------------|----------------------|
| V179 (B or R) | 2.4 | 1.2 | 0.50 | 5m |
| V180 (B or R) | 3.2 | 1.6 | 0.50 | 5m |
| V181 (B or R) | 4.8 | 2.4 | 0.50 | 5m |
| V182 (B or R) | 6.4 | 3.2 | 0.65 | 5m |
| V183 (B or R) | 9.5 | 4.8 | 0.65 | 5m |
| V184 (B or R) | 12.7 | 6.4 | 0.65 | 5m |
| V185 (B or R) | 19.0 | 9.5 | 0.75 | 5m |
| V186 (B or R) | 25.4 | 12.7 | 0.90 | 5m |
| V187 (B or R) | 38.0 | 19.0 | 1.00 | 5m |
| V188 (B or R) | 51.0 | 25.4 | 1.15 | 5m |



A semi-flexible, 3:1 ratio, black polyolefin heat shrink sleeving with meltable adhesive inner lining, designed to provide moisture proof sealing to a wide range of substrates, such as electrical wire splices, cable jackets, harness breakouts and electrical components. Available as standard in 1.22 metre sticks of black sleeving, but bulk lengths are available on request. The working temperature range is -55°C to +110°C --and the shrink temperature is approximately 100°C.

| Crusader Code Without Stilt | Pre Shrink I/D as Supplied (mm) | Shrunk I/D after Heating (mm) | Wall Thickness after Heating (mm) | Pack Quantity (m) |
|--------------------------------|--|---|--|--|
| V189 | 3.0 | 1.0 | 1.00 | 1.22m |
| V190 | 6.0 | 2.0 | 1.00 | 1.22m |
| V191 | 9.0 | 3.0 | 1.40 | 1.22m |
| V192 | 12.0 | 4.0 | 1.75 | 1.22m |
| V193 | 19.0 | 6.0 | 2.25 | 1.22m |
| V194 | 24.0 | 8.0 | 2.50 | 1.22m |
| V195 | 40.0 | 13.0 | 2.50 | 1.22m |
| | V189 V190 V191 V192 V193 V194 | V189 3.0 V190 6.0 V191 9.0 V192 12.0 V193 19.0 V194 24.0 | V189 3.0 1.0 V190 6.0 2.0 V191 9.0 3.0 V192 12.0 4.0 V193 19.0 6.0 V194 24.0 8.0 | V189 3.0 1.0 1.00 V190 6.0 2.0 1.00 V191 9.0 3.0 1.40 V192 12.0 4.0 1.75 V193 19.0 6.0 2.25 V194 24.0 8.0 2.50 |

3:1 ADHESIVE LINED HEAT SHRINK SLEEVING

PROTECTIVE SHEATHING



An essential range of lead free, flexible black PVC tubular sleeving , ideal for the protection of wires and harnesses, or for bundling cables together. The PVC sleeving offers excellent chemical resistance to oil, petrol and water, high electrical insulation resistance, and has a wide working temperature range, from -25°C to +105°C.

| Crusader Code | Internal Diameter (mm) | Wall Thickness (mm) | Coil Length (m) |
|------------------|------------------------|------------------------|--------------------|
| V210 | 4.0 | 0.5 | 100m |
| V211 | 5.0 | 0.5 | 100m |
| V212 | 6.0 | 0.5 | 100m |
| V213 | 8.0 | 0.5 | 100m |
| V214 | 10.0 | 0.5 | 100m |
| V215 | 12.0 | 0.5 | 100m |
| V216 | 14.0 | 0.5 | 100m |
| V217 | 16.0 | 0.5 | 100m |
| V218 | 20.0 | 1.0 | 50m |
| V219 | 25.0 | 1.0 | 50m |



This low density, halogen free, black polythene spiral binding offers a simple and fast method of bundling, binding and protecting cable looms, whilst at the same time allowing wires to be brought from the harness. It has an operating temperature range from -50°C to +85°C

| | | ENE SPIRA ESS and WIRE | AL BINDING PROTECTION | i |
|------------------|----------------------|---------------------------|------------------------|--------------------|
| Crusader Code | Nominal Size (mm) | Capacity (mm) | Internal Diameter (mm) | Coil Length (m) |
| V220 | 3.0 | 1.5 - 7.0 | 1,5 | 25m |
| V221 | 6.0 | 5.0 - 20.0 | 4.0 | 25m |
| V222 | 12.0 | 10.0 - 40.0 | 9.0 | 25m |
| V223 | 22.0 | 25.0 - 100.0 | 19.0 | 25m |



A flame retardant, non adhesive, black PVC harness tape which is ideal for wrapping harnesses and wiring looms to protect them against abrasion, and offer extra insulation. The tape is 0.13mm thick, and has a working temperature range from 0°C to +90°C.

| Crusader Code | Tape Width (mm) | Colour | Roll Length (m) |
|------------------|--------------------|--------|--------------------|
| V224 | 19 | Black | 20m |
| V225 | 25 | Black | 20m |

DVC NON-ADDESIVE HADNESS TA



A high quality, water and UV resistant, self-amalgamating resin tape, which is ideal for permanently waterproofing electrical cables and cable joints. Can also be used for fast, temporary repairs to hoses and water pipes. The tape is 0.5mm thick, and has a working temperature range from -30°C to +100°C.

| Crusader | Tape Width | Colour | Roll Length |
|----------|------------|--------|-------------|
| Code | (mm) | | (m) |
| V226 | 19 | Black | 10m |



A range of strong, flame retardant PVC self adhesive tapes suitable for general electrical insulation work, certified to BS3924. Its low cost makes this tape ideal also for bundling cables, tagging and colour coding as well as offering protection against abrasion. The tape has a working temperature range from 0°C to +70°C.

| PVC ADH | ESIVE INSUL | ATING TAPE - Sol | d in packs of 10 |
|-------------------------------|-----------------------------|--|--------------------|
| Crusader Code (use Suffix) | Normal Size (mm) | Colours Available | Roll Length (m) |
| V228 | 19mm wide x 0.15mm thick | Black(B), Red(R), Blue(U), Green(G), Yellow(Y), White(W), Brown(N), Grey(S) and Earth(E) | 20m |

CABLE TIES



BLACK CABLE TIES

| i i | | | Tensile | Max Holding | 3 | |
|----------------------------------|--------------|---------------|------------------|------------------|---------------------------|--------------------------|
| Cable Tie Description | Size (mm) | Size (ins) | Strength (kg) | Diameter (mm) | Retail Code Pack of 10 | Bulk Code Pack of 100 |
| Black Cable Tie (100mm x 2.5mm) | 100 x 2.5 | 4 x 3/32 | 8.0 | 19.9 | F839 | F890 |
| Black Cable Tie (140mm x 3.6mm) | 140 x 3.6 | 5 x 1/8 | 18.1 | 29.9 | F840 | F891 |
| Black Cable Tie (160mm x 4.8mm) | 160 x 4.8 | 6 x 3/16 | 22.1 | 35.9 | F878 | F879 |
| Black Cable Tie (200mm x 2.5mm) | 200 x 2.5 | 8 x 3/32 | 8.0 | 49.9 | F880 | F881 |
| Black Cable Tie (200mm x 3.6mm) | 200 x 3.6 | 8 x 1/8 | 18.1 | 49.9 | F882 | F883 |
| Black Cable Tie (200mm x 4.8mm) | 200 x 4.8 | 8 x 3/16 | 22.1 | 49.9 | F841 | F892 |
| Black Cable Tie (250mm x 4.8mm) | 250 x 4.8 | 10 x 3/16 | 22.1 | 69.9 | F884 | F885 |
| Black Cable Tie (250mm x 7.6mm) | 250 x 7.6 | 10 x 5/16 | 54.5 | 69.9 | F842 | F893 |
| Black Cable Tie (300mm x 4.8mm) | 300 x 4.8 | 12 x 3/16 | 22.1 | 76.7 | F844 | F895 |
| Black Cable Tie (300mm x 7.6mm) | 300 x 7.6 | 12 x 5/16 | 54.5 | 76.7 | F843 | F894 |
| Black Cable Tie (370mm x 7.6mm) | 370 x 7.6 | 14 x 5/16 | 54.5 | 99.9 | F845 | F896 |
| Black Cable Tie (430mm x 4.8mm) | 430 x 4.8 | 17 x 3/16 | 22.1 | 108.9 | F846 | F897 |
| Black Cable Tie (550mm x 9.0mm) | 550 x 9.0 | 22 x 3/8 | 68.5 | 139.0 | F847 | F898 |
| Black Cable Tie (580mm x 12.7mm) | 580 x 12.7 | 23 x 1/2 | 112.9 | 162.1 | F848 | F899 |
| | SILVER | WHEEL T | RIM CABL | E TIES | | |
| Silver Cable Tie (300mm x 4.8mm) | 300 x 4.8 | 12 x 3/16 | 22.1 | 76.7 | F886 | F887 |
| Silver Cable Tie (370mm x 4.8mm) | 370 x 4.8 | 14 x 3/16 | 22.1 | 99.9 | F888 | F889 |

A popular size range of non-releasable nylon cable ties, approved to UL94V2, with excellent tensile strength, resistance to flammability and chemicals, and a wide working temperature range from -40° to +85°. The ties can be tightened by hand or by a tie tensioning tool, and a range of other cable tie sizes and colours are available on request.

CABLE TIE ADHESIVE BASE



19mm x 19mm 4 Way Base (Pk 100).....V100 25mm x 25mm 4 Way Base (Pk 100).....V101

A range of black,4 way, self adhesive cable tie bases, for securing cable ties quickly and easily. The small base accepts ties up to 3.6mm width, and the medium base up to 4.8mm width. White bases available on request.

CABLE TIE SCREW ON BASE



 Small Cradle Base to 4.8mm (Pk 100)
 V102

 Large Cradle Base to 9mm (Pk 100)
 V103

 XL Cradle Base to 12.7mm (Pk 100)
 V104

 Eyelet Mount Base to 4.8mm (Pk 100)
 V105

A range of black, screw on, strong nylon cable tie bases, for the secure fixing of a range of sizes of cable ties. Available as a cradle or eyelet mount. White bases available on request.

CABLE TIE TENSIONERS



Tensioner & Cutter (2.5 to 4.8mm)

Steel mechanism, tie tensioner tools for the tensioning and cutting of nylon cable ties up to 4.8mm in width. Ideal for the accurate tightening of multiple ties in cable looms and panels.

CABLE CLIPS



ALUMINIUM SELF ADHESIVE CLIPS

Up to 6mm Cables (Pk 100)V108
Up to 9mm Cables (Pk 100)V109

Two sizes of self adhesive, aluminium cable clips, for the quick and easy securing of flat or round cables up to 9mm in diameter.



NYLON SELF ADHESIVE CLIPS

For 5mm Diameter Cables (Pk 100).....V110 For 8mm Diameter Cables (Pk 100).....V111 For 14mm Diameter Cables (Pk 100).....V112

A range of durable nylon, self adhesive cable clips, for mounting flat or round cables up to 14mm in diameter.



COATED STEEL SELF ADHESIVE CLIPS

A range of strong coated steel, self adhesive cable clips, for securing flat or round cables up to 14mm in diameter. The deformable tongue allows a variety of cable sizes for each clip.



RUBBER LINED STEEL P CLIPS

A range of rubber lined, zinc plated steel fixed P cable clips, with mounting hole, for securing cable diameters or conduit up to 35mm. The rubber coating helps eliminate vibration and cable wear.

| 3 |
|---|
| 1 |
| 5 |
| 3 |
| 7 |
| 3 |
| • |
|) |
| |
| 2 |
| |



SPRUNG STEEL CHASSIS CLIPS

These ingenious sprung steel chassis clips allow a range of cable sizes to be securely clipped onto a thin (2mm-4mm) or thick (4mm-7mm) steel edge.

| For Thin Steel & 6-7mm Cable (Pk 25) V133 |
|--|
| For Thin Steel & 7-9mm Cable (Pk 25) V134 |
| For Thin Steel & 10-11mm Cable (Pk 25) V135 |
| For Thin Steel & 12-14mm Cable (Pk 25) V136 |
| For Thick Steel & 6-7mm Cable (Pk 25) V137 |
| For Thick Steel & 7-9mm Cable (Pk 25) V138 |
| For Thick Steel & 10-11mm Cable (Pk 25) V139 |
| For Thick Steel & 12-14mm Cable (Pk 25) V140 |
| For Multigauge Steel & Flat Cable (Pk 25) V141 |
| |



NAIL IN CABLE CLIPS

A range of the most popular nylon, nail-in cable clips for both round and flat cable profiles, complete with strong hardened steel pins, suitable for fixing to wood, masonry and PVC. Suitable eye protection should be worn during installation.

6mm Round Cable Clips (Pk 100).......V142
8mm Round Cable Clips (Pk 100)......V143
10mm Round Cable Clips (Pk 100).....V144
1.5mm2 Flat T & E Cable Clips (Pk 100)...V145
2.5mm2 Flat T & E Cable Clips (Pk 100)...V146





RoHS and WEEE

All of our cable products are RoHS compliant, containing none, or less than the permitted levels of lead, mercury, cadmium and chromium. Alongside this, to help reduce the amount of waste going to landfill, we have implemented all aspects of the Waste Electrical and Electronic Equipment (WEEE) Directive (2002/96/EC)



MAINS and COAXIAL CABLE

4.0mm² Green/Yellow Mains Earth Wire



6491X4.0GY/30 - (30 mtrs)

6.0mm²
Green/Yellow Mains
Earth Wire



6491X6.0GY/30 - (30 mtrs)

1.5mm² White Mains Cable



3183Y1.5W/30 - 3x1.5mm² (30mtrs)

3183Y1.5W/50 - 3x1.5mm² (50mtrs)

3183Y1.5W/100 - 3x1.5mm² (100mtrs)

2.5mm² Orange Mains Cable



3183Y2.50/30 - 3x2.5mm² (30mtrs)

3183Y2.50/50 - 3x2.5mm² (50mtrs)

3183Y2.50/100 - 3x2.5mm² (100m)

2.5mm² White Mains Cable



3183Y2.5W/30 - 3x2.5mm² (30mtrs)

3183Y2.5W/50 - 3x2.5mm² (50mtrs)

3183Y2.5W/100 - 3x2.5mm² (100mtrs)

ALARM and COAXIAL CABLE

4 Core Alarm Cable (White)



AL4/50 - R,Y,U,B (50 metres)

AL4/100 - R,Y,U,B (100 metres)

RG6 75 Ohm Coaxial Cable (White)



COAX/RG6/W/30 - 30m Roll

COAX/RG6/W/50 - 50m Roll

COAX/RG6/W/100 - 100m Roll


RG59 75 Ohm Coaxial Satellite Cable (Black)



COAX/RG59/B/30 - 30m Roll

COAX/RG59/B/50 - 50m Roll

COAX/RG59/B/100 - 100m Roll



SINGLE CORE MINI CABLE REELS



E211 - 14/0.3 White 6 mtr

E212 - 14/0.3 Green 6 mtr

E213 - 28/0.3 White 4 mtr

E214 - 28/0.3 Green 4 mtr

FLAT TWIN & MULTICORE PVC AUTO CABLES





12N 7 Pin Socket Connections

E100 - 12N Plastic Plug

E120 - 12N Plastic Socket

E121 - 12N Socket (Fog Cut-Out)

E105 - 12N Metal Plug

E135 - 12N Metal Socket

E266 - 12N Coupling Socket

D520 - Deluxe 12N Wiring Kit

E140 - 12N Socket and Plate

E164 - 12N Extension (6 Metres)

7 Pin Plastic Plugs and Sockets for connecting Running Lights



12S 7 Pin Socket Connections

E110 - 12S Plastic Plug

E130 - 12S Plastic Socket

E264 - 12S Coupling Socket

D525 - Deluxe 12S Wiring Kit

E150 - 12S Socket and Plate

E159 - 12S Extension (6 Metres)

7 Pin Plastic Plugs and Sockets for connecting Supplementary Power Feeds



13 Pin Socket Connections

E166 - 13 Pin Socket to twin 7 Pin Plug Adaptor Lead

E161 - 13 Pin Socket to twin 7 Pin Plug Adaptor Lead

E169 - 13 Pin Socket to 7 Pin Plug Adaptor

E168 - 13 Pin Plug to 7 Pin Socket Adaptor

E162 - 13 Pin Plug

E165 - 13 Pin Socket

T279 - 13 Pin Plate Socket

N561 - Pre-Wired 13 Pin Socket

N562 - 13 Pin Extension Lead (2 Metres)

This 13 Pin 12v system is used widely on the continent instead of twin 12N and 12S connection.

CRUSADER CABLES & CABLE CODES

The following pages give a broader view of the vast range of cables which Crusader Products are able to supply, which are used not only in Caravan and Motorhome manufacturing, but also in the Marine and Automotive fields. Indeed, whatever your cable requirements, whether a high quality digital satellite cable, or a 4 core alarm cable, or a heavy duty flexible battery cable, we feel sure we can fulfil your needs.

Because of the large selection of cable types, PVC sheathing colours and roll lengths available, our sales team will be only too glad to help with cable selection and ordering, to ensure that you receive the exact product you require. As a general guide however, to order cable from the following tables, you simply need to take the generic Crusader Cable code in the first column, then add an outer PVC sheath colour required, then finally a roll length in metres.

For example, if you require a 100 metre roll of Single Core 97/0.30 Standard PVC Auto Cable (SE197), and you want the outer PVC sheath to be Red (RED), you would need to order: 1 Roll of SE197/RED/100

SINGLE CORE PVC AUTO







| | Conductor | Nominal | | Red | el Sizes | Availa | ble | | Maximum | Conductor | Conductor |
|------------------|---|-------------------------|------|------|----------|--------|-----|-----|-----------------------------------|-------------------------------------|----------------------------------|
| Crusader Code | Stranding (No. of Wires/ Diameter mm) | Conductor Area (mm²) | Bulk | 500m | 250m | 100m | 50m | 30m | Overall Cable Diameter (mm) | Resistance at 20°C (Ω per Km) | Nominal Current Rating (Amps) |
| SE109 | 9/0.30 | 0.65 | • | • | • | • | • | • | 2.5 | 29.40 | 5.75 |
| SE114 | 14/0.30 | 1.0 | | • | | • | • | • | 2.7 | 18.90 | 8.75 |
| SE121 | 21/0.30 | 1.5 | • | • | • | • | | | 3.1 | 12.50 | 12.75 |
| SE128 | 28/0.30 | 2.0 | - | • | • | • | • | • | 3.4 | 9.40 | 17.50 |
| SE135 | 35/0.30 | 2.5 | • | • | • | • | | • | 3.8 | 7.50 | 21.75 |
| SE144 | 44/0.30 | 3.0 | • | • | • | • | • | • | 4.2 | 6.00 | 27.50 |
| SE156 | 56/0.30 | 4.0 | • | • | • | • | • | • | 4.5 | 4.70 | 32.00 |
| SE165 | 65/0.30 | 4.5 | • | • | • | • | • | • | 5.1 | 4.10 | 35.00 |
| SE184 | 84/0.30 | 6.0 | | | • | ٠ | • | | 5.9 | 3.10 | 42.00 |
| SE197 | 97/0.30 | 7.0 | • | | | • | • | • | 6.2 | 2.70 | 50.00 |
| SE1120 | 120/0.30 | 8.5 | • | | | • | • | • | 7.0 | 2.20 | 60.00 |
| SE180 | 80/0.40 | 10.0 | • | | | • | • | • | 7.5 | 1.80 | 70.00 |

- Individual conductors manufactured in compliance with BS EN60228:2005 and ISO 6722:2006 (Class B)
 - Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Working temperature -15°C to +70°C Maximum Voltage 60v Suitable for most 12v and 24v Systems
 - · PVC Insulation resistant to petrol/diesel, oil and diluted acids
 - Plain copper stranded conductors PVC sheathed
- Available in a wide range of plain and striped outer PVC sheathed colours please speak to our Sales Dept

TWO CORE (FLAT) PVC AUTO







| | Conductor Stranding | Nominal | | Ree | l Sizes | Availal | ble | | Maximum Overall Cable | Conductor Resistance | Conductor Nominal |
|------------------|--------------------------------|-------------------------|------|------|---------|---------|-----|-----|--|-------------------------|--------------------------|
| Crusader Code | (No. of Wires/ Diameter mm) | Conductor Area (mm²) | Bulk | 500m | 250m | 100m | 50m | 30m | Diameter (mm) | at 20°C (Ω per Km) | Current Rating (Amps) |
| SE209 | 2 x 9/0.3 | 2 x 0.65 | | • | • | | | | 6.1 x 3.8 | 29.4 | 5.75 |
| SE214 | 2 x 14/0.3 | 2 x 1.0 | | • | • | | • | | 6.5 x 4.0 | 18.9 | 8.75 |
| SE221 | 2 x 21/0.3 | 2 x 1.5 | | | • | • | • | • | 7.3 x 4.5 | 12.6 | 12.75 |
| SE228 | 2 x 28/0.3 | 2 x 2.0 | | | • | • | • | | 7.9 x 4.8 | 9.4 | 17.50 |
| SE235 | 2 x 35/0.3 | 2 x 2.5 | • | | • | • | • | | 9.1 x 5.6 | 7.5 | 21.75 |
| SE244 | 2 x 44/0.3 | 2 x 3.0 | | | | • | | | 9.5 x 5.8 | 6.0 | 27.50 |
| SE256 | 2 x 56/0.3 | 2 x 4.0 | | | | • | • | | 10.4 x 6.3 | 4.7 | 32.00 |
| SE265 | 2 x 65/0.3 | 2 x 4.5 | | | | • | • | • | 11.5 x 7.3 | 4.1 | 35.00 |
| | | | | | | | | | at a second seco | L. | 1 |

- Individual conductors manufactured in compliance with BS EN60228:2005 and ISO 6722:2006 (Class B)
 Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable
- Working temperature -15°C to +70°C Maximum Voltage 60v Suitable for most 12v and 24v Systems
- PVC Insulation resistant to petrol/diesel, oil and diluted acids Plain copper stranded conductors PVC sheathed
 - Outer PVC Sheath and Core PVC Insulation Colours : As per table below

TWO CORE (FLAT) PVC AUTO - STANDARD COLOUR AVAILABLE Crusader OUTER **INNER TWIN CORE Colours Available** Code Sheath colour (B)(B) WB NW B lack SE209 **BB** WB NW UW **B**Y B lack R W (B)(B) G reen SE214 BB R ed (B)(B) W hite (B)(B) B lack SE221 (B)(B) NW UW BY B lack G reen (B)(B) SE228 W hite (B)(B) WB UW (R) (W) B lack **B**B SE235 B lack (B)(B) SE244 BB W hite SE256 B lack BB B lack $\mathbf{B}\mathbf{B}$ **SE265** Other Sheath and Core Colour Combinations may be available - Please speak to our Sales Dept.

MULTICORE PVC AUTO







| | Conductor | Nominal | | Re | el Size | s Availa | able | | Maximum | Conductor | Conductor | | |
|------------------|---|-------------------------|------|------|---------|----------|------|-----|-----------------------------------|-------------------------------------|-------------------------------------|---|-------------------------------|
| Crusader Code | Stranding (No. of Wires/ Diameter mm) | Conductor Area (mm²) | Bulk | 500m | 250m | 100m | 50m | 30m | Overall Cable Diameter (mm) | Resistance at 20°C (Ω per Km) | Nominal Current Rating (Amps) | Outer Sheath Colour | Inner Core Colour |
| SE209R | 2 x 9/0.3 | 2 x 0.65 | • | - | • | | • | | 6.5 | 29.4 | 5.75 | | |
| SE214R | 2 x 14/0.3 | 2 x 1.0 | | | | | • | | 7.1 | 18.9 | 8.75 | Black | Black |
| SE228R | 2 x 28/0.3 | 2 x 2.0 | • | | - | - | - | - | 8.3 | 9.4 | 17.5 | | Red |
| SE309 | 3 x 9/0.3 | 3 x 0.65 | • | | | • | | • | 7.0 | 29.4 | 5.75 | | |
| SE314 | 3 x 14/0.3 | 3 x 1.0 | • | | | | • | • | 7.5 | 18.9 | 8.75 | Black | Black Green |
| SE328 | 3 x 28/0.3 | 3 x 2.0 | | | | | | | 8.7 | 9.4 | 17.5 | | Red |
| SE409 | 4 x 9/0.3 | 4 x 0.65 | • | | | - | - | | 7.9 | 29.4 | 5.75 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | BrowN Green |
| SE414 | 4 x 14/0.3 | 4 x 1.0 | | | | - | | - | 8.9 | 18.9 | 8.75 | Black | Red White |
| SE509 | 5 x 9/0.3 | 5 x 0.65 | | | | | - | - | 9.0 | 29.4 | 5.75 | | DrowN |
| SE514 | 5 x 14/0.3 | 5 x 1.0 | • | | | | • | | 10.0 | 18.9 | 8.75 | Black | BrowN Green Red |
| SE521 | 5 x 21/0.3 | 5 x 1.5 | | | | | - | | 10.7 | 12.5 | 12.75 | | White and |
| SE502S | 4 x 35/0.3 & 1 x 21/0.3 | 4 x 2.5 & 1 x 1.5 | | | | | | | 12.2 | 7.5 & 12.5 | 21.75 & 12.75 | Slate Grey | Yellow |
| SE716 | 7 x 16/0.2 | 7 x 0.5 | • | | | - | | - | 8.5 | 36.9 | 4.25 | | |
| SE709 | 7 x 9/0.3 | 7 x 0.65 | • | | | | • | | 9 | 29.4 | 5.75 | | |
| SE714 | 7 x 14/0.3 | 7 x 1.0 | • | | | | | | 10.7 | 18.9 | 8.75 | | Black Red |
| SE700 | 6 x 9/0.3 & 1 x 14/0.3 | 6 x 0.65 & 1 x 1.0 | • | | | | | | 9.2 | 29.4 & 18.9 | 5.75 & 8.75 | Black | Green Yellow |
| SE703 | 6 x 9/0.3 & 1 x 28/0.3 | 6 x 0.65 & 1 x 2.0 | | | | | | • | 9.9 | 29.4 & 9.4 | 5.75 & 17.5 | | BrowN Bl U e and |
| SE701N | 6 x 14/0.3 & 1 x 28/0.3 | 6 x 1.0 & 1 x 2.0 | • | | | | | | 10.6 | 18.9 & 9.4 | 8.75 & 17.5 | | White |
| SE702N | 6 x 21/0.3 & 1 x 35/0.3 | 6 x 1.5 & 1 x 2.5 | • | | | | - | • | 11.8 | 12.5 & 7.5 | 12.75 & 21.75 | | |
| SE702S | 6 x 21/0.3 & 1 x 35/0.3 | | | | | - | | | 11.8 | 12.5 & 7.5 | 12.75 & 21.75 | Slate Grey | |
| SE802 | 7 x 9/0.3 & 1 x 28/0.3 | 7 x 0.65 & 1 x 2.0 | | | | • | | | 10.4 | 29.4 & 9.4 | 5.75 & 17.5 | | BRGYNPU |
| SE801 | 7 x 14/0.3 & 1 x 28/0.3 | 7 x 1.0 & 1 x 2.0 | | | | | | | 10.8 | 18.9 & 9.4 | 8.75 & 17.5 | Black | and W |
| SE100 | 9 x 14/0.3 & 1 x 28/0.3 | 9 x 1.0 & 1 x 2.0 | • | | | - | | | 13.3 | 18.9 & 9.4 | 8.75 & 17.5 | Black | BOUNSGPRY and W |
| SE1300 | 8 x 21/0.3 & 5 x 35/0.3 | 8 x 1.5 & 5 x 2.5 | • | | | | • | | 15.9 | 12.5 & 7.5 | 12.75 & 21.75 | Black | RKNUGBY W/UOS W/RW/B&W |

[•] Individual conductors manufactured in compliance with BS EN60228:2005 and ISO 6722:2006 (Class B)

[•] Cable manufactured in accordance with BS 6862 Part 1:1971 where applicable

[•] Working temperature -15°C to +70°C • Maximum Voltage 60v - Suitable for most 12v and 24v Systems

[•] Plain copper stranded conductors - PVC sheathed

[•] PVC insulation resistant to petrol/diesel, oil and diluted acids

TWIN HI FLEX BATTERY CABLE







| | Nominal | Conductor | | Reel | Sizes Avai | ilable | | Maximum | Conductor |
|------------------|-------------------------|---|------|------|------------|--------|-----|-------------------------------------|-------------------------------------|
| Crusader Code | Conductor Area (mm²) | Stranding (No. of Wires/ Diameter mm) | Bulk | 100m | 50m | 30m | 10m | Overall Cable Dimensions (mm) | Nominal Current Rating (Amps) |
| BATF2/16 | 2 x 16 | 494/0.20 | | | | | | 15.2 x 6.7 | 106 |
| BATF2/25 | 2 x 25 | 779/0.20 | | | | | - | 18.0 x 8.1 | 140 |
| BATF2/35 | 2 x 35 | 1083/0.20 | | | | | | 20.0 x 9.1 | 171 |
| BATF2/50 | 2 x 50 | 1554/0.20 | | | • | | | 30.6 x 14.6 | 215 |

A range of figure 8 configuration, twin hi flex battery cables, which use extra flexible plain copper conductors, insulated by a red and black thermoplastic elastomer, and then sheathed in a transparent PVC sheath, which can be divided to separate the two cores for connection. The working temperature range is -25°C to +70°C, and the cable is particularly resistant to abrasion, moisture, petrol/diesel, oil and diluted acids, making it ideal for a wide variety of flexible indoor or outdoor uses.

FLEXIBLE PVC BATTERY CABLE







| 220 | Nominal | Conductor | | Reel | Sizes Ava | ilable | | Maximum | Conductor |
|------------------|-------------------------|---|------|------|-----------|--------|-----|-------------------------------|-------------------------------------|
| Crusader Code | Conductor Area (mm²) | Stranding (No. of Wires/ Diameter mm) | Bulk | 100m | 50m | 30m | 10m | Overall Cable Dimensions (mm) | Nominal Current Rating (Amps) |
| BAT/25 | 25 | 196/0.40 | | | | | | 9.8 | 170 |
| BAT/40 | 40 | 315/0.40 | | | | | | 12.2 | 300 |
| BAT/50 | 50 | 396/0.40 | | | | | | 13.3 | 345 |
| BAT/60 | 60 | 475/0.40 | | | | | | 14.6 | 415 |

A range of flexible battery cables, with plain copper conductors and a PVC outer sheath, which is resistant to abrasion, moisture, petrol/diesel, oil and diluted acids. The working temperature range is -15°C to +70°C and the cable is available with either Black or Red outer PVC Sheath.

EXTRA FLEXIBLE PVC BATTERY CABLE







| | Nominal | Conductor | | Reel | Sizes Ava | ilable | | Maximum | Conductor |
|------------------|-------------------------|---|------|------|-----------|--------|-----|-------------------------------------|-------------------------------------|
| Crusader Code | Conductor Area (mm²) | Stranding (No. of Wires/ Diameter mm) | Bulk | 100m | 50m | 30m | 10m | Overall Cable Dimensions (mm) | Nominal Current Rating (Amps) |
| BATF/16 | 16 | 206/0.30 | | | | | | 8.7 | 110 |
| BATF/20 | 20 | 266/0.30 | | | | | | 9.2 | 135 |
| BATF/25 | 25 | 322/0.30 | | | | | | 10.5 | 170 |
| BATF/35 | 35 | 451/0.30 | | | | | | 12.0 | 240 |
| BATF/40 | 40 | 539/0.30 | | | | | | 12.6 | 300 |
| BATF/50 | 50 | 640/0.30 | | | | | | 13.8 | 345 |
| BATF/60 | 60 | 805/0.30 | | • | | | | 14.8 | 415 |
| BATF/70 | 70 | 905/0.30 | | | | | | 15.9 | 485 |
| BATF/95 | 95 | 1285/0.30 | | • | • | | | 18.2 | 500 |
| BATF/120 | 120 | 1695/0.30 | | | | | | 20.1 | 600 |

A range of hi flex, extra flexible battery cables, using fine stranded copper conductors with a PVC outer sheath to achieve a product which is ideal for battery or welding cable use, and is resistant to abrasion, moisture, petrol/diesel, oil and diluted acids. The working temperature range is -15°C to +70°C and the cable is available with either Black or Red outer PVC Sheath.

TWIN SPEAKER CABLE







| | Conductor | Conductor | | Reel | Sizes Avai | lable | | Maximum | Nominal |
|------------------|----------------------------------|---|------|------|------------|-------|-----|-----------------------------------|-----------------------------------|
| Crusader Code | Nominal Current Rating (Amps) | Stranding (No. of Wires/ Diameter mm) | Bulk | 500m | 250m | 100m | 30m | Overall Cable Diameter (mm) | Conductor Resistance (Ω/km) |
| SP12/2A | 2 | 2 x 12/0.2 | | • | • | | • | 3.65 x 1.7 | 52.0 |
| SP16/3A | 3 | 2 x 16/0.2 | | | • | | • | 3.92 x 1.9 | 39.0 |
| SP24/6A | 6 | 2 x 24/0.2 | | | • | | | 4.93 x 2.3 | 26.0 |
| SP32/10A | 10 | 2 x 32/0.2 | | | • | | • | 6.00 x 2.8 | 18.1 |
| SP50/20A | 20 | 2 x 50/0.25 | | | | | | 6.72 x 3.0 | 7.4 |

A range of flexible, two core, figure of 8 standard speaker cables, with polarity line indicator along one core to indicate the "positive" tracer, ideal for auto/home loudspeaker connection and available in a variety of current ratings. Cables may be available in the following colour schemes:

Black-Black/Black/Black/Black, White-White/Black, Slate-Slate/Black, and transparent sheathing with coloured tracer line.

Please speak to our sales department for more information, or other cable colours or ratings.

RG COAXIAL AND SATELLITE CABLE







| | Surge | Cable | | Reel | Sizes Avai | lable | | Outer | Maximum |
|------------------|------------------|---------------------------------|------|------|------------|-------|-----|------------------------------------|-----------------------------------|
| Crusader Code | Impedance (Ω) | Type & Core Diameter (mm) | Bulk | 100m | 50m | 30m | 10m | PVC Sheath Colours Available | Overall Cable Diameter (mm) |
| COAX/RG6 | 75Ω | RG6 - 1.00 | | | | | • | White, Brown | 6.7 |
| COAX/RG11 | 75Ω | RG11 - 1.63 | | • | • | - | | Black | 10.5 |
| COAX/RG58 | 50Ω | RG58 - 0.90 | | | | | • | Black | 5.0 |
| COAX/RG59 | 75Ω | RG59 - 0.81 | | | • | • | | Black | 6.2 |

Coaxial cables are commonly used for high frequency data and signal transmission, where signal loss and outside interference must be kept to a minimum. They are generally constucted using an inner conductor of solid or stranded high conductivity copper which is insulated with a solid, foamed or airspaced polyethylene dielectric. An outer conductor, consisting of a high conductivity copper wire braid, is applied over the dielectric and then sheathed with PVC.

ALARM CABLE







| | Alarm | Conductor | | Reel | Sizes Avai | lable | | Core | Nominal |
|------------------|---------------|--|------|------|------------|-------|-----|---------------------------|-------------------------------|
| Crusader Code | Cable Type | Stranding (No. of Wires/ Diameter mm | Bulk | 500m | 250m | 100m | 50m | PVC Sheath Colours | Cable O/D Diameter (mm) |
| AL4 | 4 Core | 4 x 7/0.2 | | | | | | R, Y, U, B | 3.6 |
| AL6 | 6 Core | 6 x 7/0.2 | | | | • | | R, Y, U, B, G, W | 4.4 |
| AL8 | 8 Core | 8 x 7/0.2 | | • | | | | R, Y, U, B, G. W. N. O | 4.8 |

A range of unscreened, flexible PVC multicore cables normally used for the wiring of burglar alarm and other low voltage circuits.

Each core contains tinned annealed copper conductors to BS4737 coated with a range of colour coded PVC inner sheaths, surrounded by an external white PVC insulation. Working temperature range is -10°C to + 70°C and maximum working voltage is 50V.

318-Y FLEXIBLE PVC MAINS CABLE (H05VVF)







| _ | Nominal | Conductor | | Ree | l Sizes | Availal | ole | | Nominal | Max Conductor | Conductor |
|------------------|-------------------------|----------------|-------|------|---------|---------|-----|-----|-----------------------------|-------------------------------------|--------------------------|
| Crusader Code | Conductor Area (mm²) | (No. of wires/ | RIIIK | 500m | 250m | 100m | 50m | 30m | Overall Cable Diameter (mm) | Resistance at 20°C (Ω per Km) | Current Rating (Amps) |
| 3182Y0.75 | 2 x 0.75 | 2 x 24/0.20 | - | | - | - | | | 6.2 | 26.00 | 6 |
| 3182Y1.0 | 2 x 1.0 | 2 x 32/0.20 | | | | | | | 6.4 | 19.50 | 10 |
| 3182Y1.5 | 2 x 1.5 | 2 x 30/0.25 | | | - | - | | | 7.4 | 13.30 | 16 |
| 3182Y2.5 | 2 x 2.5 | 2 x 50/0.25 | | | | | | | 9.2 | 7.98 | 20 |
| 3183Y0.75 | 3 x 0.75 | 3 x 24/0.20 | | | | | | | 6.6 | 26.00 | 6 |
| 3183Y1.0 | 3 x 1.0 | 3 x 32/0.20 | | | | | | | 6.8 | 19.50 | 10 |
| 3183Y1.5 | 3 x 1.5 | 3 x 30/0.25 | | | | | | | 8.1 | 13.30 | 16 |
| 3183Y2.5 | 3 x 2.5 | 3 x 50/0.25 | | | | | | | 10.0 | 7.98 | 20 |

- Class 5 Flexible Copper Conductors to BS EN 60228:2005 Round PVC Insulation & Sheath to BS7655
- Temperature Rating: 0°C to +60°C Voltage Rating: 300/500V Manufactured to BS6500/1984 Table 16
- Minimum Bending Radius: 6 x Overall Diameter Outer Sheath Colours Available: Black, White, Orange
 - Inner Core Colours: 2 core: Blue, Brown. 3 core: Blue, Brown, Green/Yellow

A versatile flex, commonly used for the wiring of portable and semi-fixed domestic appliances, and extension leads.

ARCTIC GRADE PVC MAINS CABLE







| | Nominal | Conductor Stranding | | Ree | Sizes | Availal | ole | | Nominal | Max Conductor | Conductor |
|------------------|-------------------------|------------------------|------|------|-------|---------|-----|-----|-----------------------------------|-------------------------------------|--------------------------|
| Crusader Code | Conductor Area (mm²) | (No. of Wires/ | Bulk | 500m | 250m | 100m | 50m | 30m | Overall Cable Diameter (mm) | Resistance at 20°C (Ω per Km) | Current Rating (Amps) |
| 3182Y1.0AG | 2 x 1.0 | 2 x 32/0.20 | | | - | | - | | 6.4 | 19.50 | 10 |
| 3182Y1.5AG | 2 x 1.5 | 2 x 30/0.25 | - | | - | | | | 7.4 | 13.30 | 16 |
| 3182Y2.5AG | 2 x 2.5 | 2 x 50/0.25 | | | | | | | 9.0 | 7.98 | 20 |
| 3183Y1.0AG | 3 x 1.0 | 3 x 32/0.20 | - | - | | | - | - | 6.8 | 19.50 | 10 |
| 3183Y1.5AG | 3 x 1.5 | 3 x 30/0.25 | | | - | | - | | 8.1 | 13.30 | 16 |
| 3183Y2.5AG | 3 x 2.5 | 3 x 50/0.25 | | | | | - | | 10.0 | 7.98 | 20 |
| 3183Y4.0AG | 3 x 4.0 | 3 x 56/0.30 | | | | | | | 11.3 | 4.95 | 25 |

- Class 5 Flexible Copper Conductors to BS EN 60228:2005 Insulation & Sheath: Round Artic Grade PVC
- Temperature Rating: -40°C to +70°C Voltage Rating: 300/500V Manufactured to BS6500/1984 Table 16
 - Minimum Bending Radius: 6 x Overall Diameter Outer Sheath Colours Available: Blue, Yellow
- Inner Core Colours: 2 core: Blue, Brown. 3 core: Blue, Brown, Green/Yellow

Artic Grade PVC is designed to withstand severe external temperatures, remaining flexible at temperatures as low as -20°C

RUBBER INSULATED MAINS CABLE (H07RN-F)







| | Nominal | Conductor | | Ree | Sizes | Availal | ole | | Nominal | Max Conductor | Conductor |
|------------------|-------------------------|---|---|------|-------|---------|-----|-----|-----------------------------|-------------------------------------|--------------------------|
| Crusader Code | Conductor Area (mm²) | Stranding (No. of Wires/ Diameter mm) | | 500m | 250m | 100m | 50m | 30m | Overall Cable Diameter (mm) | Resistance at 20°C (Ω per Km) | Current Rating (Amps) |
| HO7RNF1.02C | 2 x 1.0 | 2 x 32/0.20 | | | - | - | | - | 8.6 | 19.50 | 10 |
| HO7RNF1.52C | 2 x 1.5 | 2 x 30/0.25 | - | | | | | | 9.6 | 13.30 | 16 |
| HO7RNF2.52C | 2 x 2.5 | 2 x 50/0.25 | | | | - | - | | 11.2 | 7.98 | 20 |
| HO7RNF1.03C | 3 x 1.0 | 3 x 32/0.20 | | | | | | | 9.3 | 19.50 | 10 |
| HO7RNF1.53C | 3 x 1.5 | 3 x 30/0.25 | | | - | | | | 10.3 | 13.30 | 16 |
| HO7RNF2.53C | 3 x 2.5 | 3 x 50/0.25 | | | | - | | | 12.0 | 7.98 | 20 |

- Class 5 Flexible Copper Conductors to BS EN 60228:2005 Insulation: EPR Rubber to BS7655
- Sheath: PCP Polychloroprene to BS7655 oil and flame retardant Temperature Rating: -30°C to +85°C
- Voltage Rating: 450/750V Manufactured to BS7919 Minimum Bending Radius: 6 x Overall Diameter
- Outer Sheath Colour: Black Inner Core Colours: 2 core: Blue, Brown. 3 core: Blue, Brown, Green/Yellow HO7RN-F Rubber Flex is robust and extremely flexible, and is designed primarily as a heavy duty trailing cable for portable or mobile equipment.















(V536 uninsulated)



Heavy Duty Copper Tube Crimper



Twin Setting Electric Heat Gun











| Trus | A Frame Cover 41 | 2000 | Cable - 12v Mini Reels134 | | Crimp Terminal - Crimping Tool 121 |
|-------------|--|------|---|-----|--|
| Λ | Adapt It 3 Lead -12v | rad | Cable 12v Wiring Diagrams | | Crimp Terminal - Crimping 1601 |
| 7 | Adapt it 3 Lead 12v | 9 | Cable - 12v Wiring Diagrams | | |
| 1000 | Adapt It 4 Lead -12v 101 | 1000 | Cable - Alarm | | Crimp Terminal - Non-Insulated Spade 121 |
| | Adapt It 5 Lead -12v 101 | | Cable - Artic Grade PVC141 | | Crimp Terminal - Pin |
| | Adapt It Lead -12v 101 | | Cable - Crimping Tools | | Crimp Terminal - Pre-Insulated 120 |
| | Adaptor Water Connectors 67-69 | | Cable - Cutting Tools 142 | | Crimping Tools - Cable142 |
| | Adhesive Lined Heat Shrink Sleeving 127 | | Cable - Flexible PVC 318-Y HO5VV-F 141 | | Crimping Tools - Crimp Terminals121 |
| | Adhesives - Crusader 28-30 | | Cable - Flexible PVC Battery 139 | | Crocodile Clips 123 |
| | Adhesives - Floor Glue 30 | | Cable - Hi Flex PVC Battery 139 | | Crusader Toilet Fluid 80 |
| | | | Cable - HO7RN-F Rubber | 9 | Cupboard Door Stops32 |
| | Adhesives - Panel Glue 30 | | Cable - HO/RN-F Rubber141 | | |
| | Adhesives - Sika | | Cable - Popular 132 - 134 | | Cupboard Stays35 |
| | Adhesives - Soudal28 | | Cable - Power141 | | Curtain Fittings |
| | Aerial Clamps 99 | | Cable - RG Coaxial and Satellite 140 |) | Curtain Track - Swish 25 |
| | Aerial - Digital 99 | | Cable - Standard PVC Auto - Multi Core., 138 | 3 | Curtain Track - Visa 25 |
| | Aerial Masts 99 | | Cable - Standard PVC Auto - Multi Core 138 Cable - Standard PVC Auto - Single Core 136 | ; | Cutting Tools for Cable142 |
| | Air Pneumatic Awnings11 | | Cable - Standard PVC Auto - Twin Flat 137 | , | Cutting 10015 for Cubic imminiminimini 142 |
| | Alarm Cable140 | | Cable - Standard PVC Auto - Typical Uses46 | | |
| | Alama Canant Chiana | | Cable - Standard FVC Auto - Typical Oses40 | | D Maulal 71 |
| | Alarms - Sargent Stinger54 | | Cable - Stripping Tools | | D Mould31 |
| | Alarms - Smoke | | Cable - Twin Speaker 140 | | Decrodome Pins 32 |
| | Alarms -Carbon Monoxide 54 | | Cable - Typical Uses 46 | | Deluxe 12N Wiring Kit 44 |
| | Aluminium Spacer 42 | | Cable - Cord Wheel92 | | Deluxe 12N Wiring Kit |
| | Aqua Clean 74 | | Cable Clips - Aluminium Self Adhesive 130 |) | Deluxe Floor Coverings 12 |
| | Aqua PRO Fresh Water Carrier77 | | Cable Clips - Coated Steel Self Adhesive130 | 9 | Deluye Tread Carnet 12 |
| | AguaDDO Chares | | Cable Clips - Nylon Nail-In Clip | | Deluxe Tread Carpet |
| | AquaPRO Spares76-77 | | Cable Clips - Nylon Nali-III Clip 130 | : | Deluxe I will wiring Kit44 |
| | Aqua Sol | | Cable Clips - Nylon Self Adhesive 130 | · | Digimaster Aerial |
| | Aquaflo Filter 66 | | Cable Clips - Rubber Lined Steel P Clip 130 |) | Digital Aerial - Digimaster 99 |
| | Artic Grade PVC Power Cable141 | | Cable Clips - Sprung Steel Chassis Clip 130 |) | Digital Multimeter 142 |
| | Auto Electric Circuit Tester 142 | | Cable Ties - Adhesive Base 129 | • | Digital Vernier Calipers 142 |
| | Automatic Changeover - Gas 83 | | Cable Ties - Black 129 | | Dog Anchor 13 |
| | Awning Brackets17 | | Cable Ties - Eyelet Base | | Domes - Rooflight22-24 |
| | | | Cable Ties - Scrow On Base 129 | | |
| | Awning Carpets | | Cable Ties - Screw On Base 129 | | Door Bolt53 |
| | Awning Light - Britax 114 | | Cable Ties - Silver Trim Ties 129 | | Door Locks 50-52 |
| | Awning Light - Lumo 110 | | Cable Ties - Tensioning Tool 129 | | Door Retainers 53 |
| | Awning Light - Mains Bulkhead 114 | | Calipers 142 | | Door Rubber Seals 31 |
| | Awning Light - Mains with Switch 114 | | Cam Pegs | | Downlighter - Rear Cover 114 |
| | Awning Light - Ring Ultra 114 | | Car Plates | | Drain Tang |
| | Awaing Dale Assessmins | | Caralas Dear Leaks | | Drain Taps |
| | Awning Pole Accessories 14-15 | | Caraloc Door Locks 50 | _ | — Drop Plate 42 |
| | Awning Rail Accessories 17 | | Cara Taps62 | | |
| | Awning Rubbers 16 | | Caravan & Motorhome Steps 18 | | The state of the s |
| | Awning Skirt 17 | | Caravan Awnings 10-11 | - | Eden Matting Carpet12 |
| | Awnings - Climate Zone 300 10 | | Caravan Coupler - 240v 93 | | Edison - 12v Plug100 |
| | Awnings - Climate Zone Air 300 11 | | | | Edison - 240v Socket 95 |
| | Awnings - Climate Zone Air 300 11 | | Caravan Door Locks 50 | 4 | Edison - 240V Socket |
| | | | Caravan Fittings33-35 | | Edison - Mounting Box95 |
| | | | Caravan Spirit Level 41 | | Electric Circuit Tester142 |
| | Backing Plates 42 | | Carbon Monoxide Alarm 54 + 88 | | Electric Heat Gun142 |
| 100 | Bag for Mobile Mains | | Carpet Protector29 | 9 | Extension Lead - 12N 44 |
| The same of | Barometers 36 | | Catch - Magnetic 34 | | Extension Lead - 12S 44 |
| | Barrel Removing Key 51 | | Catch - Metal Turnbutton 33 | | Extension Lead - 13 Pin 45 |
| | Batteries - Alkaline102 | | Catch - Plastic Turnbutton 33-34 | | Eyeball Spotlight - Zoe |
| | Datteries - Aikainie102 | | Catch Pallar | : | Eyebali Spotlight - 20e |
| | Batteries - Duracell 102 | | Catch - Roller34 | | Eyelets16 |
| | Batteries - GP Ultra 102 | | Catches | | |
| | Batteries - Lithium 102 | | Catches - Door 53 | | The second programmer is a supplier of the second programmer of the second seco |
| | Batteries - Phillips 102 | | Ceramic Cartridges for Taps60+63 | | Fenwick's - Black Streak Remover80 |
| | Battery Boxes65 | | Chairs & Loungers 6-9 | | Fenwick's - Cleaners80 |
| | Rattery Cable - Flexible PVC 139 | | Changeover Systems 83 | | Fenwick's - Over Wintering80 |
| | Battery Cable - Hi Flex PVC | | Cigar Plug - 12v 100 | | Fenwick's - Awning Reproofer80 Fenwick's - Toilet Chemical80 |
| | Battery Cable - Twin Hi Fley 139 | | Cigar Plug - 12v Multi Socket 100 | | Fenwick's - Toilet Chemical 80 |
| | Pattery Chargers 101 | | Cigar Plug Extension Load 100 | | Fill In String |
| | Battery Chargers 101 | | Cigar Plug Extension Lead 100 | | Fill In Strips |
| | Battery Cut Off Switch 101 | | Cigar Socket - 12v 100 | | Fill In Strips Tool31 |
| | Battery Lights 114 | | Cigar Socket - Twin Adaptor 100 | | Fill Up Hoses 75 |
| | Battery Terminal Protective Covers 123 | | Circuit Tester 142 | | Filtapac Aqua66 |
| | Battery Terminals 122 | | Cleaners - Sika 29 | | Filtapac Spares66 |
| | Battery Terminals - Quick Release101 + 122 | | Cleaning Products - Fenwick's 80 | | Filters - Water66 |
| | Berker - 240v Socket | | Clear Dome Rooflights | | Fire Blankets |
| | Berker - Back Box | | Climate Zone 300 Caravan Awning10 | | Fire Extinguishers 88 |
| | | | | | Flat Twin DVC Cable Tunical Hara |
| | Berker - Coaxial Socket96 | | Climate Zone Air 300 Caravan Awning11 | | Flat Twin PVC Cable - Typical Uses 137 |
| | Berker - Frame Surround 97 | | Clips - Hose 74 | | Flat Hose Reels |
| | Berker - Geru 12v Socket 96 | | Clips - P | | Flexible Funnel48 |
| | Berker - Mounting Box 97 | | Clocks | | Flexible PVC Mains Cable141 |
| | Berker - Satellite Socket 96 | | Closed End Connector 121 | | Flexible PVC Battery Cable 139 |
| | Berker - Step Switch | | Clothes Drier - Rotary 18 | | Floor Glue30 |
| | Bilde Pump 65 | | Coaxial - Coupler 98 | 2 | Floor Spals 74 |
| | Bluetooth Speaker - YourLite20 + 115 | | Coavial - Diug | | Eluorescent Tube - Bug Viller 116 |
| | Pobler Water Dumps | | Coavial - Cable Load | | Fluorescent Tube - Bug Killer |
| | Bohler Water Pumps65 | | Coaxial - Plug | | Fluorescent Tube - Four Pin 2D 116 |
| | Bolts & Hinges | | Coaxiai - Fiylead99 | , . | Fluorescent Tube - Four Pin PL 116 |
| | Bolts for Towball 42 | | Coaxial - Prewired Socket 99 | 9 | Fluorescent Tube - G5 White116 |
| | Bottle Clamps - Gas 88 | | Coaxial - Socket 98-99 | | Flush Deluxe Outlet - 240v Rectangular 94 |
| | Brass Bullet Connector 121 | | Coaxial - Y Splitter 98 | 3 | Flush Mains & 12v Outlet - Rectangular 94 |
| | Breakaway Bracket | | Coaxial Cable140 | | Flush Mounting Inlet - 240v Rectangular 94 |
| | Breakaway Cable | | Comet - Accessories | | Flush Mounting Inlet - 240v Rectangular 94 |
| | Dulb 124 Auto 43 | | | | Flush Mounting Outlet - 240v Square 94 |
| | Bulb - 12v - Auto116 | | Comet - Switches 64 | | Flush Mounting Outlet - 240v Rectangular94 |
| | Bulb - 12v - Bulb & Fuse Kit 114 | | Comet - Water Pumps 65 | | Flynet - Rooflight22-24 |
| | Bulb - 12v - Capless 116 | | Comet Taps 62 | | Fog Lamp 106 |
| | Bulb - 12v - Festoon 116 | | Compression Fittings - Gas | | Folding Tables9 |
| | Bulb - 12v - Halogen Ba15s 117 | | Connector - 12 Way Strips 121 | | Fresh Water Hoses 79 |
| | Bulb - 12v - Halogen Dichroic | | Connector - Brass Bullet | | Frilight Ceiling Light112 |
| | Bulb - 12v - Halogen G4 | | Connector - Closed End 121 | | Frilight Cupboard Light |
| | Pulb - 12v - Halogell 04 | | Connector - Multiple Nulsan 120 | | |
| | Bulb - 12v - Krypton 117 | | Connector - Multiple Nylon 126 | | Frilight Downlighters 113 |
| | Bulb - 12v - LED Bulbs & Tubes118 | | Connector - Self Stripping 121 | | Frilight Locker Light 113 |
| | Bulb - 12v - Pygmy E14 117 | | Connector - Superseal126 | | Folding Chairs6-8 |
| | Bulb - 12v - Pygmy E14 | | Connector - Water67-72 | 2 | Folding Tables 9 |
| | Bulb - 12v- SMD 118 | | Consumer Unit | | Front Marker Lamps 107-109 |
| | Bulb - 12v - SMD 118 Bulb - 12v - Table Lamp B22d | | Continental Conversion Lead | | Funnel - Flexible48 |
| | Bulb 124 Turin Contact | | Continental Conversion Lead | | Furniture Chaire |
| | Bulb - 12v - Twin Contact 116 | | Convoluted Tuping - Nylon 127 | | Furniture - Chairs 6-8 |
| | Bulb - 12v - Tubes 116 | | Convoluted Tubing - Polypropylene 127 | 9 | Furniture - Lightweight6-9 |
| | Bulb - 240v 117 | | Convoluted Tubing - Nylon | | Furniture - Loungers6 |
| | Bulldog Electrical Outlet Point94 | | Copper Pipe 89 | | Furniture - Outdoor 6-9 |
| | Bump Stop Plate 42 | | Coupler - 240v 93 | | Furniture - Outdoor 6-9 Furniture - Folding Tables 9 |
| | Butane Pigtails | | Coupling Hitch Locks | | Fuseholder - Bottom Entry Blade Box 125 |
| | D + 101 - 0 - 1 - 1 | | Colora Tamainal Diada | | The bolder Continue of the Bolder of the Bol |



| F | Fuseholder - In Line 30mm Glass | 25 | | Keys & Barrels - Vecam | | Outdoor Utility Shower Point Oval Reflectors - Hella Oven Shelves | . 109 |
|-------|---|----|----------------|---|-----------------|--|----------|
| | Fuseholder - Midi 1 | 25 | | | Service and St. | | 1021 (20 |
| | Fuseholder - Self Strip Blade 1 Fuseholder - Side Entry Blade 1 | 25 | | Labcraft Awning Light112 Labcraft LED Lights110 | P | P Clips Padded Furniture | 74 |
| | Fuseholder - Side Entry Blade Box 1 | | | Labcraft LED Striplights | | Padlocks | |
| | Fuseholder - Strip1 | 25 | | Labcraft Striplights 112 | | Panel Adhesive | 30 |
| | Fuseholder -Clip On Blade 1 Fuses - 20mm Glass | 25 | | LED Bulbs | | Panel Glue | 30 |
| | Fuses - 30mm Glass | 24 | | LED Lights - Lumo110-111 | | Peg Extractors Pes Sets | 13 |
| | Fuses - Blade Fuse Extractor 1 | 25 | | Leg Winder 40 | | Pegs - Groundsheet | 13 |
| | Fuses - Continental | 24 | | Leisure Matting12 | | Pegs - Hard Ground | 13 |
| | Fuses - Female PAL | | | Levellers - Thule41 Lightweight Awnings10-11 | | Pegs - Metal | } |
| | Fuses - Maxi Blade | 25 | | Lock Barrels | | Pegs - Plastic Piggyback Plate 12S | 42 |
| | Fuses - Mega | 24 | | Lock Keys 51 | | Pigtails - Gas | 84 |
| | Fuses - Midi | 24 | | Lock - Snake Cut | | Plastic Storage Pocket Plug - 12v | 35 |
| | Fuses - Mini Blade 1 Fuses - Screw Fit Male PAL 1 | 24 | | Locks - Push Button | | Plug - 13 Amp | 100 |
| | Fuses - Standard Blade | 25 | | Locks - Caraloc 50 | | Plug - 13 Amp Plug - 16 Amp 3 Way Adaptor | 93 |
| | Fuses - Strip | 24 | | Locks - Compartment 50 | | Plug - Schuko/UK Adaptor | 93 |
| 6 | Garage 240v Outlet | 92 | | Locks - Pushbutton | | Plug - Travel Adaptor Plug In Night Light | 93 |
| G | Gas Adaptors | | | Locks - Vecam 50 | | Polytop Pins | 3 |
| | Gas Barbeques 89- | 90 | | Locks - WD 50 | | Polytop Pins Portable Toilets | 78 |
| | Gas Bottle Clamps | 88 | | Loungers & Chairs6-9 | | PortaPRO Toilets | 78 |
| | Gas Changeovers82- | | | Louvered Vents | | Power Cable | 14 |
| | Gas Fittings82- | 87 | | LPG Sticker88 | | Power Cable - HO7RN-F Rubber | 14 |
| | Gasfuse shut-off valve82- | 85 | | Luggage Straps 48 | | PowerPRO Mobile Mains & USB | 92 |
| | Gas Hose | | | Luminous Press Switch101 | | Pre Wired Towing Sockets44-46 Press Studs & Poppers | + 135 |
| | Gas Igniters | | | Lumo Light - Awning Light 110 Lumo Light - Coronet 110 + 112 | | Pre-wired 7 Pin Sockets | |
| | Gas Pigtails | 84 | | Lumo Light - Crown 110 + 112 | | Pre-wired 13 Pin Socket | 45 |
| | Gas Refill Cartridge | 89 | | Lumo Light - Display Stand 114 | | Propane Pigtails | 84 |
| | Gas Regulators | 85 | | Lumo Light - Downlighter 111 Lumo Light - Ellipse 112 | | Protective Sleeving - Convoluted Tube Protective Sleeving - Harness Tape | 12 |
| | Gas Spanners | | | Lumo Light - Spotlight 111 + 113 | | Protective Sleeving - Heat Shrink | 12 |
| | Gas Taps 83- | 84 | | Lumo Light - Striplight 110 + 112 | | Protective Sleeving - Heat Shrink Protective Sleeving - PVC Tubular | 128 |
| | Gas Torch | 42 | | Lumo Lights - LED110-111 | | Protective Sleeving - Spiral Binding | 128 |
| | Geru 12v Plug 1 Geru 12v Socket1 | 00 | | Lumo Lights - LED Display Stand 114 | | Pumps - Water Puri Sol | 74 |
| | Glue - Gorilla Glue | 30 | M | Magazine Holder - Netted35 | | Puriclean | 74 |
| | Gorilla Glue | 30 | IMI | Magnetic Catch34 | | Purifiers - Water | 74 |
| | Grab Handles | | | Mains Awning Lights | | Push Button Door Locks | 52 |
| | Grip Track | 18 | | Mains Bulb - 240v Globe B22d 117 Mains Bulb - 240v Globe E14 117 | | PVC Adhesive Insulating Tape | 128 |
| | Groundsheet Pegs | 13 | | Mains Bulb - 240v Pygmy E14117 | | PVC Auto Cable - Multi Core | 138 |
| | Guy Line & Runners | 14 | | Mains Bulb - 240v Spot E14 117 | | PVC Auto Cable - Single Core | 136 |
| PP | Harness Tape PVC - Non Adhesive | 20 | | Mains Cable Carry93 Mains Installation Kit95 | | PVC Auto Cable - Twin Flat | |
| ы | Hasps & Staples | | | Mains Inspection Lamps | | PVC Auto Cable - Typical Uses PVC Flexible Cable 318-Y HO5VV-F | 14 |
| | Heat Gun | 42 | | Mains Lead - 240v 92 | | PVC Mains Cable | 141 |
| | Heat Shrink Adhesive Lined Sleeving | | | Mains Lead - Cable Drum | | PVC Sleeving | 128 |
| | Heat Shrink Adhesive Lined Terminals Heat Shrink Sleeving - 2:1 Ratio | 27 | | Mains Lead - Cable Reel | 0 | Quick Release Battery Terminals 10 | 1+12 |
| | Hella Caraluna Lamps1 | | | Mains Lead - Holders 92 | | Quick Release Gas Box/Nozzle | 86 |
| | Hella Circular Lamps 1 | 06 | | Mains Lead - Multi Extension 92 | | | |
| | Hella Oval Lamps | 06 | | Mains Lead - Socket Conversion 93 | R | Radio Aerial | 9 |
| | Hella Oval Marker Lamps 1 Hella Oval Reflectors 1 | | | Mains Lead - Trailing Socket | | Ratchet Straps 104 Rear Cluster Lamp - Britax 104 | 1-10 |
| | Herbie Clip | 74 | | Mains Tester 93 | | Rear Cluster Lamp - Hella | 104 |
| | Hi Flex PVC Battery Cable 1 | 39 | | Mains Testing Kit93 | | Rear Cluster Lamp - Hella Caraluna | . 104 |
| | High Pressure Hose - Gas High Security Barrel | | | Mains Water Adaptor Kit77 Mallets - Rubber | | Rear Cluster Lamp - Jokon 104 Rear Cluster Lamp - Perei | 105 |
| | High Security Lock | | | Mallets - Wooden | | Rear Cover for Downlighter | |
| | Hinges | 33 | | Manifold Valves84 | | Rear Marker Lamps 107 | 7-108 |
| | Hitch Coupling | 47 | | Marker Lamp - Front 107-109 | | Recliners | 6 |
| | Hitch Cover - White | | | Marker Lamp - Hella Oval108 Marker Lamp - Number Plate105 | | Reflector - Circular Reflector - Large Rectangular | |
| | Hodgsons Sealants | 29 | | Marker Lamp - Rear 107-108 | | Reflector - Medium Rectangular | . 109 |
| | Hooks - Trailer | 15 | | Marker Lamp - Side 107-108 | | Reflector - Oval Hella Reflector - Small Rectangular | 109 |
| | Hose - Gas | 89 | | Marker Lamp - Snap Fit 108 | | Reflector - Small Rectangular | 109 |
| | Hose Clips74 + Hose Connectors - Water69- | 77 | | Mastic Strip | | Reflector - Triangular | 105 |
| | Hose Sealing Sleeves | 71 | | Microswitch - Comet | | Reich - Hose Connectors | 69 |
| | Hose Sockets | 72 | | Microswitch - Reich 61 | | Reich - Hose Connectors Reich - Mirrors Reich - Shower Spares | 47 |
| | | | | Microswitch - Whale64 | | Reich - Shower Spares 5 | 8-60 |
| | In Line Filter | 54 | | Miniature Circuit Breakers | | Reich - Shower Taps | 59 |
| 17.00 | Insulating Tape | | | Mixer Taps - Reich56-59 | | Reich - Sink Waste 5 | 6-59 |
| | | | | Mobile Mains Unit 92 | | Reich - Water Pumps Relay - 4 Pin Mini ISO | 65 |
| | Jack Pads | | | Mobile Mains Unit Bag 92 | | Relay - 4 Pin Mini ISO | 126 |
| ~ | Jockey Wheel - Assembly 38-4 Jockey Wheel - Assembly Clamp | 38 | | Mosquito Netting24 MPK Rooflights22-24 | | Relay - 5 Pin Mini ISO Relay - Changeover | 126 |
| | Jockey Wheel - Clamp Handle | 38 | | Multicore PVC Cable - Typical Uses 46 | | Relay - Combination | 44 |
| | Jockey Wheel - Display Stand Jockey Wheel - Inner Tube | 38 | | Multimeter - Digital 142 | | Relay - Combination Relay - Normally Open | 126 |
| | Jockey Wheel - Inner Tube | 39 | | Multiple Connectors | | Relay - Rear End Audible Relay - W4 CombiMaster Kit Relay Holder for Mini ISO Relays | 44 |
| | Jockey Wheel - Mast Clamp 40 + | 39 | | Mushroom Roof Vents | | Relay Holder for Mini ISO Relays | 126 |
| | Jockey Wheel - Spare Tyre Jockey Wheel - Spare Wheel | 39 | Name of Street | | | Residual Current Devices | 95 |
| | Jokon Bulb Clip1 | 04 | N | Netted Magazine Holder35 | | Retainers | 53 |
| | Jokon Circular Lamps 1 | | de | Non Return Valve64 + 69 | | RG Coaxial and Satellite Cable | 140 |
| | Jump Leads 1 | 25 | | Noseweight Guage | | Roller Catch | 113 |
| 1/ | Key Ring Fob Set | 54 | | AND AND WEST RESTORAGE STATES | | Roller CatchRoller Blinds for Rooflights | 23 |
| V | Key Rings Keys & Barrels - MC | 54 | 0 | Outdoor Leisure Furniture 6-9 | | Roof Vents | 22-24 |
| | Keys & Barrels - MC Keys & Barrels - Southco | 51 | V | Outdoor Utility Electric Point94 Outdoor Utility Gas Point86 | | Rooflight Domes | 2-24 |
| | nevs & Darreis - Soutrico | 21 | | CULUCUI CLIILY GOS FUIIL | | ROUMBIL FIVIELS Z | L-Z4 |



| | Round Connector - 30A |
|---|---|
| S | Rubber Power Cable - HO7RN-F 141 Rubber Seals 31 Sargent Stinger 300 Alarm System 54 Satellite - F Connector 98 Satellite - Lead 99 Satellite - Surface Socket 99 Satellite Splitter Boxes 98 Satellite Splitter Boxes 98 Satellite Forward 99 Screw Gover Caps 32 Screws & Fixings 32 Screws & Fixings 32 Scalants - Bostock Simson 28 Sealants - Bostock Simson 28 Sealants - Bostock Simson 28 Sealants - Boylurethane 28 Sealants - Polyurethane 28 Sealants - Seika 28+29 Sealants - Silka 28+29 Sealants - Silka 28+29 Sealants - Solycante 28 Sealants - Spare Nozzles 28 Sealants - Spare Nozzles 28 Self Amalgamating Tape 128 Self Stripping Connector 121 Senter Plug Extension Lead 101 |
| ı | Satellite - Surface Socket |
| ı | Satellite/TV/12V Outlet Point |
| ı | Sealants- Bostock Simson |
| ı | Sealants - Polyurethane 28 Sealants - Seamseal 29 Sealants - Sika 28+29 |
| | Sealants - Silicone |
| ı | Self Amalgamating Tape |
| | Seven Pin In Line Coupler - 12N44 Seven Pin In Line Coupler - 12S44 Seven Pin Plug - 12N44 |
| ı | Seven Pin Socket - 12N |
| ı | Seven Pin Socket 12S - Wiring Diagram46 Seven Pin Socket Gasket |
| ı | Seven Pin to 13 Pin Adaptor Lead |
| ı | Shower Mixers 59 + 62 Shower Sets 63 Shower Spares 60-63 |
| ı | Side Marker Lamps |
| ı | Sika Sealants |
| ı | Sika Cleaners 29 Sika Sealants 28 Single Core PVC Cable - Typical Uses 46 Sink Flap Retainers 73 Sink Wastes 73 Site Plug - 240v 93 Site Power Mobile Mains 92 Sliding Door Guides 33 Smoke Alarms 54 + 88 SMD Rulbs 118 |
| ı | Silding Door Guides |
| ı | SMD Bullos 18 Snap Caps 32 Socket - 12V 100 Socket - 7 Pin 44 Socket - 13 Pin 45 Socket Conversion Lead 93 Socket Plate - 7 Pin 42 Socket Plate - 13 Pin 42 |
| ı | Socket Conversion Lead 93 Socket Plate - 7 Pin 42 Socket Plate - 13 Pin 42 |
| ı | Soldering Tools |
| ı | Soldering Tools |
| | Standard PVC Auto Cable - Single Core136 Standard PVC Auto Cable - Twin Flat 137 Standard PVC Auto Cable - Typical Uses 46 |
| ı | Steps - Double Metal |
| | Striage Bags for Water Carriers 48 Stripping Tools for Cable 42 Suppossible Water Pumps 65 |
| | Steps - Double Metal 18 Steps - Plastic 18 Steps - Single Metal 18 Storage Bags for Water Carriers 77 Straps 48 Stripping Tools for Cable 142 Submersible Water Pumps 65 Superseal Connector 126 Surface Mounting Inlet - 240v 94 Swish Curtain Fittings 25 |
| Ţ | Table Fittings 35 Table - Island Legs 35 Tables - Folding Lightweight 9 Tape - Gorilla Glue 30 Tape - Harness PVC 128 Tape - PVC Insulating 128 Tape - Self Amalgamating 128 Tap Spouts 56-63 Taps - Cara 62 Taps - Comet 62 Taps - Reich 56-59 |
| | Tape - Gorilla Glue |
| ı | Tape - Self Amalgamating |
| ı | Taps - Comet 62 Taps - Reich 56-59 Tee Piece - Gas 86-87 Tensioning Tool for Cable Ties 129 Tent Pole Accessories 14-15 |
| | Tent Rubbers 16 |
| | Terminal Covers 126 Thermometers 36 Thirteen Pin Euro Plug 45 Thirteen Pin Euro Socket 45 |
| | Thirteen Pin Euro Socket45 |

| _ | | |
|----|--|---|
| | Thirteen Pin Euro Socket - Wiring Diagram | 46 |
| | Thirteen Pin Plate Socket | 42 |
| | Thirteen Pin to 7 Pin Adaptor | 45 |
| | Three Way 164 Adapter | 45 |
| | Thule - Levellers | 41 |
| | Tie Down Kit | 16 |
| | Toilet Fluids | 80 |
| | Touch On/Off Lamp | 114 |
| | Towhall - Aluminium Spacers | 42 |
| | Towball - Backing Plate | 42 |
| | Towball - Ball Boot | 43 |
| | Towball - Ball Cover | 43 |
| | Towball - Breakaway Bracket | 42 |
| | Towball - Bump Stop Plate | 42 |
| | Towball - Drop Plate | 42 |
| | Towball - Piggyback Plate | 42 |
| | Towball - Plug Holder | 43 |
| | Towing Mirror | 45 |
| | Tracker Stickers | 48 |
| | Trailer Hooks | . 15 |
| | Trailing Socket Lead | 44 |
| | Tubes - 12v | .92 116 |
| | Tubes - Fluorescent | 116 |
| | Tubes - LED | 118 |
| | Turnbuckles | .33 |
| | Turnbutton - Metal | 53 |
| | Turnbuttons | 33 |
| | TV Aerial - Digimaster Digital | 99 |
| | TV Aerial - Fixing Clamp | 99 |
| | Thirteen Pin Euro Socket - Wiring Diagram Thirteen Pin Plate Socket Thirteen Pin to 7 Pin Adaptor Thirteen Pin to 7 Pin Adaptor Three Way 16A Adaptor Thule - Levellers Tie Down Kit Toilet Fluids Touch On/Off Lamp Towball Towball - Aluminium Spacers Towball - Backing Plate Towball - Ball Boot Towball - Ball Boot Towball - Ball Foot Towball - Ball Cover Towball - Ball Cover Towball - Ball Foot Towball - Ball Cover Towball - Boot Towball - Piggyback Plate Trailing Socket Lead Tripod for Mobile Mains Trubes - I2V Tubes - Fluorescent Tubes - LED Turnbutton - Plastic Turnbutton - Metal Turnbutton - Plastic Turnbutton - Plastic Turnbutton - Metal Turnbutton - Plastic Turnbutton - Metal Turnbutton - Plastic Turnbutto | 99 |
| | TV Aerial - Masted | 99 |
| | TV Power Lead - DC | 99 |
| | Twin Hi Flex Battery Cable | 139 |
| | TwinPRO Spares76 | -77 |
| | Twin Speaker Cable | 140 |
| | Twin Tub Washing Machine | 78 |
| r | ACTION OF THE PROPERTY OF THE | |
| Ш | UK Conversion Lead Universal TV Power Lead | 93 |
| _ | | |
| 71 | Vehicle Cleaner LiquidVehicle Polish | 80 |
| 4 | Vehicle Polish | 80 |
| | Ventilation - Pooflights 22 | -24 |
| | Vents22 | . 26 |
| | Velcro Straps Ventilation - Rooflights | 142 |
| - | Visa Curtain Fittings | . 2 |
| V | W4 Mains Tester | 93 |
| ۷ | Warning Triangle | 109 |
| | Washing Machine - Twintub | .78 |
| | Waste Connectors 70 | |
| | Truste Connectors | -73 |
| | Waste Fittings 70- | -73 -73 |
| | Waste Guard70 | -73 -73 74 |
| | Waste Fittings | -73 -73 74 -77 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- WastePRO Waste Water Carrier 72- Waste Traps 72- | -73 -73 -74 -77 -77 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- WastePRO Waste Water Carrier 72- Waste Traps 72- Waste Water Hoses 72- | -73 -73 -74 -77 -77 -73 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- WastePRO Waste Water Carrier 72- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- | -73 -73 -74 -77 -73 -73 -79 -77 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- WastePRO Waste Water Carrier 72- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- Water Carriers 75- | -73 -73 -74 -77 -73 -73 -77 -77 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste PRO Waste Water Carrier 72- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- Water Filters 75- Water Hoses 75- | -73 -73 -74 -77 -77 -77 -77 -77 -77 |
| | W4 Mains Tester Warning Triangle Washing Machine - Twintub Waste Water Carriers 76 Waste Connectors 70 Waste Fittings 70 Waste Guard WastePRO Spares WastePRO Waste Water Carrier Waste Traps 72 Waste Water Hoses Water Caps 75 Water Filters Water Hose Reels Water Hose Reels | -73 -73 -74 -77 -73 -77 -77 -77 -77 -77 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- WastePRO Waste Water Carrier 72- Waste Traps 72- Waste Water Hoses 75- Water Carriers 75- Water Filters 75- Water Hose Reels 87- Water Pipe Connectors 67- | -73 -73 -73 -77 -77 -77 -77 -77 -77 -75 -75 |
| | Waste Fittings 70 Waste Guard 76 WastePRO Spares 76 WastePRO Waste Water Carrier 72 Waste Traps 72 Water Caps 75 Water Carriers 75 Water Filters 75 Water Hoses 80 Water Hose Reels 80 Water Pipe Connectors 67 Water Pumps - Bohler 80 | -73 -73 -73 -77 -77 -77 -77 -77 -77 -75 -75 -75 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- Water Carriers 75- Water Filters Water Hoses Water Hose Reels Water Pipe Connectors 67- Water Pumps - Bohler 67- Water Pumps - Reich 80- | -73 -73 -73 -77 -77 -77 -77 -77 -77 -75 -75 -65 -65 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Carriers 75- Water Filters 75- Water Hoses 8- Water Hose Reels 8- Water Pumps - Bohler 8- Water Pumps - Comet 8- Water Pumps - Reich 8- | -73 -73 -73 -77 -77 -77 -77 -77 -76 -79 -75 -72 -65 -65 -74 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- Water Carriers 75- Water Filters 75- Water Hoses 8- Water Hose Reels 8- Water Pumps - Bohler 8- Water Pumps - Comet 8- Water Pumps - Reich 8- Water Taps 56- Water Taps 56- | -73 -73 -73 -77 -77 -77 -77 -77 -77 -75 -75 -75 -75 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- Water Carriers 75 Water Filters 8- Water Hoses 8- Water Hose Reels 8- Water Pipe Connectors 67- Water Pumps - Bohler 8- Water Pumps - Comet 8- Water Pumps - Reich 8- Water Purifiers 8- Water Taps 56- Webbing Straps 56- | -73 -73 -73 -77 -77 -77 -77 -77 -77 -77 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- Water Filters 75- Water Hoses 8- Water Hose Reels 8- Water Pipe Connectors 67- Water Pumps - Bohler 8- Water Pumps - Comet 8- Water Pumps - Reich 8- Water Pumps - Seich 8- Water Taps 56- Webbing Straps 8- Wheel Arch Covers Wheel Brace | -73 -73 -74 -77 -73 -79 -77 -77 -77 -77 -65 -65 -74 -62 -40 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Carriers 75 Water Filters 75- Water Hoses 8- Water Hose Reels 67- Water Pumps - Bohler 8- Water Pumps - Reich 8- Water Pumps - Reich 8- Water Taps 56- Webbing Straps 8- Wheel Arch Covers 8- Wheel Chock 8- | -73 -73 -73 -77 -77 -73 -79 -77 -76 -79 -75 -72 -65 -65 -74 -40 -40 -41 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Carriers 75- Water Filters 75- Water Hoses 8- Water Hose Reels 8- Water Pipe Connectors 67- Water Pumps - Bohler 8- Water Pumps - Reich 8- Water Purifiers 8- Water Taps 56- Webbing Straps 8- Wheel Arch Covers 8- Wheel Chock 8- Wheel Clamps 47 + | -73 -73 -74 -77 -73 -73 -77 -77 -77 -65 -65 -65 -74 -62 -48 17 -40 -41 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste PRO Waste Water Carrier 72- Waste Water Hoses 72- Water Caps 75- Water Filters 75- Water Filters 8- Water Hoses 8- Water Hose Reels 8- Water Pumps - Bohler 8- Water Pumps - Comet 8- Water Pumps - Reich 8- Water Purifiers 9- Water Taps 56- Webbing Straps 9- Wheel Arch Covers 9- Wheel Clamps 47 + Wheel Grip Trak 9- Wheel Trims - 13" 16" | -73 -73 -73 -77 -73 -77 -77 -77 -77 -66 -65 -74 -62 -48 17 -40 -41 |
| | Waste Fittings 70- Waste Guard 76- WastePRO Spares 76- Waste Traps 72- Waste Water Hoses 75- Water Caps 75- Water Filters 75- Water Floses 8- Water Hose Reels 8- Water Pipe Connectors 67- Water Pumps - Bohler 8- Water Pumps - Comet 8- Water Pumps - Reich 8- Water Pumps - Reich 8- Water Pumps - Seich 8- Webbing Straps 9- Wheel Arch Covers 9- Wheel Chock 9- Wheel Clamps 47 + Wheel Trims - 13" - 16" Wheel Wrench 9- | -73 -73 -77 -73 -77 -77 -77 -77 -77 -65 -65 -74 -62 -48 -41 -41 -41 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 65 65 65 .65 74 -62 48 17 .40 .41 40 40 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 65 65 65 .65 74 -62 48 17 .40 .41 40 40 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 65 65 65 .65 74 -62 48 17 .40 .41 40 40 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 65 65 65 .65 74 -62 48 17 .40 .41 40 40 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 65 65 65 .65 74 -62 48 17 .40 .41 40 40 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 65 65 65 .65 74 -62 48 17 .40 .41 40 40 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 65 65 65 .65 74 -62 48 17 .40 .41 40 40 |
| | Water Hose Reels. Water Pipe Connectors 67* Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Pumps - Reich Water Purifiers Water Purifiers Water Taps | .75 -72 -65 -65 -65 -62 -48 -62 -48 -40 -40 -40 -40 -40 -40 -40 -40 -40 -40 |
| | Water Hose Reels. Water Pipe Connectors 67. Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Purifiers 56. Webbing Straps 56. Webbing Straps Wheel Arch Covers. Wheel Brace Wheel Clook 47 + Wheel Grip Trak. Wheel Grip Trak. Wheel Trims - 13"- 16" Wheel Wrench | .75 -72 -65 -65 -65 -62 -48 -62 -48 -40 -40 -40 -40 -40 -40 -40 -40 -40 -40 |
| | Water Hose Reels. Water Pipe Connectors 67* Water Pumps - Bohler Water Pumps - Comet Water Pumps - Reich Water Pumps - Reich Water Purifiers Water Purifiers Water Taps | .75 -72 -65 -65 -65 -65 -62 -41 -40 -40 -41 -40 -40 -41 -40 -41 -40 -41 -41 -41 -41 -41 -41 -41 -41 -41 -41 |



(1)

INTERPRETATION

Definitions. In these Conditions, the following definitions apply: "Business Day": a day other than a Saturday, Sunday or public holiday in England when banks in London are open for business. "Conditions": the terms and conditions set out in this document as amended from time to time in accordance with clause 11.6. "Contract": the contract between the Supplier and the Customer for the sale and purchase of the Goods in accordance with these Conditions. "Customer": the person or firm who purchases the Coods from the Supplier. "Coods": the goods (or any part of them) set out in the Order. "Order": the order by the Customer for the Goods. "Supplier": Crusader Products Limited (registered in England and Wales with company number 02 169807).

Construction. In these Conditions, the following rules apply: A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality) A reference to a party includes its personal representatives, successors or permitted assigns. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted. Any phrase introduced by the terms including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.

CONTRACT

A reference to writing or written includes taxes and e-mains.

CONTRACT
These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.

The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for ensuring that the terms of the Order are complete and accurate.

The Order shall only be deemed to be accepted by the Supplier:

When the Supplier issues a written acceptance of the Order; or if earlier, when the Supplier delivers the Goods to the Customer at which point the Contract shall come into existence.

The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise, representation, assurance or warranty made or given by or on behalf of the Supplier which is not set out in the Contract.

Any samples, drawings, descriptive matter, or advertising produced by the Supplier and any descriptions or illustrations contained in the catalogues or brochures of the Supplier are produced for the sole purpose of giving an approximate idea of the Goods described in them. They stall not form part of the Contract or have any contractual force.

The Goods are as described in the catalogue of the Supplier.
The Supplier reserves the right to amend the specification of the Goods at any time and without notice if required by any applicable statutory or regulatory requirements.

DELIVERY
The Supplier shall answer that and the specification of the Goods at any time and without notice if required by any applicable statutory or regulatory requirements.

DELIVERY

The Supplier shall ensure that each delivery of the Goods is accompanied by a delivery note which shows relevant reference numbers of the Customer and the Supplier, the type and quantity of the Goods.

The Supplier shall deliver the Goods to the location set out in the Order or such other location as the parties may agree ("Delivery Location") at any time after the Supplier notifies the Customer that the Goods are eady.

Delivery of the Goods shall be completed on the arrival of the Goods at the Delivery Location or, if the Customer Codes from the Supplier's premises, at the time of collection by the Customer.

Any dates quoded for delivery are approximate only, and the time of delivery is not of the essence. The Supplier shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the failure of the Customer provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply the Goods.

If the Surplier dats to deliver the Goods is liability shall be limited to the orange incurred by the Customer in

provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Coods.

If the Supplier fails to deliver the Goods, its liability shall be limited to the costs and expenses incurred by the Customer to obtaining replacement goods of similar description and quality in the cheapest market available, less the price of the Goods. The Supplier shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the failure of the Customer to provide the Supplier with adequate delivery interactions or any other instructions that are relevant to the supply of the Goods.

If the Customer fails to take delivery of the Goods within 3 Susiness Days of the Supplier motifying the Customer that the Goods are ready, then, except where such failure or delay is caused by a Force Majeure Event or the failure of the Supplier to comply with its obligations under the Contract: delivery of the Goods shall be deemed to have been completed at 9:00 am on the third Business Day following the day on which the Supplier orbified the Customer that the Goods were ready; and the Supplier shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance).

The Supplier may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate Contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment.

QUALITY

The Supplier warrants that on delivery the Goods shall-

QUALITY
The Supplier warrants that on delivery the Goods shall:
conform in all material respects with their description; and
be free from material defects in design, material and workmanship
Subject to clause 5.3, if:

the Customer gives notice in writing to the Supplier that some or all of the Goods do not comply with the warranty set out in clause 5.1;

clause 5.1:

The Supplier is given a reasonable opportunity of examining such Goods; and the Customer (if asked to do so by the Supplier) returns such Goods to the place of business of the Supplier at the cost of the Customer (such cost to be refunded by the Supplier if the Supplier determines the Goods do not comply with the warranty set out in clause 5.1),

the Supplier shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full.

The Supplier shall not be liable for failure of the Goods to comply with the warranty set out in clause 5.1 in any of the following events:

events:

events:

the Customer makes any further use of such Goods after giving notice in accordance with clause 5.2; or the defect arises because the Customer failed to follow the oral or written instructions of the Supplier or manufacturer as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade pract regarding the same; or the Customer afters or repairs such Goods without the written consent of the Supplier; or the Customer afters or repairs such Goods without the written consent of the Supplier; or the Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements.

regulatory requirements.

Except as provided in this clause 5, the Supplier shall have no liability to the Customer in respect of the failure of the Goods to comply with the warranty set out in clause 5.1.

The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.

The Customer acknowledges that the Supplier is not the manufacturer of the Products. If, in respect of any of the Products, the manufacturer of those Products offers or provides a warranty, the Supplier shall, at the Customer's written request, use reasonable endeavours to ensure the Customer obtains the benefit of any such warranty.

TITLE AND RISK
The risk in the Goods shall pass to the Customer on completion of delivery.
This to the Goods shall not pass to the Customer until the earlier of:
The to the Goods shall not pass to the Customer until the earlier of:
the Supplier receives payment in full (in cash or cleared funds) for the Goods and any other goods that the Supplier has
supplied to the Customer, in which case title to the Goods shall pass at the time of payment of all such sums; and
The Customer resells the Goods, in which case title to the Goods shall pass to the Customer at the time specified in clause 6.4.
Until title to the Goods has passed to the Customer, the Customer shall:
store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the property
of the Supplier (and, in particular, shall store Goods for which the Customer has paid separately from Goods for which
the Customer has not paid);
not remove, deface or obscure any identifying mark or packaging on or relating to the Goods:
maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of
delivery:

maintain the Goods in satisfactory condition and keep them insured against ear ions the use the present of delivery;
notify the Supplier immediately if it becomes subject to any of the events listed in clause 8.2: and give the Supplier such information relating to the Goods as the Supplier may require from time to time.

If the Customer allows the Goods (or any of them) for which the Customer has not paid to be stored with Goods for which the Customer has paid such that it is not possible to distinguish between Goods which have been paid for, the Customer shall be deemed to have not paid for such number of the Goods which remain in the Customer's possession and for which the Supplier has not received payment.

Subject to clause 6.6, the Customer may resell or use the Goods in the ordinary course of its business (but not otherwise) before the Supplier receives payment for the Goods. However, if the Customer resells the Goods before that time: it does so as principal and not as the agent of the Supplier; and title to the Goods shall pass from the Supplier to the Customer immediately before the time at which resale by the Customer occurs.

If before title to the Goods passes to the Customer the Customer becomes subject to any of the events listed in clause 8.2

then, without limiting any other right or remedy the Supplier may have: the right to resell the Goods by the Customer or use them in the ordinary course of its business ceases immediately; and

the Supplier may at any time:
require the Customer to deliver up all Goods in its possession which have not been resold, or irrevocably incorporated into
another product: and
if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored
in order to recover them.

PRICE AND PAYMENT
The price of the Goods shall be the price set out in the published price list of the Supplier in force as at the date of delivery or, if different, the price specified in the Contract.

The Supplier may, by giving notice to the Customer at any time before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods that is due to:

any factor beyond the Supplier's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs); or

any request by the Customer to change the delivery date(s), quantities or types of Goods ordered or any delay caused by any instructions of the Customer or failure of the Customer to give the Supplier adequate or accurate information or instructions.

any request by the Customer to change the center, and the Customer to give the Supplier adequate or accurate information or instructions of the Customer a failure of the Customer to give the Supplier adequate or accurate information or instructions.

For Orders to be delivered within the UK mainland with a value of more than £150 the price of the Goods is inclusive of the costs for the delivery of the Goods. For Orders with a value of less than £150 or for delivery outside the UK mainland the costs of delivery will be charged to the Customer at the Supplier's standard rates and which costs shall be invoiced to the Customer in addition to the price of the Goods.

The price of the Goods is exclusive of amounts in respect of value added tax ("VAF"). The Customer shall, on receipt of a valid VAT invoice from the Supplier, pay to the Supplier such additional amounts in respect of VAT as are chargeable on the supply of the Goods.

The Supplier may invoice the Customer for the Goods on or at any time after the completion of delivery.

The Customer shall pay the invoice in full and in cleared funds within 30 days following the end of the month in the invoice is dated. Time of payment is of the essence.

If the Customer falls to make any payment due to the Supplier under the Contract by the due date for payment, then the Customer shall pay interest on the overdue amount at the rate of 4% per amount above the base rate of Barclays Bank PLC from time to time. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest opether with the overdue amount, whether before or after judgment. The Customer shall pay the interest opether with the overdue amount, whether before or after judgment. The Customer shall pay the interest opether with the overdue amount.

Bank PLL from these to the control to the control to the coverdue amount. Whether before or after judgment. The Customer shall pay the interest together with the coverdue amount.

The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law).

TERMINATION AND SUSPENSION

If the Customer becomes subject to any of the events listed in clause 8.2, the Supplier may terminate the Contract with immediate effect by giving written notice to the Customer and, all amounts which are then outstanding and to be paid by the Customer to the Supplier (whether under the Contract or any other Contract) shall become immediately due and payable by the Customer.

For the purposes of clause 8.1, the relevant events are:

For the purposes of clause 8.1, the relevant events are:

for the purposes of clause 8.1, the relevant events are:

for the supplier suspends, or threaters to suspend, payment of its debts or is unable to pay its debts as they fall due or admits inability to pay its debts or (being a company or limited liability partnership) is deemed unable to pay its debts or a having no reasonable prospect of so doing, in either case, within the meaning of section 288 of the Insolvency Act 1986, or (being a partnership) has any partner to whom any of the foregoing apply:

unable to pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 286 of the Insolvency Act 1986, or (being a partnership) has any partner to whom any of the foregoing apply;

the Customer commences negotiations with all or any class of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where the Customer is a company) where these events take place for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer; (being a company) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or connection with the winding up of the Customer, other than for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer; (being an individual) the Customer is the subject of a bankruptcy petition or order; a creditor or encumbrancer of the Customer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days:

(being a company) an application is made to court, or an order is made, for the appointment of an administration or a spointed an administration or appoint an administration is appointed an administration or appoint an administration is appointed over the Customer; being a company) the holder of a qualifying charge over the assets of the Customer has become entitled to appoint or have appointed an administration or service.

The process of the customer is a proceeding is taken, with respect to the Customer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause 8.2(a) to clause 8.2(b) (inclusive):

The custom

business; or the financial position of the Customer deteriorates to such an extent that in the opinion of the Supplier the capability of the Customer to adequately fulfil its obligations under the Contract has been placed in jeopardy. Without limiting its other rights or remedies, the Supplier may suspend provision of the Goods under the Contract or any other contract between the Customer and the Supplier if the Customer becomes subject to any of the events listed in clause 8 (2/g) to clause 8 (2/g) or the Supplier reasonably believes that the Customer is about to become subject to any of them, or if the Customer fails to pay any amount due under this Contract on the due date for seventies.

payment.

On termination of the Contract for any reason the Customer shall immediately pay to the Supplier all of the outstanding unpaid invoices and interest of the Supplier.

Termination of the Contract, however arising, shall not affect any of the parties' rights, remedies, obligations and liabilities that have accrued as at termination.

Clauses which expressly or by implication survive termination of the Contract shall continue in full force and effect.

LIMITATION OF LIABILITY

LIMITATION OF LIABILITY

Nothing in these Conditions shall limit or exclude the liability of the Supplier for:
death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable): or
fraud or fraudulent misrepresentation; or
breach of the terms implied by section 12 of the Sale of Goods Act 1979; or
ary matter in respect of which it would be unlawful for the Supplier to exclude or restrict liability.

Subject to clause 9.1:

He Supplier shall under no circumstances whatever be liable to the Customer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract; and the total liability of contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the price of the Goods.

FORCE MAJEURE

MALEURE. Shall be Bable for any failure or delay in performing its obligations under the Contract to the extent that such failure or delay is caused by any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including default of suppliers or the properties of the properties ubcontractors.

ENERAL
ssignment and other dealings. The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of the Supplier.

otices. Any notice or other communication given to a party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first-class post or other next working day delivery service, commercial courier, fax or e-mail. The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action.

everance, if any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision able be deemed deleted. Any modification to or deletion of a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract.

provision or part-provision under this cause shall not affect the Validity and enforceability of the Fest of the Validity and the Validity of the Validity of



CRUSADER FAX ORDER FORM

Please fax all orders to: 01159 731 562

| | Page of | | | |
|-------------------|---------|--|--|--|
| Customer Address: | | | | |
| | | | | |
| | | | | |
| Postcode: | Date: | | | |
| | | | | |

| Product Code: | Quantity: | Notes: | Product Code: | Quantity: | Notes: |
|------------------|-----------|--------|------------------|-----------|--------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

